

GLOBAL CATALOGUE





TABLE OF CONTENTS

016

FAUCETS & SANITARYWARE

22	Laguna	161	Fusion	268	Aquamax Thermostat
40	Arc	171	Fonte	279	Thermostatic Mixers
49	Kubix Prime	180	Solo	283	Bathtub Spouts
61	Opal Prime	198	Florentine	292	Bidspa
74	Ornamix Prime	215	Eko*	297	Disabled-friendly
85	Vignette Prime	222	Continental Prime	299	Jaquar Designer (JDR)
96	Alive	232	Continental	305	Urinals
104	Queen's Prime	246	Astra	325	Accessories
126	Rendezvous	250	Sensor		
131	D'Arc	260	Pressmatic Taps		
138	Aria	264	Medi Series		
150	Lyric	266	Spout Operating Taps		

308

FLUSHING SYSTEMS

308 i-Flush

313 Flush Valves

317 Flushing Systems

386

SHOWER ENCLOSURES

386 Shower Enclosures

408 Urinal Partition

409 Ledges

410 Shower Tray

510

WATER HEATERS

510 Water Heaters

520

WASHROOM ACCESSORIES

520 Washroom Accessories

524 Accessories (For Disabled-friendly Bathrooms)

348

SHOWERS

JJZ WIAZE I HITIE OVEHIEAU JHOWE	352	Maze	Prime	Overhead	Shower
----------------------------------	-----	------	-------	----------	--------

354 Maze Showers

355 Multifunction Showers

357 Single Function Showers

364 Hydrolite Showers

365 Body Showers

367 Shower Accessories

412

WELLNESS

380 Floor Mounted Bath Mi

415 Whirlpool

445 Free Standing Bathtubs

453 Built-in Bathtubs

469 Bathtubs Accessories

473 Spas

489 Saunas

495 Steam Solutions

499 Shower Panels

AN AWARD WINNING GLOBAL BRAND

- 1) Jaquar & Artize from Jaquar Group are one of the fastest growing bathroom brands in the world, having over 63 years of manufacturing prowess.
- 2) The Group has presence in over 55 countries across Europe, Middle East, Asia- Pacific and Africa
- 3) Headquartered in the National Capital Region of India, in one-of-a-kind eco-friendly "Net Positive Building" spread over a sprawling space of over 48,000 sq. m. that's been awarded the LEED Platinum Certified rating from the United States Green Building Council (USGBC), the highest level of green building certification awarded to a building
- 4) In line with the mission to deliver unparalleled bathroom products, the Jaquar Group has 8 state-of-the-art manufacturing facilities spread over 330,000 sq. m, equipped with modern machines and processes
- 5) Currently, the Group delivers over 2.4 million bathrooms every year and produces over 39 million bath fittings annually
- 6) Delivers 2.5 million sanitaryware pieces annually
- 7) Over 10 million lighting products annually
- 8) Adhering to global quality certification, the Group's manufacturing setup is a zero-waste plant recycling 5,00,000 litres of water every day and 4221 metric tonnes of brass recycled every year. Embracing green philosophy, Jaquar Group unit generates 6.23 MW of solar energy
- 9) Jaquar Group turnover is over 6000 crores making it one of the fastest growing bath+light companies



A rapidly growing multi-diversified 'Complete Bathroom & Lighting Solutions' Group



JAQUAR GROUP GLOBAL HEADQUARTERS Net Positive Building spread over 48,000 sq. m.





Jaquar |

BATH + LIGHT

Jaquar's vision is to be the brand that inspires people worldwide to rediscover the joys of water and light. A global Superbrand, its Complete Bathroom Solutions include a wide range of products with beautifully designed aesthetics to make the bathroom a relaxing, refreshing, joyful space. In lighting too, the brand offers Complete LED Lighting Solutions - for residential, commercial and outdoor use. Designed to be compatible with, and complement every interior and exterior design aesthetic or decor.

A collaboration built on a shared passion for quality

MATTEO THUN & ANTONIO RODRIGUEZ
MILANO | SHANGHAI

JAQUAR WORLD


The Complete Bathroom **Destination Showrooms**

Jaquar World is a destination store that offers an unparalleled shopping experience. Focusing on Complete Bathroom Solutions, Jaquar World offers everything one dreams of in the bathroom space through two of their most respected global brands – Jaquar and Artize. Confirming to the highest quality standards and awarded for its worldwide design and excellence, Jaquar World provides an encompassing range of faucets, Sanitaryware, Showers, Wellness Products, Shower Enclosures, Flushing Systems, Water Heaters, and Bathroom Accessories. The team of well-trained design consultants, sales executives, and customer service professionals is committed to helping customers with valuable inputs and expert advice to turn their customized bathroom concepts into reality.

Proposed Bathroom Design in 3D



2D Plan Layout



















EUROPE: Italia | Portugal | Russia | UK

AFRICA: Drc | Ethiopia | Nigeria | South Africa | Kampala | Tanzania | Uganda

MIDDLE EAST: Jordan | Kuwait | Oman | Qatar | Saudi Arabia | UAE

ASIA PACIFIC: Bangalore | Bangladesh | Brunei | Kathmandu | Kolkata | Malaysia | Nepal | South Korea | Thailand

BEING A RESPONSIBLE COMPANY

As a global brand in the bathroom and lighting categories, eco-consciousness is a major driver of Jaquar's operational ethos. From the choices we make during product design, to their production at a large scale, and even how our corporate offices function, being responsible towards the conservation of natural resources, and operating sustainably, is a key aim. And one that we are constantly working towards and progressing on.

Our effort has been to take a 360-degree approach segmented along three core areas:

ENERGY EFFICIENCY

- Green energy for manufacturing
- A complete range of energy-saving LED lighting solutions for Home, Commercial and Outdoor needs
- Generating over 2.59MW of solar power annually at our premises
- 'Net Positive' global headquarters (spread over 48,000 sq m), certified LEED Platinum by the USGBC

WATER EFFICIENCY


- A whole range of certified solutions that offer significantly lower water consumption without compromising performance - from Dual-flush systems and Air Showers, to Pressmatic and Sensor taps, Sensor Urinals, and Flow Restrictor products
- Recycling 100,000 litres of water every day at our LEED Platinum manufacturing unit
- Rainwater is harvested

ZERO WASTE

- Zero Liquid discharge plant
- Zero waste plant
- 100% metal recycling
- Operating with the aim of zero-waste manufacturing across our 8 units spread over 3,30,000 sq m
- Products that offer a long lifespan and are supported by an industry-leading 10-year warranty*

*On bathroom fixtures

ECO-CONSCIOUS. PLANET-FRIENDLY.



AWARD-WINNING DESIGNERS

Jaquar group products are conceived by internationally-acclaimed designers and made to lead the evolution of bathrooms from functional rooms to inspiring spaces. Jaquar's approach to design, drawing from classical, modern, contemporary and fusion styles, has resulted in many recognitions, including the prestigious Red Dot and IF Design Awards, among others, which illustrate the global appeal of our portfolio.

















MATTEO THUN & ANTONIO RODRIGUEZ

Simplified shapes characterize the Laguna collection. Warm colours and excellent material provide a wide range of combinations and result from an intense dialogue between Jaquar and the designers, blending a minimal design with direct functionality.



FEDERICO MERONI

"Arc takes inspiration from the classic Roman Arc which naturally was a point of reference at the beginning of our creative process."



"Tailwater takes inspiration from the natural world, embodied in a beautifully engineered piece of industrial design."



LISA BOSI

"Alive is the meeting point of two different geometries. A rectangular bathtub with smooth edges that make it softer."



"Linea is the epitome of minimalism - a biomorphic design that delivers a Zen-like waterfall flow into your palms; a perfectly serene stream from the half-cut-bamboo style taps."





MICHAEL FOLEY

"Tiaara is a perfect balance of handcrafted and machine made processes. Its segmented assemblies allow for ease of manufacture and access to refined hand polishing of every surface."

GLOBAL CERTIFICATIONS

Jaquar uses the most modern and advanced global technological processes. Its in-house R&D and testing laboratories comprehensively analyse each functional aspect of every product to ensure absolute quality. The result? Products that conform to not only the highest global standards, but are also capable of withstanding the rigours of tough usage conditions.



The Water Regulations Approval Scheme is an independent UK certification body for plumbing products and materials, helping businesses and consumers choose compliant products that keep water safe, clean, and efficient.



The Saudi Arabian Standards Organization (SASO) certificate is necessary to clear customs when exporting to Saudi Arabia. SASO CoC (Saudi Arabia Certificate of Conformity) certifies that the goods have been tested and inspected to meet the needs of the SASO standards.



The SABS product certification scheme for South Africa aims to guarantee the products' quality, safety, and reliability to the consumer. The presence of the SASS certification mark known as the SABS Mark on a product is an assurance of conformity to the specifications.



KC certification, or Korea Certification, is a product certification that ensures the conformity of products to Korean safety standards.



PZH certificates from the National Institute of Hygiene in Poland confirm that the products are safe for human health and environmentally friendly.



SONCAP Certificate (SC) is a mandatory document used by the Nigerian Customs Services for clearance of goods going to Nigeria.



IKRAM QA's Product Certification Scheme is based on the International Standard ISO/IEC 17065 for the testing of products and assessment of the quality system involving surveillance of the quality system.



The Mandatory Water Efficiency Labeling Scheme (WELS) is a product certification scheme by the Public Utilities Board (PUB). Under this scheme, the certified products are classified as water-efficient.



ISO 9001 is the internationally recognized standard for Quality Management System (QMS). Organizations use the certification to demonstrate their effective processes and effective people to deliver an effective product or service time after time.



With a DVGW (German Technical and Scientific Association for Gas and Water) certificate, product manufacturers, specialist companies, utilities, and experts can demonstrate to their customers and market partners that they comply with the state-of-the-art in their field of activities.



KIWA certificates and reports offer reliable, impartial, objective and internationally recognized evidence that an organization comply with all quality norms as per the European laws and regulations.



CE marking is a certification mark that indicates conformity with health, safety, and environmental protection standards for products sold within the European Economic Area (EEA).



ZNAK - I

ZNAK-B is a collective guarantee trademark. All the products with the ZNAK-B mark are safe, up-to-date, and environment-friendly.



TISI certificate is a quality certificate of goods issued by the Thai Industrial Standards Institute, which confirms that the products meet the regulated quality & safety standards.

TRUSTED FOR OUR EXCELLENCE IN QUALITY




THE CHOICE OF PRESTIGIOUS PROJECTS ACROSS THE WORLD

Global architects and interior designers, for some of the leading residential, commercial, and hospitality projects across the world now specify Jaquar Group's products for their projects.

EUROPE:

Manchester Marriott Victoria & Albert Hotel, Water St, Manchester • Hilton Dublin Kilmainham, Dublin • Hotel Central Gate, Italy • Village Hotels, Watford • L&R Hotels, London • Windsor Bathrooms, Bradford • Haycock Hotel, London • Dublin Hotel, Dublin • Simon Donnellan, Kent • Conran / Hannah Willock, London • Castleford Ibis, Girish, Castleford • Hilton, Millemetre Design, Dublin • Cove Hotel, London • BLU Port, Gaski• Hotel Fregata, Kolobrzeg • WAM Group, Moscow • Hotel ULAN-UDE, Russia • Manchester Hotel, Manchester • Portnellan, Scotland • Co Living, Aldgate • Castle, London • Jane Ivan, Southampton • Savil, London • Kingspan, Barnsley • Vida Design – Carehome, Reading • Tsunami SPA Hotel, Ukraine • Grand Laola Pobierowo, Poland • Dublin Skylon Hotel, Dublin • The Kings Hotel, High Wycombe • Savill court hotel, Windsor • London Square #2278, London • Battersea Park, London • Sonder Hotel, London • Citadines Hotel, London • Hotel Arka Medical SPA, Poland • Port Bogaczewo Resort, Poland • Neptuno Resort & Spa, Poland • Hotel Movie , Cinecittà Roma, Italy • Hotel Creekville, Italy • Hotel Central Gate, Italy KBB Project, London • Arcus Construction, London • Spirit Construction, London • Inside Job, Essex • Atkins Developements, London • Shireen Sharda, London • AP Capital, London • Euro City Project Phase 1 & 2, Gibraltar • State of Department Moscow Property, Moscow • Galeon Shopping Mall, Moscow • Municipal Children's Hospital, Ukraine • School Apostolovo, Apostolovo • Nursing Home Dnipro, Dnipro • TatNeft Arena, Russia• Student Accom, Salford • Private Medical Centre, Torun • Medical Clinic "Embryo", Belarus Residential: Creek Residences, Italy • Luxury residential, Italy • Federation Tower, Moscow City, Russia • Marina Club, Gibraltar • Manchester Developements, Manchester • Reema, London • Chandlers, London • 400 Houses, Glasgow • Fulham Gas Works, London • Wendy / Dr Ana, London






Khalifa International Stadium, Qatar Venue of FIFA World Cup 2022

ASIA PACIFIC

Hospitality: The Oberoi Udaivilas, Udaipur • Hilton
Hotel, Mauritius • Art Palace, South Korea • YOKO
ONSEN- Quang Hanh Hot Spring Resort, Vietnam •
Hotel Oberoi, Mauritius • Savoy Hotel, Seychelles •
Savoy Seychelles Resort & Spa, Seychelles •
Berjaya Hotel Mahe, Seychelles • Adaaran Select
Meedhupparu, Male, Maldives • Trou Aux Beach
Hotel, Mauritius • Beachcomber Resort, Mauritius •
Le Méridien Ile Maurice, Mauritius • Hotel Supicha
Aqua, Thailand • Club Dolphin Hotel, Sri Lanka •
Sedona Service Apartment Saigon, Vietnam •
Holiday Inn Hotel, Dhaka • Taw Win Garden Hotel,
Myanmar • Grand Mercure Yangon Golden Empire,
Myanmar • Hotel De La Coupole, Mgallery, Sapa,
Vietnam • Conic Riverside Residential, Ho Chi Minh,
Vietnam • Bomi E&c Residential, South Korea
• Four Season Resorts, Sevchelles

MIDDLE EAST

Hospitality: Centro Shaheen Jeddah By Rotana, KSA • Centro Rotana Hotels, Jeddah • Arabian Center Cinemas, Jeddah • Seven Palaces Hotel, KSA • Atana Khasab Hotel, Oman • Omran - Ibis Styles Muscat, Oman • Ras Al Hamra Residential Redevelopment Project, Oman • Century Hotel, Doha • Banana Island Resort by Anantara, Doha • Art Rotana Hotel, Bahrain • Hotel Melia, Dubai • Hotel Landmark, Dubai • Zaya Nurai Island Resort, Abu Dhabi • Bab Al Shams Resort & SPA, Dubai • Crown Plaza, Oman • Hilton Hotel, Doha • Nurai Resort, Abu Dhabi, UAE • Land Mark Hotel, UAE • Canvas Hotel, UAE • Ivory Grand Hotel, UAE • Somewhare Hotel, UAE • Al Khoory Atrium, UAE • City Max Hotel - Business Bay, UAE • City Max Hotel Bursha Height, UAE • Occidental Hotel IMPZ-26, UAE • Occidental Hotel IMPZ-27, UAE • Orra Harber , UAE





AFRICA

Hospitality: Sheraton Hotel, Uganda • Tanzania • Bureau of Standards HQ, Dar Es salaam, Tanzania • High Commission of India, Dar Es salaam, Tanzania • PPF Tower, Dar Es salaam, Tanzania • Faykat Tower, Dar Es salaam, Tanzania • Kawe Residential, Dar Es salaam, Tanzania • PPF Arusha, Tanzania • Portea Hotel, Tanzania • NSSF Tower Mwanza, Dar Es salaam, Tanzania • ECO Residence, Dar Es salaam, Tanzania • NHC / Morocco Squire, Dar Es salaam, Tanzania • Golden Jubilee Tower Dar Es salaam, Tanzania • Evoke Luminary, Dar Es Salaam, Tanzania • Uhuru Tower, Dar Es salaam, Tanzania • Vijayana Residential Tower, Dar Es salaam, Tanzania • Vijayana Residential Tower, Dar Es salaam, Tanzania • Milmani Shopping Mall, Dar Es salaam, Tanzania • Ideal Residence, Dar Es salaam, Tanzania • Sea Breeze Apartments. Dar Es

FAUCETS & SANITARYWARE





FAUCETS



Jaquar faucets provide a great experience with their high quality performance. Jaquar's in-house, award winning design team is well integrated in its approach and helps produce over 125000 faucets per day. Our state-of-the-art manufacturing units are backed by a world-class testing lab. That's why Jaquar faucets conform to the highest quality and regulatory standards. Jaquar's passion for perfection reflects in the 10 years of warranty it extends on its faucets. The faucets comprise of more than 20 ranges to suit various design needs, besides a complete

range of faucets with single-lever, quarter turn and multi-turn operations.





Advanced Water Saving Flow Regulator

Aerators

- Devices that mix air with water to give a soft and splash-free flow.
- Our integrated honeycomb-structured aerator, provides lime build-up protection
- Integrated anti-clogging dome screen of the aerator filters



Higher Longevity



Operates Smoothly



Optimum Flow and Temperature

Cartridges

- controlling water supply.
 Jaquar cartridges are half a million cycle tested to give a longer and trouble free operating life of up to 20 years (considering
- Wide angle of lever provides extra comfort and flawless, smooth
- breakage
- Works smoothly even at high temperatures (85 degrees) and in
- Recognised and approved by national bodies NSF-USA, ASME-USA, WRAS-UK, ACS-FRANCE



Higher Durability (0.3μ Chrome + 10μ Nickel)

Chrome Finish

- Upper shiny protection layer provides a mirror finish to every faucet.
- High plating thickness (Nickel: 10 microns and Chrome: 0.3 microns)
- 450+ hours of salt spray test ensures our finishes are highly durable and corrosion resistant for a much longer time.



*Unmatched Warranty

to such exacting quality standards that they come with a 10 Year Warranty. Offering customers complete peace of mind.



Jaquar Care

Armed with a large service network of trained personnel who offer on-site plumbing guidelines and preventive maintenance services besides regular check-ups, Jaquar ensures uninterrupted bathing

SANITARYWARE

Jaquar sanitaryware provides you with a wide range of designs and features to enhance your bathroom décor perfectly. Our wide range of Washbasins, offering Wall Hung, Over Counter, Under Counter and Counter-top installations are well coordinated with Jaquar's exquisite range of faucets. Moreover, our water closets with single piece, coupled with wall mounted options, fit into your coordinated design and installation parameters perfectly. They are user-friendly, as well as two push-button activated dual-flush technology provides you the choice of using 3 ltr or 6 ltr flush options.

Features

Anti-Germ Glazing



Anti-Bacterial Glaze is an additional Fluoro-Polymer in glaze. It is applied on Jaquar WCs and Wash Basins through a special process and provides the following benefits:

- It forms a strong hydrophobic shield which prevents the build-up of bacteria and germs
- Ideal for India's humid weather conditions
- Renders the surface durable and highly repellent to dirt, oils and liquids
- Facilitates easy removal of hard water deposits

Clean and Odour-free WCs



The interior portion of the traps of water closets are glazed

- Ensures the trap does not collect dirt or give out odour
- Prevents dirt from sticking inside the trap
- · Facilitates easy flushing and waste removal
- Ensures clean and odour-free bathroom

Soft Closing Detachable UF Seat Cover



Load bearing capacity of over 150 kg (seat cover and bushes) • Shape and texture of the seats unaffected by temperature variations • Does not absorb room temperature therefore, the seats are neither too hot nor too cold to touch • Surface is resistant to stains and strong dyes • Does not deform or peel-off with use • Special buffer oil is used in the hinges for lasting functionality • Soft-close action to eliminate noise of falling of the cover • This is guaranteed for 5 years • Adjustable speed of falling of the cover within a range of 1 to 15 seconds that lead to silent operations

Stringent quality parameters

Load Bearing Test of 400 kg for WC & 150 kg for WB • Autoclave Test for Craze Resistance

- Chemical Resistance Test to negate the possibility of stains
- Spectro Photometer Test for colour stability
- Flushing Tests: (a) 100 Ball Test (b) Ink Test



After Sales Service

Large service network for complete peace of mind.



Uniform Standard

Uniform grades of products available for retail and projects. No differentiation in terms of product quality, design and colour.



Rimless WC

Innovative, hygienic design that makes flushing efficient and cleaning effortless.



10 Years Warranty



Blind Installation

Design that adds to the aesthetics of the WC. No side windows for installation. More hygienic and clean.



Tornado Flushing

Silent Flushing. Cleans entire toilet rim and bowl more effectively, reducing water consumption.

LAGUNA

An Iconic Form With Timeless Simplicity




Designed by MATTEO THUN & ANTONIO RODRIGUEZ


"The complexity of simplicity", as Matteo Thun defines it, is the search for a design solution. Enduring simplicity of form, in a cohesive collection of materials, colour and combinations that create wonderful opportunities for magnificently finished spaces.



THE MOODS OF LAGUNA



URBAN OASISUrban Oasis is all about high-end simplicity, elegance and sophistication.




LUXURY ALLURE

Luxury Allure brings together fine textures, and the tactile pleasures of quality materials.



COLOUR CHARISMA


Colour Charisma brings a fresh breeze of Mediterranean flair to the bathroom.



WOOD HAVEN

Wood Haven creates harmony through subtle, natural material combinations.

LAGUNA | COLOUR FINISHES




If you wish to place orders for the different colour finishes of this range shown above, just replace the colour code in the middle of the product code with the colour code of your choice. For instance, in the product code LAG-CHR-91005B, 'CHR' notes Chrome Finish. If you wish to order the same product in Black Chrome, replace 'CHR' with 'BCH'. Thus the product code will be LAG-BCH-91005B.

Note: The finishes depicted here are only indicative and may differ from that on the actual product.

Single Lever | Basin






LAG-91011B

Single Lever Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses

Flow rate: 14.19 l/min*






LAG-91011BWF

Single Lever Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses and Base Flange

Flow rate: 14.19 l/min*






LAG-91011BCLW

Single Lever Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses & Click-Clack-Waste (ALD-729)

Flow rate: 14.19 l/min*






LAG-91011BCLWWF

Single Lever Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses, Click-Clack-Waste (ALD-729) and Base Flange

Flow rate: 14.19 I/min*






LAG-91051B

Single Lever Basin Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 14.19 l/min*

Single Lever | Basin






LAG-91051BWF

Single Lever Basin Mixer with Pop-Up-Waste, 375 mm Long Braided Hoses and Base Flange Flow rate: 14.19 I/min*






LAG-91023B

Single Lever Extended Basin Mixer (Height-128 mm) without Pop-Up-Waste, with 375 mm Long Braided Hoses

Flow rate: 14.80 l/min*






LAG-91023BWF

Single Lever Extended Basin Mixer (Height-128 mm) without Pop-Up-Waste, with 375 mm Long Braided Hoses and Base Flange

Flow rate: 14.80 l/min*






LAG-91052B

Single Lever Extended Basin Mixer (Height-128 mm) with Pop-Up-Waste & 375 mm Long Braided Hoses

Flow rate: 14.80 l/min*





LAG-91052BWF


Single Lever Extended Basin Mixer (Height-128 mm) with Pop-Up-Waste, 375 mm Long Braided Hoses and Base Flange

Flow rate: 14.80 l/min*

*at 3 bar pressure jaquar.com

Single Lever | Basin






LAG-91005B

Single Lever High Neck Basin Mixer without Pop-Up-Waste, with 600 mm Long Braided Hoses

Flow rate: 13.26 l/min*






LAG-91005BWF

Single Lever High Neck Basin Mixer without Pop-Up-Waste, with 600 mm Long Braided Hoses and Base Flange Flow rate: 13.26 l/min*






LAG-91231NK

Exposed Parts of Single Lever Built-in In-Wall Manual Valve with basin spout, two separate wall flanges, cartridge Sleeve and operating lever (Compatible in wall Parts ALD-233NPSO or ALD-235NPSO are Sold Separately)

Flow rate: 15.91 l/min*






LAG-91233NK

Exposed Parts of Single Lever Built-in In-Wall Manual Valve with Basin Spout (Compatible in-Wall Parts ALD-233N or ALD-235N are Sold Separately)

Flow rate: 15.91 l/min*







LAG-91027

Floor Mounted Single Lever Basin Mixer Flow rate: 14.19 l/min*

Single Lever | Bath & Shower








LAG-91147

Single Lever Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted

Flow rate: 25.88 I/min*






LAG-91149

Single Lever Shower Mixer, Wall Mounted Flow rate: 27.53 l/min*






LAG-91065NK

Exposed Part Kit of Single Lever In-Wall Diverter (Compatible In-Wall Part ALD-065N is Sold Separately)






LAG-91079NK

Exposed Part Kit of Single Lever Hi-Flow In-Wall Diverter (Compatible In-Wall Part ALD-079N is Sold Separately)






LAG-91227K

Exposed Part Kit of Single Lever In-Wall Manual Valve, 35 mm Cartridge (Compatible In-Wall Parts ALD-227 or ALD-229 are Sold Separately)

*at 3 bar pressure jaquar.com

Single Lever | Bidet






LAG-91213B

Single Lever Bidet Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 7.26 l/min*



Quarter Turn | Basin




LAG-91213BWF

Single Lever Bidet Mixer with Pop-Up-Waste, 375 mm Long Braided Hoses and Base Flange

Flow rate: 7.26 l/min*








LAG-91189CSR

3-Hole Basin Mixer with Casted Spout, Round Handle and without Pop-Up-Waste System

Flow rate: 17.52 l/min*








LAG-91191CSR

3-Hole Basin Mixer with Casted Spout, Round Handle and Popup Waste System

Flow rate: 17.52 l/min*







LAG-91189CSL

3-Hole Basin Mixer with Casted Spout, Lever Handle and without Popup Waste System


Flow rate: 17.12 l/min*



LAG-91191CSL

3-Hole Basin Mixer with Casted Spout, Lever Handle and Pop-Up-Waste System Flow rate: 17.12 l/min*






LAG-91189PSL

3-Hole Basin Mixer with Pipe Spout, Lever Handle and without Popup Waste System Flow rate: 16.83 l/min*






LAG-91189PSR

3-Hole Basin Mixer with Pipe Spout, Round Handle and without Popup Waste System

Flow rate: 16.83 l/min*






LAG-91423C

In-Wall Body of 3-Hole Basin Mixer (without Exposed Parts) Flow rate: 93.28 l/min*








LAG-91423K

Exposed Part Kit of In-Wall 3-Hole Basin Mixer with Basin Spout (Compatible In-Wall Part LAG-91423C is Sold Separately)
Flow rate: 17.90 l/min*

jaquar.com *at 3 bar pressure

Quarter Turn | Bath & Shower



LAG-91287

5-Hole Bath & Shower Mixer, Deck Mounted Flow rate: 29.84 I/min*

Quarter Turn | Taps



LAG-91809

Ø58

Deck Mounted Stop Valve Flow rate: 28.41 l/min*


LAGUNA | SANITARYWARE



LAS-WHT-91801 Wall Hung Basin with Fixing Accessories, Size:500x450x175 mm

LAS-WHT-91301

Full Pedestal for LAS-WHT-91801, Size: 200x265x685 mm






LAS-WHT-91803

Wall Hung Basin with Fixing Accessories, Size:800x500x175 mm

LAS-WHT-91303

Full Pedestal

for LAS-WHT-91803, 91805, Size: 210x310x685 mm






LAS-WHT-91805

Wall Hung Basin

with Fixing Accessories, Size:1000x500x185 mm

LAS-WHT-91303

Full Pedestal for LAS-WHT-91803, 91805, Size: 210x310x685 mm






LAS-WHT-91901

Table Top Basin,

Size: 380x380x130 mm,


Shape: Square



LAGUNA | SANITARYWARE I




LAS-WHT-91903 Table Top Basin, Size: 450x450x130 mm, Shape: Square






LAS-WHT-91905
Table Top Basin,
Size: 600x380x130 mm,
Shape: Rectangular






LAS-WHT-91701 Under Counter Basin with Fixing Accessories, Size: 450x450x170 mm, Shape: Square






LAS-WHT-91703 Under Counter Basin with Fixing Accessories, Size: 600x450x170 mm, Shape: Rectangular



LAGUNA | SANITARYWARE




LAS-WHT-91705 Under Counter Basin with Fixing Accessories, Size: 350x350x160 mm, Shape: Round






LAS-WHT-91707 **Under Counter Basin** with Fixing Accessories, Size: 450x450x170 mm, Shape: Round





LAS-WHT-91931 Table Top Basin Size: 600x450x175 mm






LAS-WHT-91807 Wall Hung Basin with Fixing Accessories,

Size: 600x450x175 mm

LAS-WHT-91301

Full Pedestal for LAS-WHT-91801, Size: 200x265x685 mm




LAGUNA | SANITARYWARE



LAS-WHT-91931W3TH Table Top Basin,


with Three Tap Hole, Size: 600x450x175 mm





LAS-WHT-91933 Table Top Basin,

Size: 800x500x175 mm






LAS-WHT-91933W3TH Table Top Basin

with Three Tap Hole,

Size: 800x500x175 mm,








LAS-WHT-91953BIUFSM

Rimless Blind Installation Wall Hung WC with UF Soft Close Slim Seat Cover, Hinges, Accessories Set,


Size: 370x525x350 mm



LAGUNA | SANITARYWARE



LAS-WHT-91153 Blind Installation Wall Hung Bidet with Fixing Accessories, Size: 370x525x280 mm





ARC

Controlled Fluidity, Smooth Architecture and Balanced Proportions





THE DESIGN LANGUAGE OF ARC


Designed by **FEDERICO MERONI**

"In architecture, you find this in the classic Roman Arc, which, naturally, was a point of reference at the beginning of our creative process."

The simplicity of the Arc combined with the complexity of a morphing section. One volume that play with the reassurance of a familliar geometry and the surprise of the water which, very naturally, in your hands.

INSPIRATION AND SKETCHES

The Arc collection of bathroom products draws inspiration from modern sculpture and the craftsmanship and precise detailing of fine silverware. It is a design that expresses an appreciation for form, function, subtlety of texture and quality of materials.







ARC | COLOUR FINISHES



Chrome CHR



Black Chrome BCH



Black Matt BLM



Antique Copper ACR



Graphite GRF



Antique Bronze ABR



Stainless Steel Finish SSF



Gold Dust GDS



White Matt WHM



Full Gold GLD


If you wish to place orders for the different colour finishes of this range shown above, just replace the colour code in the middle of the product code with the colour code of your choice. For instance, in the product code ARC-CHR-87011B, 'CHR' notes Chrome Finish. If you wish to order the same product in Gold Dust finish, replace 'CHR' with 'GDS'. Thus the product code will be ARC-GDS-87011B.

The finishes depicted here are only indicative and may differ from that on the actual product.

ARC | FAUCETS

Single Lever | Basin






ARC-87011B

Joystick Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses

Flow rate: 11.77 l/min*






ARC-87011BCLW

Joystick Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses & Click-Clack-Waste (ALD-729)

Flow rate: 11.77 l/min*





ARC-87233K

Exposed Parts of Joystick Built-in In-Wall Manual Valve with Basin Spout (Compatible In-Wall Part ARC-87233C is Sold Separately)

Flow rate: 13.53 l/min*





114


ARC-87233C

In-Wall Body of Joystick Built-in Manual Valve for Wall Mounted Basin Mixer (without Exposed Parts)

Flow rate: 34.44 I/min*

Single Lever | Bath & Shower





ARC-87065K

Exposed Part Kit of Joystick In-Wall Diverter (Compatible In-Wall Part ARC-87065C is Sold Separately)

■ ARC | FAUCETS

Single Lever | Bath & Shower



1/2" BSP Concealed body


Plastic protective cover plastic plastic

ARC-87065C

In-Wall Body of Joystick Diverter with 40 mm Cartridge (without Exposed Parts) Flow rate: 32.17 l/min*

Single Lever | Bidet






ARC-87213B

Joystick Bidet Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 7.15 l/min*

Quarter Turn | Basin






ARC-87189

3 hole Basin Mixer without Pop-Up-Waste Also available

ARC-87191

3 Hole Basin Mixer with Pop-Up-Waste Flow rate: 14.38 l/min*





ARC-87433


3 Hole Basin Mixer Wall Mounted Flow rate: 14.39 l/min*

jaquar.com *at 3 bar pressure

ARC | SANITARYWARE




ACS-WHT-87901 Table Top Basin, Size: 575x430x175 mm






ACS-WHT-87801 Wall Hung Basin with Fixing Accessories, Size: 635x485x305 mm



NEW



ACS-WHT-87701 Under Counter Basin with Fixing Accessories, Size: 640x490x155 mm











ACS-WHT-87953BIUFSM Rimless Blind Installation Wall Hung WC with UF Soft Close Slim Seat Cover, Hinges, Accessories Set, Size: 380x520x365 mm



ARC | SANITARYWARE



ACS-WHT-87153 Wall Hung Bidet with Accessories Set, Size: 385x520x340 mm





KUBIX PRIME | COLOUR FINISHES



Chrome CHR



Antique Bronze ABR



Antique Copper ACR



Black Chrome BCH



Black Matt BLM



Gold Dust GDS



Full Gold GLD



Graphite GRF



Stainless Steel Finish SSF



White Matt WHM


If you wish to place orders for the different colour finishes of this range shown above, just replace the colour code in the middle of the product code with the colour code of your choice. For instance, in the product code KUP-CHR-35011BPM, 'CHR' notes Chrome Finish. If you wish to order the same product in Gold Dust finish, replace 'CHR' with 'GDS'. Thus the product code will be KUP-GDS-35011BPM.

The finishes depicted here are only indicative and may differ from that on the actual product.

KUBIX PRIME | FAUCETS

Single Lever | Basin






KUP-35011BPM

Single Lever Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses Flow rate: 13.1 l/min*






KUP-35011BPMCLW

Single Lever Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses & Click-Clack-Waste (ALD-729)

Flow rate: 13.1 l/min*






KUP-35051BPM

Single Lever Basin Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 13.1 l/min*






KUP-35005BPM

Single Lever High Neck Basin Mixer without Pop-Up-Waste, with 600 mm Long Braided Hoses

Flow rate: 13.1 l/min*





KUP-35233NKPM


Exposed Parts of Single Lever Built-in In-Wall Manual Valve with Basin Spout (Compatible in-Wall Parts ALD-233N or ALD-235N are Sold Separately)

Flow rate: 13.3 l/min*

KUBIX PRIME | FAUCETS

Single Lever | Bath & Shower






KUP-35115PM

Single Lever Bath & Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted






KUP-35117PM

Single Lever Bath & Shower Mixer with Provision for Overhead Shower with 115 mm Long Bend Pipe on Upper Side, Wall Mounted

Flow rate: 21.89 l/min*






KUP-35119PM

Single Lever Bath & Shower Mixer, Wall Mounted Flow rate: 21.62 l/min*






KUP-35119PMSHK

Single Lever Bath & Shower Mixer with Shower Kit (1657, 571 & 555) Wall Mounted

Flow rate: 21.90 l/min*






KUP-35125PM

Single Lever Bath & Shower Mixer 3-in-1 System with Provision for both Hand Shower and Overhead Shower Complete with 115 mm Long Bend Pipe on Upper Side, Wall Mounted

Flow rate: 20.14 l/min*

jaquar.com *at 3 bar pressure






KUP-35149PM

Single Lever Shower Mixer, Wall Mounted Flow rate: 32 I/min*






KUP-35783KPM

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-Wall Parts ALD-783 or ALD-783E are Sold Separately)






KUP-35065NKPM

Exposed Part Kit of Single Lever In-Wall Diverter (Compatible In-Wall Part ALD-065N is Sold Separately)






KUP-35079NKPM

Exposed Part Kit of Single Lever Hi-Flow In-Wall Diverter (Compatible In-Wall Part ALD-079N is Sold Separately)






KUP-35227KPM

Exposed Part Kit of Single Lever In-Wall Manual Valve, 35 mm Cartridge (Compatible In-Wall Parts ALD-227 or ALD-229 are Sold Separately)

KUBIX PRIME | FAUCETS

Single Lever | Bidet






KUP-35213BPM

Single Lever Bidet Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 7.58 l/min*

Quarter Turn | Basin






KUP-35001PM

Basin Tap 1/2 Inch Flow rate: 14.65 I/min*






KUP-35021PM

High Neck Basin Tap Flow rate: 14.29 I/min*






KUP-35189PM

3 hole Basin Mixer without Pop-Up-Waste Flow rate: 15.74 l/min*





KUP-35191PM


3 Hole Basin Mixer with Pop-Up-Waste Flow rate: 15.74 l/min*

jaquar.com *at 3 bar pressure

KUBIX PRIME | FAUCETS I

Quarter Turn | Basin






KUP-35433PM

3 Hole Basin Mixer Wall Mounted Flow rate: 13.22 l/min*






KUP-35441KPM

Exposed Parts of In-Wall Single Built-in Stop Valve with Basin Spout (Compatible In-Wall Part ALD-441 is Sold Separately)

Flow rate: 13.6 l/min*








KUP-35223PM

H Type Bath Filler Flow rate: 34.01 I/min*






KUP-35275PM

H Type Bath and Shower Mixer (without Shower & Shower Hose) Flow rate: 28.17 I/min*






KUP-35275PMSHK

H Type Bath and Shower Mixer with Shower Kit (1657, 571 & 555) Flow rate: 28.17 I/min*

KUBIX PRIME | FAUCETS

Quarter Turn | Taps






KUP-35037PM

Bib Tap with Wall Flange Flow rate: 14.37 l/min*






KUP-35041PM

2-Way Bib Tap with Wall Flange Flow rate: 14.41 l/min*






KUP-35053PM

Angle Valve with Wall Flange Flow rate: 32.7 l/min*






KUP-35083PM

In-Wall Stop Valve with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall Parts)

Flow rate: 68.39 I/min*





KUP-35089PM


In-Wall Stop Valve with Adjustable Wall Flange, Size 20 mm (with Exposed and In-Wall Parts) Flow rate:69.65 l/min*

jaquar.com *at 3 bar pressure

KUBIX PRIME | FAUCETS

Quarter Turn | Taps






KUP-35809PM

Deck Mounted Stop Valve Flow rate: 30.55 l/min*

KUBIX | SANITARYWARE




KUS-WHT-35935 Table Top Basin, Size: 565x425x140 mm






KUS-WHT-35901 Table Top Basin, Size: 595x435x185 mm






KUS-WHT-35601 Counter Top Basin, Size: 500x435x180 mm






KUS-WHT-35803 Wall Hung Integrated Basin with Fixing Accessories, Size: 490x430x390 mm



KUBIX | SANITARYWARE I




KUS-WHT-35401N Floor Standing Basin with Fixing Accessories, Size: 510x460x870 mm






KUS-WHT-35603 Counter Top Basin, Size: 610x470x170 mm






KUS-WHT-35851S300UF Single Piece WC with UF Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 370x695x795 mm, S Trap- 300 mm







KUS-WHT-35953BIUFSM Rimless, Blind Installation Wall Hung WC with UF Soft Close Slim Seat Cover, Hinges, Accessories Set, Size: 360x500x330 mm




KUBIX | SANITARYWARE






KUS-WHM-35953BIUFSM Rimless, Blind Installation Wall Hung WC In White Matt with UF Soft Close Slim Seat Cover, Hinges, Accessories Set, Size: 360x500x330 mm








KUS-BLM-35953BIUFSM Rimless, Blind Installation Wall Hung WC In Black Matt with UF Soft Close Slim Seat Cover, Hinges, Accessories Set, Size: 360x500x330 mm







KUS-WHT-35153 Blind Installation Wall Hung Bidet with Accessories Set, Size: 355x490x305 mm





OPAL PRIME | COLOUR FINISHES



Chrome CHR



Antique Bronze ABR



Antique Copper ACR



Black Chrome BCH



Black Matt BLM



Gold Dust GDS



Full Gold GLD



Graphite GRF



Stainless Steel Finish SSF




White Matt WHM

If you wish to place orders for the different colour finishes of this range shown above, just replace the colour code in the middle of the product code with the colour code of your choice. For instance, in the product code OPP-CHR-15011BPM, 'CHR' connotes Chrome Finish. If you wish to order the same product in Gold Dust finish, replace 'CHR' with 'GDS'. Thus the product code will be OPP-GDS-15011BPM.

The finishes depicted here are only indicative and may differ from that on the actual product.

Single Lever | Basin






OPP-15011BPM

Single Lever Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses

Flow rate: 14.7 l/min*

Registered design no.276010






OPP-15011BPMCLW

Single Lever Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses & Click-Clack-Waste (ALD-729)

Flow rate: 14.7 l/min*






OPP-15051BPM

Single Lever Basin Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses

Flow rate: 14.7 l/min*






OPP-15005BPM

Single Lever High Neck Basin Mixer without Pop-Up-Waste, with 600 mm Long Braided Hoses

Flow rate: 14.23 l/min*






OPP-15233NKPM

Exposed Parts of Single Lever Built-in In-Wall Manual Valve with Basin Spout (Compatible in-Wall Parts ALD-233N or ALD-235N are Sold Separately)

Flow rate: 14.86 l/min*

Single Lever | Bath & Shower






OPP-15115PM

Single Lever Bath & Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted

Flow rate: 20.5 l/min*






OPP-15119PM

Single Lever Bath & Shower Mixer, Wall Mounted

Flow rate: 20.46 I/min*






OPP-15119PMSHK

Single Lever Bath & Shower Mixer with Shower Kit (5537N, 571 & 555), Wall Mounted

Flow rate: 19.82 l/min*






OPP-15117PM

Single Lever Bath & Shower Mixer with Provision for Overhead Shower with 115 mm Long Bend Pipe on Upper Side, Wall Mounted

Flow rate: 20.46 l/min*






OPP-15125PM

Single Lever Bath & Shower Mixer 3-in-1 System with Provision for both Hand Shower and Overhead Shower Complete with 115 mm Long Bend Pipe on Upper Side, Wall Mounted

Flow rate: 19.82 l/min*

jaquar.com *at 3 bar pressure






OPP-15149PM

Single Lever Shower Mixer, Wall Mounted Flow rate: 32 I/min*






OPP-15227KPM

Exposed Part Kit of Single Lever In-Wall Manual Valve, 35 mm Cartridge (Compatible In-Wall Parts ALD-227 or ALD-229 are Sold Separately)






OPP-15065NKPM

Exposed Part Kit of Single Lever In-Wall Diverter (Compatible In-Wall Part ALD-065N is Sold Separately)






OPP-15079NKPM

Exposed Part Kit of Single Lever Hi-Flow In-Wall Diverter (Compatible In-Wall Part ALD-079N is Sold Separately)






OPP-15783KPM

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-Wall Parts ALD-783 or ALD-783E are Sold Separately)

Single Lever | Kitchen






OPP-15173BPM

Single Lever Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses Flow rate: 16.25 l/min*

Single Lever | Bidet






OPP-15213BPM

Single Lever Bidet Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 7.15 l/min*

Quarter Turn | Basin






OPP-15001PM

Basin Tap 1/2 Inch Flow rate: 16.79 l/min*






OPP-15021PM

High Neck Basin Tap Flow rate: 16.79 l/min*






OPP-15433PM

3 Hole Basin Mixer Wall Mounted Flow rate: 16.34 l/min*

jaquar.com *at 3 bar pressure

Quarter Turn | Basin






OPP-15441KPM

Exposed Parts of In-Wall Single Built-in Stop Valve with Basin Spout (Compatible In-Wall Part ALD-441 is Sold Separately) Flow rate: 14.22 l/min*

Quarter Turn | Bath & Shower






OPP-15223PM

H Type Bath Filler Flow rate: 36.44 l/min*






OPP-15275PM

H Type Bath and Shower Mixer (without Shower & Shower Hose) Flow rate: 29.18 I/min*






OPP-15275PMSHK

H Type Bath and Shower Mixer with Shower Kit (1653, 571 & 555) Flow rate: 29.18 l/min*

Quarter Turn | Taps






OPP-15037PM

Bib Tap with Wall Flange Flow rate: 16.89 l/min*

Quarter Turn | Taps






OPP-15041PM

2-Way Bib Tap with Wall Flange Flow rate: 16.89 l/min*






OPP-15053PM

Angle Valve with Wall Flange Flow rate: 35.64 l/min*






OPP-15083PM

In-Wall Stop Valve with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall Parts)

Flow rate: 59.97 l/min*





OPP-15089PM

In-Wall Stop Valve with Adjustable Wall Flange, Size 20 mm (with Exposed and


In-Wall Parts) Flow rate: 38.96 l/min*

jaquar.com *at 3 bar pressure

OPAL | SANITARYWARE




OPS-WHT-15901N Thin Rim Table Top Basin, Size: 480x480x135 mm, Shape - Round






OPS-WHT-15905 Thin Rim Table Top Basin, Size: 415x415x145 mm, Shape - Round






OPS-WHT-15801 Wall Hung Basin with Fixing Accessories, Size: 585x485x195 mm OPS-WHT-15305

Half Pedestal with Fixing Accessories for OPS-WHT-15801





OPS-WHT-15803
Wall Hung Integrated Basin with Fixing Accessories, Size: 530x460x400 mm





OPAL | SANITARYWARE







OPS-WHT-15961BIUFSMTL Tankless Wall Hung WC with Sensor Flush, UF Soft Close Slim Seat Cover, Hinges, Accessories Set, Size: 360x580x380 mm













OPS-WHT-15951UF Wall Hung WC with UF Soft Close Seat Cover, Hinges, Accessories Set, Size: 360x585x415 mm








OPS-WHT-15955P180UFSM Rimless Back To Wall WC with UF Soft Close Slim Seat Cover, Hinges, Fixing Accessories and Accessories Set, Size: 370x580x430 mm, P Trap- 180 mm





OPS-WHT-15851S300UF Single Piece WC with UF Soft Close Seat Cover, Hinges, Single Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 380x660x785 mm, S Trap- 300 mm




OPAL | SANITARYWARE





OPS-WHT-15753NS250UFSMZ

Rimless Bowl with Cistern for Coupled WC with UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting, Conversion Bend, Fixing Accessories Set, Size: 380x645x805 mm, S Trap- 250 mm (with Conversion Bend)








OPS-WHT-15753NP180UFSMZ

Rimless Bowl with Cistern for Coupled WC with UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting and Fixing Accessories Set, Size: 380x645x805 mm, P Trap- 180 mm








OPS-WHT-15753P180UFSMZ


Rimless Bowl with Cistern for Coupled WC with UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting and Fixing Accessories, Size: 390x620x825 mm, P Trap- 180 mm





OPS-WHT-15751S220UFSMZ

Bowl with Cistern for Coupled WC with UF Soft Close Slim Seat Cover, Hinges, Single Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 400x660x820 mm, S Trap- 220 mm



OPAL | SANITARYWARE








OPS-WHT-15853S300UF Rimless Single Piece WC

with UF Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set,


Size: 360x675x750 mm, S Trap- 300 mm





OPS-WHT-15851S285PP


Single Piece WC with PP Soft Close Seat Cover, Hinges, Single Side Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 405x705x690 mm, S Trap- 285 mm





OPS-WHT-15851S300UFSMTL

Tankless Single Piece WC with UF Soft Close Slim Seat Cover, Hinges, Single flush with Sensor & Manual operated, Fixing Accessories and Accessories Set, Size: 360x580x450 mm, S Trap- 300 mm







ORNAMIX PRIME | COLOUR FINISHES



Chrome CHR



Antique Bronze ABR



Antique Copper ACR



Black Chrome BCH



Black Matt BLM



Gold Dust GDS



Full Gold GLD



Graphite GRF



Stainless Steel Finish SSF




White Matt WHM

If you wish to place orders for the different colour finishes of this range shown above, just replace the colour code in the middle of the product code with the colour code of your choice. For instance, in the product code ORP-CHR-10011BPM, 'CHR' connotes Chrome Finish. If you wish to order the same product in Gold Dust finish, replace 'CHR' with 'GDS'. Thus the product code will be ORP-GDS-10011BPM.

The finishes depicted here are only indicative and may differ from that on the actual product.

Single Lever | Basin






ORP-10011BPM

Single Lever Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses

Flow rate: 15.98 l/min*

Registered design no.276012






ORP-10011BPMCLW

Single Lever Basin Mixer without Pop-Up- Waste, with 375 mm Long Braided Hoses & Click-Clack-Waste

(ALD-729)

Flow rate: 15.98 l/min*






ORP-10051BPM

Single Lever Basin Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 15.98 l/min*

Registered design no.276012






ORP-10005BPM

Single Lever High Neck Basin Mixer without Pop-Up-Waste, with 600 mm

Long Braided Hoses Flow rate: 16.64 l/min*

Registered design no.276012





ORP-10233NKPM


Exposed Parts of Single Lever Built-in In-Wall Manual Valve with Basin Spout (Compatible in wall Parts ALD-233N or ALD-235N are Sold Separately)

Flow rate: 14.83 l/min*

jaquar.com *at 3 bar pressure

Single Lever | Bath & Shower






ORP-10115PM

Single Lever Bath & Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted

Flow rate: 15.79 l/min*






ORP-10119PM

Single Lever Bath & Shower Mixer, Wall Mounted

Flow rate: 15.1 l/min*






ORP-10119PMSHK

Single Lever Bath & Shower Mixer with Shower Kit (5537N, 571 & 555), Wall Mounted

Flow rate: 20.54 I/min*






ORP-10117PM

Single Lever Bath & Shower Mixer with Provision for Overhead Shower with 115 mm Long Bend Pipe on Upper Side,

Wall Mounted Flow rate: 15.79 l/min*

Registered design no.276011






ORP-10125PM

Single Lever Bath & Shower Mixer 3-in-1 System with Provision for both Hand Shower and Overhead Shower Complete with 115 mm Long Bend Pipe on Upper Side, Wall Mounted

Flow rate: 19.82 l/min*
Registered design no.276013

Single Lever | Bath & Shower







ORP-10149PM

Single Lever Shower Mixer, Wall Mounted Flow rate: 32 I/min^*








ORP-10783KPM

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-Wall Parts ALD-783 or ALD-783E are Sold Separately)






ORP-10065NKPM

Exposed Part Kit of Single Lever In-Wall Diverter (Compatible In-Wall Part ALD-065N is Sold Separately)






ORP-10079NKPM

Exposed Part Kit of Single Lever Hi-Flow In-Wall Diverter (Compatible In-Wall Part ALD-079N is Sold Separately)





ORP-10227KPM


Exposed Part Kit of Single Lever In-Wall Manual Valve, 35 mm Cartridge (Compatible In-Wall Parts ALD-227 or ALD-229 are Sold Separately)

jaquar.com *at 3 bar pressure

Single Lever | Kitchen



Single Lever | Bidet




ORP-10173BPM

Single Lever Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses Flow rate: 14.25 l/min*




Quarter Turn | Basin



ORP-10213BPM

Single Lever Bidet Mixer with Pop-Up- Waste & 375 mm Long Braided Hoses Flow rate: 5.12 I/min*






ORP-10001PM

Basin Tap 1/2 Inch Flow rate: 19.19 l/min*






ORP-10021PM

High Neck Basin Tap Flow rate: 18.65 l/min*






ORP-10433PM

3 Hole Basin Mixer Wall Mounted Flow rate: 20.38 I/min*

Quarter Turn | Basin






ORP-10441KPM

Exposed Parts of In-Wall Single Built-in Stop Valve with Basin Spout (Compatible In-Wall Part ALD-441 is Sold Separately) Flow rate: 14.31 l/min*

Quarter Turn | Bath & Shower






ORP-10223PM

H Type Bath Filler Flow rate: 49.76 l/min*






ORP-10275PM

H Type Bath and Shower Mixer (without Shower & Shower Hose)
Flow rate: 43.68 l/min*






ORP-10275PMSHK

H Type Bath and Shower Mixer with Shower Kit (1653, 571 & 555) Flow rate: 43.68 l/min*

Quarter Turn | Taps






ORP-10037PM

Bib Tap with Wall Flange Flow rate: 18.64 l/min*

jaquar.com *at 3 bar pressure

Quarter Turn | Taps






ORP-10041PM

2-Way Bib Tap with Wall Flange Flow rate: 18.64 l/min*






ORP-10053PM

Angle Valve with Wall Flange Flow rate: 40.24 l/min*






ORP-10083PM

In-Wall Stop Valve with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall Parts)

Flow rate: 68.39 I/min*





ORP-10089PM


In-Wall Stop Valve with Adjustable Wall Flange, Size 20 mm (with Exposed and In-Wall Parts)

Flow rate: 35.84 l/min*

ORNAMIX | SANITARYWARE




ONS-WHT-10801 Wall Hung Integrated Basin with Fixing Accessories, Size: 495x440x365 mm






ONS-WHT-10901 Table Top Basin, Size: 425x425x145 mm








ONS-WHT-10953BIUFSM Rimless, Blind Installation Wall Hung WC with UF Soft Close Slim Seat Cover, Hinges, Accessories Set, Size: 370x490x365 mm










ONS-WHT-10961BIUFSMTL Tankless Wall Hung WC with Sensor Flush, UF Soft Close Slim Seat Cover, Hinges, Accessories Set, Size: 380x625x385 mm










ORNAMIX | SANITARYWARE I





ONS-WHT-10955P180UFSM

Rimless Back To Wall WC with UF Soft Close Slim Seat Cover, Hinges, Fixing Accessories and Accessories Set, Size: 360x575x410 mm, P Trap-180 mm










ONS-WHT-10853S300UFSM Rimless Single Piece WC with with UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 385x720x710 mm, S Trap-300 mm








ONS-WHT-10753P180UFSMZ

Rimless Bowl with Cistern for Coupled WC with UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories, Size: 390x645x845 mm, P Trap-180 mm








ONS-WHT-10753NS250UFSMZ

Rimless Bowl with Cistern for Coupled WC with UF Soft Close Slim Seat Cover, Hinges, Conversion Bend, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set,

Size: 390x645x845 mm,

S Trap- 250 mm (with Conversion Bend)




ORNAMIX PRIME | SANITARYWARE



ONS-WHT-10153 Blind Installation Wall Hung Bidet with Accessories Set,


with Accessories Set, Size: 360x490x350 mm





ONS-WHT-10851S300UFSMTL
Tankless Single Piece WC
with UF Soft Close Slim Seat
Cover, Hinges, Single flush with
Sensor & Manual operated,
Fixing Accessories and
Accessories Set,

Accessories Set, Size: 380x620x450 mm, S Trap- 300 mm





VIGNETTE PRIME | COLOUR FINISHES



Chrome CHR



Antique Bronze ABR



Antique Copper ACR



Black Chrome BCH



Black Matt BLM



Gold Dust GDS



Full Gold GLD



Graphite GRF



Stainless Steel Finish SSF




White Matt WHM

If you wish to place orders for the different colour finishes of this range shown above, just replace the colour code in the middle of the product code with the colour code of your choice. For instance, in the product code VGP-CHR-81011B, 'CHR' connotes Chrome Finish. If you wish to order the same product in Gold Dust finish, replace 'CHR' with 'GDS'. Thus the product code will be VGP-GDS-81011B.

The finishes depicted here are only indicative and may differ from that on the actual product.

Single Lever | Basin






VGP-81011B

Single Lever Basin Mixer without Pop-Up- Waste, with 375 mm Long

Braided Hoses Flow rate: 13.62 l/min*






VGP-81011BCLW

Single Lever Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses & Click-Clack-Waste (ALD-729)

Flow rate: 13.52 l/min*






VGP-81051B

Single Lever Basin Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses

Flow rate: 13.52 l/min*






VGP-81005NB

Single Lever High Neck Basin Mixer without Pop-Up-Waste, with 600 mm Long Braided Hoses

Flow rate: 13.8 l/min*






VGP-81233NK

Exposed Parts of Single Lever Built-in In-Wall Manual Valve with Basin Spout (Compatible in-Wall Parts ALD-233N or ALD-235N are Sold Separately)

Flow rate: 15.52 l/min*

Single Lever | Bath & Shower






VGP-81119

Single Lever Bath & Shower Mixer, Wall Mounted Flow rate: 18.6 l/min*






VGP-81119SHK

Single Lever Bath & Shower Mixer with Shower Kit (5537N, 571 & 555), Wall Mounted

Flow rate: 18.60 l/min*






VGP-81145

Single Lever Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211NH or SHA-1213) & Hand Shower, Wall Mounted

Flow rate: 22.23 l/min*






VGP-81147

Single Lever Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted

Flow rate: 33.26 l/min*






VGP-81149

Single Lever Shower Mixer, Wall Mounted Flow rate: 31.78 l/min*

jaquar.com *at 3 bar pressure

Single Lever | Bath & Shower








SINGLE LEVER HANDLE

VGP-81783K

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-Wall Parts ALD-783 or ALD-783E are Sold Separately)





VGP-81065NK

Exposed Part Kit of Single Lever In-Wall Diverter (Compatible In-Wall Part ALD-065N is Sold Separately)








BUTTON BUTTON SLEEVE SLEEVE

VGP-81079NK

Exposed Part Kit of Single Lever Hi-Flow In-Wall Diverter (Compatible In-Wall Part ALD-079N is Sold Separately)






VGP-81227K

Exposed Part Kit of Single Lever In-Wall Manual Valve, 35 mm Cartridge (Compatible In-Wall Parts ALD-227 or ALD-229 are Sold Separately)

Single Lever | Kitchen





VGP-81165

Single Lever Sink Mixer with Swinging Spout on Upper Side, Wall Mounted Flow rate: 14.29 l/min*

Single Lever | Kitchen




225 225 225 225

VGP-81173B

Single Lever Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses Flow rate: 14.45 l/min*

Single Lever | Bidet






VGP-81213B

Single Lever Bidet Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 7.15 l/min*

Quarter Turn | Basin






VGP-81001

Basin Tap 1/2 Inch Flow rate: 14.6 I/min*






VGP-81021N

High Neck Basin Tap Flow rate: 14.78 l/min*






VGP-81433

3 Hole Basin Mixer Wall Mounted Flow rate: 14.71 l/min*

Quarter Turn | Basin






VGP-81441K

Exposed Parts of In-Wall Single Built-in Stop Valve with Basin Spout (Compatible In-Wall Part ALD-441 is Sold Separately) Flow rate: 14.22 l/min*

Quarter Turn | Bath & Shower






VGP-81421

2-way In-Wall diverter with Built-in Non-Return Valve (with In-Wall & Exposed Parts) Flow rate: 52.64 l/min*






VGP-81223

H Type Bath Filler Flow rate: 35.78 I/min*






VGP-81275

H Type Bath and Shower Mixer (without Shower & Shower Hose)
Flow rate: 22.00 l/min*






VGP-81275SHK

H Type Bath and Shower Mixer with Shower Kit (5537N, 571 & 555) Flow rate: 22.00 l/min*

Quarter Turn | Taps






VGP-81037

Bib Tap with Wall Flange Flow rate: 14.65 l/min*






VGP-81041

2-Way Bib Tap with Wall Flange Flow rate: 14.3 l/min*






VGP-81053

Angle Valve with Wall Flange Flow rate: 50.44 I/min*






VGP-81083

In-Wall Stop Valve with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall Parts)

Flow rate: 68.39 l/min*





VGP-81089


In-Wall Stop Valve with Adjustable Wall Flange, Size 20 mm (with Exposed and In-Wall Parts)

Flow rate: 69.65 l/min*

VIGNETTE | SANITARYWARE I




VGS-WHT-81931N Table Top Basin, Size: 600x385x195 mm







VGS-WHT-81953UF Rimless Wall Hung WC with UF Soft Close Seat Cover, Hinges, Accessories Set, Size: 390x570x365 mm











VGS-WHT-81853S300UF Rimless Single Piece WC with UF Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 395x710x730 mm, S Trap- 300 mm







VGS-WHT-81853P180UF Rimless Single Piece WC with UF Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 395x710x730 mm, P Trap- 180 mm




VIGNETTE | SANITARYWARE



VGS-WHT-81851S300UF Single Piece WC with UF Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories

Accessories and Accessories Set, Size: 380x710x740 mm, S Trap- 300 mm








VGS-WHT-81753P180UFSMZ

Rimless Bowl with Cistern for Coupled WC with UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 380x610x805 mm, P Trap- 180 mm









VGS-WHT-81753S250UFSMZ

Rimless Bowl with Cistern for Coupled WC with UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting, Conversion Bend, Fixing Accessories and Accessories Set, Size: 380x610x805 mm, S Trap- 250 mm (with Conversion Bend)






VGS-WHT-81151 Floor Mounted Bidet with Fixing Accessories, Size: 380x605x385 mm



VIGNETTE | SANITARYWARE



VGS-WHT-81153 Wall Hung Bidet with Accessories Set, Size: 400x580x335 mm





ALIVE | COLOUR FINISHES



Chrome CHR



Antique Bronze ABR



Antique Copper ACR



Black Chrome BCH



Black Matt BLM



Gold Dust GDS



Full Gold GLD



Graphite GRF



Stainless Steel Finish SSF




White Matt WHM

If you wish to place orders for the different colour finishes of this range shown above, just replace the colour code in the middle of the product code with the colour code of your choice. For instance, in the product code ALI-CHR-85011B, 'CHR' connotes Chrome Finish. If you wish to order the same product in Gold Dust finish, replace 'CHR' with 'GDS'. Thus the product code will be ALI-GDS-85011B.

The finishes depicted here are only indicative and may differ from that on the actual product.

Single Lever | Basin






ALI-85011B

Single Lever Basin Mixer without Pop-Up- Waste, with 375 mm Long

Braided Hoses Flow rate: 13.48 l/min*






ALI-85011BCLW

Single Lever Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses & Click-Clack-Waste (ALD-729)

Flow rate: 13.48 l/min*






ALI-85051B

Single Lever Basin Mixer with Pop-Up- Waste & 375 mm Long Braided Hoses

Flow rate: 13.48 l/min*






ALI-85005B

Single Lever High Neck Basin Mixer without Pop-Up-Waste, with 600 mm Long Braided Hoses

Flow rate: 12.34 l/min*






ALI-85233NK

Exposed Parts of Single Lever Built-in In-Wall Manual Valve with Basin Spout (Compatible In-Wall Parts ALD-233N or ALD-235N are Sold Separately)

Flow rate: 14.76 l/min*

Single Lever | Bath & Shower






ALI-85119

Single Lever Bath & Shower Mixer, Wall Mounted








ALI-85119SHK

Single Lever Bath & Shower Mixer with Shower Kit (85537, 571 & 555), Wall Mounted

Flow rate: 15.96 l/min*






ALI-85783K

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-Way Diverter (Compatible In-Wall Parts ALD-783 or ALD-783E are Sold Separately)






ALI-85065NK

Exposed Part Kit of Single Lever In-Wall Diverter (Compatible In-Wall Part ALD-065N is Sold Separately)






ALI-85079NK

Exposed Part Kit of Single Lever Hi-Flow In-Wall Diverter (Compatible In-Wall Part ALD-079N is Sold Separately)

Single Lever | Bath & Shower






ALI-85227K

Exposed Part Kit of Single Lever In-Wall Manual Valve, 35 mm Cartridge (Compatible In-Wall Parts ALD-227 or ALD-229 are Sold Separately)

Single Lever | Bidet






ALI-85213B

Single Lever Bidet Mixer with Pop-Up-Waste, & 375 mm Long Braided Hoses

Quarter Turn | Basin






Flow rate: 5.16 l/min*

ALI-85001

Basin Tap 1/2 Inch Flow rate: 15 l/min*






ALI-85021

High Neck Basin Tap Flow rate: 15 I/min*

Quarter Turn | Bath & Shower






ALI-85223

H Type Bath Filler Flow rate: 24.16 l/min*

Quarter Turn | Bath & Shower






ALI-85275

H Type Bath and Shower Mixer (without Shower & Shower Hose) Flow rate: 19.57l/min*






ALI-85275SHK

H Type Bath and Shower Mixer with Shower Kit (85537, 571 & 555)

Quarter Turn | Taps






Flow rate: 19.57 l/min*

ALI-85037

Bib Tap with Wall Flange Flow rate: 15.23 l/min*






ALI-85041

2-Way Bib Tap with Wall Flange Flow rate: 14.78 I/min*






ALI-85053

Angle Valve with Wall Flange Flow rate: 42.44 l/min*

Quarter Turn | Taps






ALI-85083

In-Wall Stop Valve with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall Parts)
Flow rate: 47.00 l/min*






ALI-85089

In-Wall Stop Valve with Adjustable Wall Flange, Size 20 mm (with Exposed and In-Wall Parts)

Flow rate: 47.00 l/min*

*at 3 bar pressure jaquar.com

ALIVE | SANITARYWARE






ALS-WHT-85601 Counter Top Basin SIZE:705x460x195 mm

QUEEN'S PRIME

Regal Elegance of the Victorian Era





A MAJESTIC LEGACY

Designed to evoke the regal elegance of the Victorian era, the original form of the Queen's range has now been updated for the modern era with graceful lines and a sleek, slender, updated silhouette.





HAMPTON

"Bridge the past and the present with a lighter palette of "Fusing softer colours and harder surfaces, this bathroom wood and pastels, along with crafted embellishments."



BALMORAL

achieves a fine balance of materials and textures."



BUCKINGHAM

"Infuse timelessness with stately greys, classic browns and the inclusion of nature's green touch."



WINDSOR

"Classy, contemporary, clean lines combine with the muted natural tones of tender leaves and young stems."



OSBORNE

"The purity of white and geometric patterns come together to complement the femininity of Queen's Prime."

QUEEN'S PRIME | COLOUR FINISHES



Chrome CHR



Antique Bronze ABR



Antique Copper ACR



Black Chrome BCH



Black Matt BLM



Gold Dust GDS



Full Gold GLD



Graphite GRF



Stainless Steel Finish SSF




White Matt WHM

If you wish to place orders for the different colour finishes of this range shown above, just replace the colour code in the middle of the product code with the colour code of your choice. For instance, in the product code QQP-CHR-7051BPM, 'CHR' connotes Chrome Finish. If you wish to order the same product in Gold Dust finish, replace 'CHR' with 'GDS'. Thus the product code will be QQP-GDS-7051BPM. The finishes depicted here are only indicative and may differ from that on the actual product.

Single Lever | Basin






QQP-7001BPM

Single Lever Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses






QQP-7001BPMCLW

Single Lever Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses & Click-Clack-Waste (ALD-729)

Flow rate: 14.70 l/min*






QQP-7051BPM

Single Lever Basin Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 14.70 l/min*

Single Lever | Bath & Shower






QQP-7065NKPM

Exposed Part Kit of Single Lever In-Wall Diverter (Compatible In-Wall Part ALD-065N is Sold Separately)






QQP-7079NKPM

Exposed Part Kit of Single Lever Hi-Flow In-Wall Diverter (Compatible In-Wall Part ALD-079N is Sold Separately)

Single Lever | Bidet






QQP-7213BPM

Single Lever Bidet Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses

Quarter Turn | Basin






QQP-7011PM

Basin Tap 1/2 Inch Flow rate: 16.30 l/min*






QQP-7167BPM

Monoblock Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses






QQP-7169BPM

Monoblock Basin Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses

Flow rate: 18.20 I/min*






QQP-7189PM

3 hole Basin Mixer without Pop-Up-Waste Flow rate: 16.50 l/min*

jaquar.com *at 3 bar pressure

Quarter Turn | Basin






QQP-7191PM

3 Hole Basin Mixer with Pop-Up-Waste Flow rate: 16.50 l/min*






QQP-7433PM

3 Hole Basin Mixer Wall Mounted Flow rate: 15.90 l/min*

Quarter Turn | Bath & Shower






QQP-7217PM

Bath & Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted Flow rate: 31.00 l/min*






QQP-7215PM

Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211NH or SHA-1213) & Hand Shower, Wall Mounted

Flow rate: 36.32 I/min*






QQP-7267PM

Bath & Shower Mixer with Connector for Hand Shower & Wall Bracket, Wall Mounted

Flow rate: 31.00 l/min*


Quarter Turn | Bath & Shower






QQP-7281PM

Bath & Shower Mixer 3-in-1 System with Provision for Hand Shower & Overhead Shower Complete with 115 mm Long Bend Pipe, Wall Mounted Flow rate: 25.30 l/min*








QQP-7209PM

Shower Mixer Flow rate: 72.20 l/min*






QQP-7271PM

Bath & Shower Mixer with Telephone Shower Crutch (without Shower & Shower Hose), Deck Mounted Flow rate: 31.00 l/min*






QQP-7271PMHL

Bath & Shower Mixer with Telephone Shower Crutch & 950 mm High Rise Legs (without Shower & Shower Hose), Deck Mounted

Flow rate: 31.00 l/min*

Quarter Turn | Kitchen





QQP-7307PM


Sink Mixer with Short Swivel Spout, Wall Mounted

Flow rate: 19.00 l/min*

jaquar.com

Quarter Turn | Kitchen






QQP-7309PM

Sink Mixer with Regular Swivel Spout, Wall Mounted

Flow rate: 17.00 l/min*






QQP-7347PM

Sink Tap with Regular Swivel Spout Flow rate: 18.20 l/min*

Quarter Turn | Taps






QQP-7037PM

Bib Tap with Wall Flange Flow rate: 16.40 l/min*






QQP-7041PM

2-Way Bib Tap with Wall Flange Flow rate: 16.40 l/min**






QQP-7053PM

Angle Valve with Wall Flange Flow rate: 45.10 l/min*

Quarter Turn | Taps






QQP-7083PM

In-Wall Stop Valve with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall Parts)

Flow rate: 47.00 l/min*





QQP-7089PM

In-Wall Stop Valve with Adjustable Wall Flange, Size 20 mm (with Exposed and In-Wall Parts)

Flow rate: 47.00 l/min*


jaquar.com *at 3 bar pressure

QUEEN'S PRIME | SANITARYWARE




QPS-WHT-7803PM Wall Hung Basin with Fixing Accessories, Size: 610x465x275 mm

QPS-WHT-7303PM Full Pedestal for QPS-WHT-7803PM






QPS-WHT-7701PM Under Counter Basin with Fixing Accessories, Size: 590x430x215 mm






QPS-WHT-7901PM Table Top Basin, Size: 600x460x195 mm







QPS-WHT-7953UFPM Rimless Wall Hung WC with UF Soft Close Seat Cover, Hinges, Accessories Set, Size: 420x560x370 mm




QUEEN'S PRIME | SANITARYWARE





QPS-WHT-7753P180UFSPMZ

Rimless Bowl with Side Flush Cistern for Coupled WC, UF Soft Close Seat Cover, Hinges, Single Flush Cistern Fitting and Fixing Accessories, Size: 420x710x810 mm, P Trap- 180 mm








QPS-WHT-7753P180UFPMZ

Rimless Bowl with Cistern for Coupled WC, UF Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting and Fixing Accessories, Size: 420x710x810 mm, P Trap- 180 mm








QPS-WHT-7753S250UFSPMZ

Rimless Bowl with Side Flush Cistern for Coupled WC, UF Soft Close Seat Cover, Hinges, Conversion Bend, Single Flush Cistern Fitting and Fixing Accessories, Size: 420x710x810 mm, S Trap- 250 mm (with Conversion Bend)








QPS-WHT-7753S250UFPMZ

Rimless Bowl with Cistern for Coupled WC, UF Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Conversion Bend and Fixing Accessories, Size: 420x710x810 mm, S Trap- 250 mm (with Conversion Bend)



QUEEN'S PRIME | SANITARYWARE






QPS-WHT-7955P180UFPM

Rimless Back to Wall WC

with UF Soft Close Seat Cover, Hinges, Fixing Accessories and Accessories Set, Size: 410x570x420 mm, P Trap- 180 mm






QPS-WHT-7151PM

Floor Mounted Bidet with


Fixing Accessories, Size: 410x570x420 mm





QPS-WHT-7153PM Wall Hung Bidet,

Size: 420x560x370 mm





QUEEN'S | COLOUR FINISHES



Chrome CHR



Antique Bronze ABR



Antique Copper ACR



Black Chrome BCH



Black Matt BLM



Gold Dust GDS



Full Gold GLD



Graphite GRF



Stainless Steel Finish SSF




White Matt WHM

If you wish to place orders for the different colour finishes of this range shown above, just replace the colour code in the middle of the product code with the colour code of your choice. For instance, in the product code QQT-CHR-7011, 'CHR' connotes Chrome finish. If you wish to order the same product in Gold Dust finish, replace 'CHR' with 'GDS'. Thus the product code will be QQT-GDS-7011.

The finishes depicted here are only indicative and may differ from that on the actual product.

Quarter Turn | Basin






QQT-7011

Basin Tap 1/2 Inch Flow rate: 22.1 I/min*






QQT-7167B

Monoblock Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses Flow rate: 21.32 l/min*






QQT-7169B

Monoblock Basin Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 21.32 l/min*






QQT-7189

3 Hole Basin Mixer without Pop-Up-Waste Flow rate: 31.39 l/min*






QQT-7191

3 Hole Basin Mixer with Pop-Up-Waste Flow rate: 31.39 l/min*

jaquar.com *at 3 bar pressure

Quarter Turn | Bath & Shower






QQT-7217

Bath & Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted Flow rate: 39.39 l/min*






QQT-7267

Bath & Shower Mixer with Connector for Hand Shower & Wall Bracket, Wall Mounted Flow rate: 39.27 I/min*






QQT-7267SHK

Bath & Shower Mixer with Telephone Shower Crutch & Shower Kit (9537N & 571), Wall Mounted Flow rate: 39.27 I/min*






QQT-7281

Bath & Shower Mixer 3-in-1 System with Provision for Hand Shower & Overhead Shower Complete with 115 mm Long Bend Pipe, Wall Mounted Flow rate: 29.65 l/min*






QQT-7215

Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211NH or SHA-1213) & Hand Shower, Wall Mounted Flow rate: 52.72 l/min*

Quarter Turn | Bath & Shower






QQT-7209

Shower Mixer Flow rate: 73.3 l/min*






QQT-7219

Bath Filler, Wall Mounted Flow rate: 35.53 l/min*






QQT-7421

2-way In-Wall Diverter with Built-in Non-Return Valve (with In-Wall & Exposed Parts)

Flow rate: 45.55 l/min*






QQT-7095

Bath Tub Filler Consisting of 2 Control Valves and Spout Flow rate: 58.91 l/min*






QQT-7221

Bath Filler

Flow rate: 35.13 l/min*

Quarter Turn | Bath & Shower






QQT-7271

Bath & Shower Mixer with Telephone Shower Crutch (without Shower & Shower Hose), Deck Mounted Flow rate: 39.31 l/min*






QQT-7271SHK

Bath & Shower Mixer with Telephone Shower Crutch & Shower Kit (9537N & 571), Deck Mounted Flow rate: 39.31 I/min*






QQT-7271HL

Bath & Shower Mixer with Telephone Shower Crutch & 950 mm High Rise Legs (without Shower & Shower Hose), Deck Mounted

Flow rate: 39.31 l/min*






QQT-7271HLSHK

Bath & Shower Mixer with Telephone Shower Crutch, 950 mm High Rise Legs & Shower Kit (9537N & 571), Deck Mounted

Flow rate: 39.31 l/min*






QQT-7277

4-Hole Bath & Shower Mixer with 1.5 M Shower Hose and Old Fashioned Shower Handle Flow rate: 31.5 I/min*

Quarter Turn | Kitchen






QQT-7309

Sink Mixer with Regular Swivel Spout, Wall Mounted Flow rate: 23.25 l/min*






QQT-7319B

Mono Sink Mixer with Swivel High Neck Spout & 375 mm Long Braided Hoses Flow rate: 23.30 l/min*






QQT-7347

Sink Tap with Regular Swivel Spout Flow rate: 22.13 l/min*








QQT-7613B

Monoblock Bidet Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 5.39 l/min*

Quarter Turn | Taps






QQT-7037

Bib Tap with Wall Flange Flow rate: 22.17 I/min*

Quarter Turn | Taps






QQT-7041

2-Way Bib Tap with Wall Flange Flow rate: 19.45 I/min*






QQT-7053

Angle Valve with Wall Flange Flow rate: 46.36 I/min*






QQT-7083

In-Wall Stop Valve with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall Parts)

Flow rate: 68.39 l/min*





QQT-7089

In-Wall Stop Valve with Adjustable Wall Flange, Size 20 mm (with Exposed and In-Wall Parts)

Flow rate: 69.65 l/min*



RENDEZVOUS | COLOUR FINISHES



Chrome CHR



Full Gold GLD


If you wish to place orders for the different colour finishes of this range shown above, just replace the colour code in the middle of the product code with the colour code of your choice. For instance, in the product code CTL-CHR-8011, 'CHR' connotes Chrome finish. If you wish to order the same product in Full Gold, replace 'CHR' with 'GLD'. Thus the product code will be CTL-GLD-8011.

The finishes depicted here are only indicative and may differ from that on the actual product.

RENDEZVOUS | FAUCETS

Quarter Turn | Basin






CTL-8011

Basin Tap 1/2 Inch Flow rate: 22.14 I/min*






CTL-8169B

Monoblock Basin Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 21.95 l/min*






CTL-8191

3 hole Basin Mixer with Pop-Up-Waste Flow rate: 15.37 l/min*

Quarter Turn | Bath & Shower






CTL-8217

Bath & Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted Flow rate: 39.39 l/min*



jaquar.com



CTL-8267


Bath & Shower Mixer with Connector for Hand Shower & Wall Bracket, Wall Mounted Flow rate: 39.27 l/min*

*at 3 bar pressure

RENDEZVOUS | FAUCETS

Quarter Turn | Bath & Shower










CTL-CHR-8267SHK

Bath & Shower Mixer with Telephone Shower Crutch & Shower Kit (9537N & 571), Wall Mounted Flow rate:18.15 l/min*






CTL-8281

Bath & Shower Mixer 3-in-1 System with Provision for Hand Shower & Overhead Shower Complete with 115 mm Long Bend Pipe, Wall Mounted Flow rate:18.15 l/min*







CTL-8209

Shower Mixer Flow rate: 94.00 l/min*








CTL-8427

2-Way Diverter with Hot & Cold In-Wall Stop Valves and Built-in Non-Return Valves (with Exposed and In-Wall Parts) Flow rate: 42.24 l/min*

Quarter Turn | Bidet






CTL-8613B

Monoblock Bidet Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 7.35 l/min*

RENDEZVOUS | FAUCETS

Quarter Turn | Taps






CTL-8037

Bib Tap with Wall Flange Flow rate: 22.68 l/min*






CTL-8041

2-Way Bib Tap with Wall Flange Flow rate: 19.45 I/min*






CTL-8053

Angle Valve with Wall Flange Flow rate: 47.00 l/min*





CTL-8083

In-Wall Stop Valve with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall Parts)


Flow rate: 68.39 l/min*

jaquar.com *at 3 bar pressure



Single Lever | Basin






DRC-37011B

Single Lever Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses

Flow rate: 15.57 I/min*






DRC-37011BCLW

Single Lever Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses & Click-Clack-Waste (ALD-729)

Flow rate: 16 l/min*





DRC-37051B

Single Lever Basin Mixer with Pop-Up-Waste, & 375 mm Long Braided Hoses

Flow rate: 16 l/min*






DRC-37005B

Single Lever High Neck Basin Mixer without Pop-Up-Waste, with 600 mm Long Braided Hoses

Flow rate: 15.11 l/min*





DRC-37233NK


Exposed Parts of Single Lever Built-in In-Wall Manual Valve with Basin Spout (Compatible in wall Parts ALD-233N or ALD-235N are Sold Separately)

Flow rate: 14.79 l/min*

jaquar.com *at 3 bar pressure

Single Lever | Bath & Shower






DRC-37119

Single Lever Bath & Shower Mixer, Wall Mounted Flow rate: 16.34 I/min*






DRC-37119SHK

Single Lever Bath & Shower Mixer with Shower Kit (35537, 571 & 555), Wall Mounted

Flow rate: 16.34 l/min*






DRC-37145

Single Lever Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211NH or SHA-1213) & Hand Shower, Wall Mounted

Flow rate: 22.1 I/min*






DRC-37147

Single Lever Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted

Flow rate: 33.1 l/min*






DRC-37149

Single Lever Shower Mixer, Wall Mounted Flow rate: 34.9 I/min*

Single Lever | Bath & Shower






DRC-37055NK

Exposed Part Kit of Single Lever In-Wall Diverter (Compatible In-Wall Part ALD-055N is Sold Separately)






DRC-37079NK

Exposed Part Kit of Single Lever Hi-Flow In-Wall Diverter (Compatible In-Wall Part ALD-079N is Sold Separately)






DRC-37227K

Exposed Part Kit of Single Lever In-Wall Manual Valve, 35 mm Cartridge (Compatible In-Wall Parts ALD-227 or ALD-229 are Sold Separately)








DRC-37001

Basin Tap 1/2 Inch Flow rate: 15.1 I/min*






DRC-37021

High Neck Basin Tap Flow rate: 14.88 l/min*

Quarter Turn | Basin






DRC-37433

3 Hole Basin Mixer Wall Mounted Flow rate: 20.38 l/min*






DRC-37441K

Exposed Parts of In-Wall Single Built-in Stop Valve with Basin Spout (Compatible In-Wall Part ALD-441 is Sold Separately) Flow rate: 14.31 l/min*

Quarter Turn | Bath & Shower






DRC-37421

2-Way In-Wall Diverter with Built In Non- Return Valve (with In-Wall & Exposed Parts)

Flow rate: 52.82 I/min*

Quarter Turn | Kitchen






DRC-37309

Sink Mixer with Regular Swivel Spout, Wall Mounted

Flow rate: 15.47 l/min*






DRC-37347S

Sink Tap with Regular Swivel Spout Flow rate: 14.81 I/min*

Quarter Turn | Taps






DRC-37037

Bib Tap with Wall Flange Flow rate: 14.61 l/min*






DRC-37041

2-Way Bib Tap with Wall Flange Flow rate: 14.5 l/min*






DRC-37083

In-Wall Stop Valve with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall Parts)

Flow rate: 68.39 l/min*





DRC-37089

In-Wall Stop Valve with Adjustable Wall Flange, Size 20 mm (with Exposed and In-Wall Parts)


Flow rate: 69.65 l/min*


jaquar.com *at 3 bar pressure

D'ARC | SANITARYWARE



DRS-WHT-37601 Counter Top Basin, Size: 615x415x150 mm










DRS-WHT-37953BIUFSM Rimless, Blind Installation Wall Hung WC with UF Soft Close Slim Seat Cover, Hinges and Accessories Set, Size: 355x525x380 mm



TOP VIEW



Single Lever | Basin






ARI-39001B

Single Lever Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses

Flow rate: 15 l/min*






ARI-39023B

Single Lever Extended Basin Mixer (Height- 95 mm) without Pop-Up-Waste, with 375 mm Long Braided Hoses

Flow rate: 16.02 l/min*






ARI-39023BCLW

Single Lever Extended Basin Mixer (Height- 95 mm) without Pop-Up-Waste, with 375 mm Long Braided Hoses & Click-Clack-Waste (ALD-729)

Flow rate: 16.02 l/min*






ARI-39051B

Single Lever Basin Mixer with Pop-Up-Waste, & 375 mm Long Braided Hoses

Flow rate: 15.02 l/min*






ARI-39052B

Single Lever Extended Basin Mixer (Height-95 mm) with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 15.15 l/min*

Single Lever | Basin






ARI-39005B

Single Lever High Neck Basin Mixer without Pop-Up-Waste, with 600 mm Long Braided Hoses

Flow rate: 15 l/min*






ARI-39233NK

Exposed Parts of Single Lever Built-in In-Wall Manual Valve with Basin Spout (Compatible In-Wall Parts ALD-233N or ALD-235N are Sold Separately)

Flow rate: 15.18 l/min*








ARI-39119

Single Lever Bath & Shower Mixer, Wall Mounted

Flow rate: 15.15 l/min*






ARI-39119SHK

Single Lever Bath & Shower Mixer with Shower Kit (35537, 571 & 555),

Wall Mounted Flow rate: 15.40 l/min*






ARI-39145

Single Lever Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211NH or SHA-1213) & Hand Shower, Wall Mounted

Flow rate: 22.25 I/min*

Single Lever | Bath & Shower






ARI-39147

Single Lever Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted Flow rate: 33.18 l/min*






ARI-39149

Single Lever Shower Mixer, Wall Mounted Flow rate: 32 I/min*






ARI-39783K

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-Way Diverter (Compatible In-Wall Parts ALD-783 or ALD-783E are Sold Separately)






ARI-39065NK

Exposed Part Kit of Single Lever In-Wall Diverter (Compatible In-Wall Part ALD-065N is Sold Separately)






ARI-39079NK

Exposed Part Kit of Single Lever Hi-Flow In-Wall Diverter (Compatible In-Wall Part ALD-079N is Sold Separately)

Single Lever | Bath & Shower






ARI-39227K

Exposed Part Kit of Single Lever In-Wall Manual Valve, 35 mm Cartridge (Compatible In-Wall Parts ALD-227 or ALD-229 are Sold Separately)

Single Lever | Kitchen






ARI-39165

Single Lever Sink Mixer with Swinging Spout on Upper Side, Wall Mounted Flow rate: 13.95 l/min*






ARI-39173B

Single Lever Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses

Flow rate: 14.45 l/min*

Single Lever | Bidet






ARI-39213B

Single Lever Bidet Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses

Flow rate: 16.71 l/min*

Quarter Turn | Basin






ARI-39011

Basin Tap 1/2 Inch Flow rate: 15.14 l/min*

ARIA | FAUCETS

Quarter Turn | Basin






ARI-39021

High Neck Basin Tap Flow rate: 14.88 l/min*






ARI-39433

3 Hole Basin Mixer Wall Mounted Flow rate: 14.78 I/min*






ARI-39441K

Exposed Parts of In-Wall Single Built-in Stop Valve with Basin Spout (Compatible In-Wall Part ALD-441 is Sold Separately)

Flow rate: 16.71 l/min*

Quarter Turn | Bath & Shower






ARI-39421

2-way In-Wall Diverter with Built-in Non-Return Valve (with In-Wall & Exposed Parts)

Flow rate: 52.82 l/min*






ARI-39223

H Type Bath Filler Flow rate: 36.24 l/min*

ARIA | FAUCETS

Quarter Turn | Bath & Shower






ARI-39275

H Type Bath and Shower Mixer (without Shower & Shower Hose)
Flow rate: 31.66 l/min*






ARI-39275SHK

H Type Bath and Shower Mixer with Shower Kit (1717, 571 & 555) Flow rate: 31.66 l/min*

Quarter Turn | Kitchen






ARI-39309

Sink Mixer with Regular Swivel Spout, Wall Mounted Flow rate: 15.53 l/min*






ARI-39347S

Sink Tap with Regular Swivel Spout Flow rate: 14.47 I/min*

Quarter Turn | Taps






ARI-39037

Bib Tap with Wall Flange Flow rate: 14.46 l/min*

ARIA | FAUCETS

Quarter Turn | Taps






ARI-39041

2-Way Bib Tap with Wall Flange Flow rate: 14.68 l/min*






ARI-39053

Angle Valve with Wall Flange Flow rate: 47.38 l/min*






ARI-39083

In-Wall Stop Valve with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall Parts)

Flow rate: 68.39 l/min*





ARI-39089


In-Wall Stop Valve with Adjustable Wall Flange, Size 20 mm (with Exposed and In-Wall Parts)

Flow rate: 69.65 l/min*

ARIA | SANITARYWARE




ARS-WHT-39901 Table Top Basin, Size: 420x420x135 mm





ARS-WHT-39601 Counter Top Basin, Size: 635x415x190 mm




TOP VIEW



ARS-WHT-39803 Wall Hung Integrated Basin with Fixing Accessories, Size: 500x440x385 mm



ARS-WHT-39801 Wall Hung Basin with Fixing Accessories, Size: 570x470x190 mm ARS-WHT-39301 Full Pedestal for ARS-WHT-39801



ARIA | SANITARYWARE




ARS-WHT-39801

Wall Hung Basin

with Fixing Accessories, Size: 570x470x190 mm

ARS-WHT-39305

Half Pedestal with Fixing Accessories for ARS-WHT-39801






ARS-WHT-39903

Table Top Basin,

Size: 700x435x135 mm






ARS-WHT-39951UFSM

Wall Hung WC with UF Soft Close Slim Seat Cover, Hinges,

Accessories Set, Size: 360x580x360 mm










ARS-WHT-39953BIUFSM

Rimless, Blind Installation Wall Hung WC with UF Soft Close Slim

Seat Cover, Hinges, Accessories Set,

Size: 345x495x365 mm





ARIA | SANITARYWARE







ARS-WHT-39961BIUFSMTL Tankless Wall Hung WC with Sensor Flush, UF Soft Close Slim Seat Cover, Hinges, Accessories Set, Size: 360x590x385 mm





SIDE VIEW











ARS-WHT-39955P180UFSM Rimless Back to Wall WC with UF Soft Close Slim Seat Cover, Hinges, Fixing Accessories and Accessories Set, Size: 360x605x410 mm, P Trap-180 mm





ARS-WHT-39153 Wall Hung Bidet with Accessories Set, Size: 360x570x340 mm








ARS-WHT-39155 Blind Installation Wall Hung Bidet with Accessories Set,

Size: 350x490x340 mm




ARIA | SANITARYWARE I



ARS-WHT-39751S250UFSMZ

Bowl with Cistern for Coupled WC with UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 375x650x800 mm, S Trap- 250 mm






ARS-WHT-39751P180UFSMZ Bowl with Cistern for Coupled

WC with UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 375x650x800 mm,


P Trap- 180 mm





ARS-WHT-39751S240UFSMZ

Bowl with Cistern for Coupled WC with UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 375x650x800 mm, S Trap- 240 mm






ARS-WHT-39851S300UFSMTL

Tankless Single Piece WC with UF Soft Close Slim Seat Cover, Hinges, Single Flush with Sensor & Manual operated, Fixing Accessories and Accessories Set, Size: 360 x590x450 mm,


Size: 360 x590x450 mm S Trap- 300 mm



LYRIC


A Minimalistic Classic. Typically Smooth.





Single Lever | Basin






LYR-38001B

Single Lever Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses

Flow rate: 14.80 l/min*






LYR-38001BCLW

Single Lever Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses & Click-Clack-Waste (ALD-729)

Flow rate: 14.80 l/min*





LYR-38051B

Single Lever Basin Mixer with Pop-Up-Waste, & 375 mm Long Braided Hoses

Flow rate: 14.8 l/min*






LYR-38005B

Single Lever High Neck Basin Mixer without Pop-Up-Waste, with 600 mm Long Braided Hoses

Flow rate: 14.8 l/min*






LYR-38233NK

Exposed Parts of Single Lever Built-in In-Wall Manual Valve with Basin Spout (Compatible In-Wall Parts ALD-233N or ALD-235N are Sold Separately)

Flow rate: 13.84 l/min*






LYR-38119

Single Lever Bath & Shower Mixer, Wall Mounted Flow rate: 15.36 l/min*






LYR-38119SHK

Single Lever Bath & Shower Mixer with Shower Kit (35537, 571 & 555), Wall Mounted

Flow rate: 15.36 l/min*






LYR-38145

Single Lever Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211NH or SHA-1213) & Hand

Shower, Wall Mounted Flow rate: 22.23 l/min*






LYR-38147

Single Lever Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted

Flow rate: 33.26 l/min*






LYR-38149

Single Lever Shower Mixer, Wall Mounted Flow rate: 32 I/min*

Single Lever | Bath & Shower






LYR-38783K

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-Way Diverter (Compatible In-Wall Parts ALD-783 or ALD-783E are Sold Separately)






LYR-38065NK

Exposed Part Kit of Single Lever In-Wall Diverter (Compatible In-Wall Part ALD-065N is Sold Separately)






LYR-38079NK

Exposed Part Kit of Single Lever Hi-Flow In-Wall Diverter (Compatible In-Wall Part ALD-079N is Sold Separately)






LYR-38227K

Exposed Part Kit of Single Lever In-Wall Manual Valve, 35 mm Cartridge (Compatible In-Wall Parts ALD-227 or ALD-229 are Sold Separately)

Single Lever | Kitchen





LYR-38165

Single Lever Sink Mixer with Swinging Spout on Upper Side, Wall Mounted Flow rate: 13.95 l/min*

jaquar.com *at 3 bar pressure

Single Lever | Kitchen




225 885 11/2/8860

LYR-38173B

Single Lever Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses Flow rate: 15.12 l/min*

Single Lever | Bidet






LYR-38213B

Single Lever Bidet Mixer with Pop-Up-Waste, & 375 mm Long Braided Hoses Flow rate: 6.94 l/min*

Quarter Turn | Basin






LYR-38011

Basin Tap 1/2 Inch Flow rate: 14.7 I/min*






LYR-38021

High Neck Basin Tap Flow rate: 15.41 I/min*






LYR-38433

3 Hole Basin Mixer Wall Mounted Flow rate: 14.78 l/min*

Quarter Turn | Basin






LYR-38441K

Exposed Parts of In-Wall Single Built-in Stop Valve with Basin Spout (Compatible In-Wall Part ALD-441 is Sold Separately) Flow rate: 16.71 l/min*

Quarter Turn | Bath & Shower






LYR-38421

2-way In-Wall Diverter with Built-in Non-Return valve (with In-Wall & Exposed Parts) Flow rate: 52.82 l/min*

Quarter Turn | Kitchen






LYR-38309

Sink Mixer with Regular Swivel Spout, Wall Mounted

Flow rate: 15.53 l/min*






LYR-38347S

Sink Tap with Regular Swivel Spout Flow rate: 14.47 I/min*

Quarter Turn | Taps






LYR-38037

Bib Tap with Wall Flange Flow rate: 15.14 l/min*

Quarter Turn | Taps






LYR-38041

2-Way Bib Tap with Wall Flange Flow rate: 14.87 l/min*






LYR-38053

Angle Valve with Wall Flange Flow rate: 47.38 l/min*






LYR-38083

In-Wall Stop Valve with Adjustable Wall Flange, Size 15 mm

Flow rate: 68.39 l/min*






LYR-38089

In-Wall Stop Valve with Adjustable Wall Flange, Size 20 mm (with Exposed and In-Wall Parts)
Flow rate: 69.65 I/min*

LYRIC | SANITARYWARE




LYS-WHT-38901N Thin Rim Table Top Basin, Size: 600x410x100 mm, Shape - Triangular






LYS-WHT-38931 Table Top Basin, Size: 635x410x120 mm





LYS-WHT-38801 Wall Hung Basin with Fixing Accessories, Size: 590x490x185 mm


LYS-WHT-38301 Full Pedestal for LYS-WHT-38801





LYS-WHT-38801 Wall Hung Basin with Fixing Accessories, Size: 590x490x185 mm

LYS-WHT-38305 Half Pedestal with Fixing Accessories for LYS-WHT-38801




LYRIC | SANITARYWARE





LYS-WHT-38953BIUFSM


Rimless, Blind Installation Wall Hung WC with UF Soft Close Slim Seat Cover, Hinges, Accessories Set, Size: 360x500x360 mm





LYS-WHT-38851S300UFSMN


Single Piece WC with UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 370x670x720 mm, S Trap- 300 mm





LYS-WHT-38851S220UFSMN


Single Piece WC with UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 370x670x720 mm, S Trap- 220 mm





LYS-WHT-38751S250UFSMZ

Bowl with Cistern for Coupled WC with UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 380x655x765 mm, S Trap- 250 mm




LYRIC | SANITARYWARE



LYS-WHT-38751P180UFSMZ Bowl with Cistern for Coupled


WC with UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting and Fixing Accessories, Size: 380x655x765 mm, P Trap- 180 mm





LYS-WHT-38851P180UFSM


Single Piece WC with UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories, Size: 360x655x765 mm, P Trap- 180 mm





LYS-WHT-38851S220UFSMSNR


Single Piece WC with UF Soft Close Slim Seat Cover, Hinges, Sensor & Manual Operated Single Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 370x670x720 mm, S Trap- 220 mm





LYS-WHT-38851S300UFSMSNR


Single Piece WC with UF Soft Close Slim Seat Cover, Hinges, Sensor & Manual Operated Single Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 370x670x720 mm, S Trap- 300 mm





Single Lever | Basin






FUS-29023B

Single Lever Extended Basin Mixer (Height-85 mm) without Pop-Up-Waste, with 375 mm Long Braided Hoses Flow rate: 15.89 l/min*






FUS-29023BCLW

Single Lever Extended Basin Mixer (Height-85 mm) without Pop-Up-Waste, with 375 mm Long Braided Hoses & Click-Clack-Waste (ALD-729) Flow rate: 15.89 l/min*






FUS-29052B

Single Lever Extended Basin Mixer (Height-85 mm) with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 15.89 l/min*






FUS-29005NB

Single Lever High Neck Basin Mixer without Pop-Up-Waste, with 600 mm Long Braided Hoses

Flow rate: 15.93 l/min*






FUS-29009B

Single Lever High Neck Basin Mixer with Swivel Spout & 600 mm Long Braided Hoses Flow rate: 15.13 l/min*

Single Lever | Basin





FUS-29231NK

Exposed Parts of Single Lever Built-in In-Wall Manual Valve with Basin Spout, Two Separate Wall Flanges, Cartridge Sleeve and Operating Lever (Compatible In-Wall Parts ALD-233NPSO or ALD-235NPSO are Sold Separately) Flow rate: 13.87 l/min*





0 WALL FLANGE


FUS-29233NK

Exposed Parts of Single Lever Built-in In-Wall Manual Valve with Basin Spout (Compatible In-Wall Parts ALD-233N or ALD-235N are Sold Separately)

Flow rate: 15 l/min*

Single Lever | Bath & Shower






FUS-29119

Single Lever Bath & Shower Mixer, Wall Mounted

Flow rate: 21.03 l/min*






FUS-29119SHK

Single Lever Bath & Shower Mixer with Shower Kit (5537N, 571 & 555), Wall Mounted

Flow rate: 21.03 l/min*






FUS-29145

Single Lever Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211NH or SHA-1213) & Hand Shower, Wall Mounted

Flow rate: 22.28 l/min*

Single Lever | Bath & Shower






FUS-29147

Single Lever Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted

Flow rate: 33.24 l/min*






FUS-29149

Single Lever Shower Mixer, Wall Mounted Flow rate: 34.4 l/min*






FUS-29135

Single Lever High Flow Built-in In-Wall Manual Valve with Bath Spout (with Exposed and In-Wall Parts) Flow rate: 29.16 I/min*






FUS-29137

Single Lever High Flow Built-in In-Wall Manual Valve with Diverter Bath Spout (with Exposed and In-Wall Parts) Flow rate: 25.1 I/min*






FUS-29783K

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-Way Diverter (Compatible In-Wall Parts ALD-783 or ALD-783E are Sold Separately)

*at 3 bar pressure jaquar.com

Single Lever | Bath & Shower






FUS-29065NK

Exposed Part Kit of Single Lever In-Wall Diverter (Compatible In-Wall Part ALD-065N is Sold Separately)






FUS-29079NK

Exposed Part Kit of Single Lever Hi-Flow In-Wall Diverter (Compatible In-Wall Part ALD-079N is Sold Separately)






FUS-29139

Single Lever In-Wall Manual Shower Valve, 40 mm Cartridge (with In-Wall & Exposed Parts)

Flow rate: 33.85 l/min*






FUS-29227K

Exposed Part Kit of Single Lever In-Wall Manual Valve, 35 mm Cartridge (Compatible In-Wall Parts ALD-227 or ALD-229 are Sold Separately)

Single Lever | Kitchen






FUS-29163

Single Lever Sink Mixer with Swivel Spout, Wall Mounted Flow rate: 16.44 I/min*

Single Lever | Kitchen






FUS-29165

Single Lever Sink Mixer with Swinging Spout on Upper Side, Wall Mounted Flow rate: 13.95 l/min*






FUS-29173B

Single Lever Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses Flow rate: 14.45 l/min*

Single Lever | Bidet






FUS-29213B

Single Lever Bidet Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 7.15 l/min*

Quarter Turn | Basin






FUS-29001

Basin Tap 1/2 Inch Flow rate: 17.78 I/min*






FUS-29021N

High Neck Basin Tap Flow rate: 17.8 I/min*

jaquar.com *at 3 bar pressure

Quarter Turn | Basin






FUS-29433

3 Hole Basin Mixer Wall Mounted Flow rate: 15.1 I/min*






FUS-29441K

Exposed Parts of In-Wall Single Built-in Stop Valve with Basin Spout (Compatible In-Wall Part ALD-441 is Sold Separately) Flow rate: 14.22 l/min*

Quarter Turn | Bath & Shower








FUS-29267

Bath & Shower Mixer with Connector for Hand Shower & Wall Bracket, Wall Mounted

Flow rate: 39.42 l/min*






FUS-29267SHK

Bath & Shower Mixer (Wall Mounted) with Connector for Hand Shower, Plastic Coated Shower Hose, Hand Shower & Wall Bracket, (571, 5537N & 555) Flow rate: 39.42 l/min*






FUS-29427

2-Way Diverter with Hot & Cold In-Wall Stop Valves and Built-in Non-Return Valves (with Exposed and In-Wall Parts) Flow rate: 42.24 l/min*

Quarter Turn | Bath & Shower






FUS-29421

2-Way In-Wall Diverter with Built-in Non-Return Valve (with In-Wall & Exposed Parts) Flow rate: 45.55 l/min*






FUS-29223

H Type Bath Filler Flow rate: 56.98 l/min*






FUS-29275

H Type Bath and Shower Mixer (without Shower & Shower Hose) Flow rate: 42.23 l/min*






FUS-29275SHK1

H Type Bath and Shower Mixer with Shower Kit (5537N, 571 & 555) Flow rate: 32.23 l/min*

Quarter Turn | Taps






FUS-29037

Bib Tap with Wall Flange Flow rate: 18.92 l/min*

Quarter Turn | Taps






FUS-29041

2-Way Bib Tap with Wall Flange Flow rate: 17.81 I/min*






FUS-29053

Angle Valve with Wall Flange Flow rate: 66.66 I/min*






FUS-29083

In-Wall Stop Valve with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall Parts)
Flow rate: 68.39 l/min*






FUS-29089

In-Wall Stop Valve with Adjustable Wall Flange, Size 20 mm (with Exposed and In-Wall Parts)

Flow rate: 69.65 l/min*






FUS-29809

Deck Mounted Stop Valve Flow rate: 30.55 l/min*

FUSION | SANITARYWARE





FSS-WHT-29901 Table Top Basin, Size: 470x470x110 mm






FSS-WHT-29601 Counter Top Basin, Size: 545x545x180 mm







FSS-WHT-29951PP Wall Hung WC with PP Soft Close Seat Cover, Hinges, Accessories Set, Size: 415x585x400 mm










FSS-WHT-29853S300UFSM


Rimless Single Piece WC with UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 380x670x765 mm, S Trap- 300 mm





Single Lever | Basin






FON-40023B


Single Lever Extended Basin Mixer (Height-95 mm) without Pop-Up-Waste, with 375 mm Long Braided Hoses Flow rate: 15.4 l/min*






FON-40023BCLW

Single Lever Extended Basin Mixer (Height-95 mm) without Pop-Up-Waste, with 375 mm Long Braided Hoses & Click-Clack-Waste (ALD-729)








FON-40052B

Single Lever Extended Basin Mixer (Height-95 mm) with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 15.4 l/min*






FON-40005B

Single Lever High Neck Basin Mixer without Pop-Up-Waste, with 600 mm Long Braided Hoses

Flow rate: 13.5 I/min*






FON-40233NK

Exposed Parts of Single Lever Built-in In-Wall Manual Valve with Basin Spout (Compatible In-Wall Parts ALD-233N or ALD-235N are Sold Separately)

Flow rate: 15.13 l/min*

Single Lever | Bath & Shower






FON-40119

Single Lever Bath & Shower Mixer, Wall Mounted Flow rate: 15.56 l/min*






FON-40119SHK

Single Lever Bath & Shower Mixer with Shower Kit (5537N, 571 & 555), Wall Mounted

Flow rate: 32.16 l/min*






FON-40145

Single Lever Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211NH or SHA-1213) & Hand Shower, Wall Mounted

Flow rate: 22.26 l/min*






FON-40147

Single Lever Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted

Flow rate: 35.75 I/min*






FON-40149

Single Lever Shower Mixer, Wall Mounted Flow rate: 32.16 l/min*

Single Lever | Bath & Shower






FON-40055NK

Exposed Part Kit of Single Lever In-Wall Diverter (Compatible In-Wall Part ALD-055N is Sold Separately)






FON-40079NK

Exposed Part Kit of Single Lever Hi-Flow In-Wall Diverter (Compatible In-Wall Part ALD-079N is Sold Separately)






FON-40227K

Exposed Part Kit of Single Lever In-Wall Manual Valve, 35 mm Cartridge (Compatible In-Wall Parts ALD-227 or ALD-229 are Sold Separately)

Single Lever | Kitchen






FON-40165

Single Lever Sink Mixer with Swinging Spout on Upper Side, Wall Mounted

Flow rate: 13.95 l/min*






FON-40173B

Single Lever Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses Flow rate: 14.45 I/min*

*at 3 bar pressure jaquar.com

Single Lever | Bidet






FON-40213B

Single Lever Bidet Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 15.84 l/min*

Quarter Turn | Basin






FON-40011

Basin Tap 1/2 Inch Flow rate: 15.15 I/min*






FON-40021

High Neck Basin Tap Flow rate: 15.15 l/min*






FON-40433

3 Hole Basin Mixer Wall Mounted Flow rate: 15.84 l/min*






FON-40441K

Exposed Parts of In-Wall Single Built-in Stop Valve with Basin Spout (Compatible In-Wall Part ALD-441 is Sold Separately) Flow rate: 14.31 l/min*

Quarter Turn | Bath & Shower






FON-40427

2-Way Diverter with Hot & Cold In-Wall Stop Valves and Built-in Non-Return Valves (with Exposed and In-Wall Parts) Flow rate: 42.24 l/min*






FON-40421

2-Way In-Wall Diverter with Built-in Non-Return Valve (with In-Wall & Exposed Parts) Flow rate: 52.82 l/min*






FON-40223

H Type Bath Filler Flow rate: 36.03 l/min*






FON-40275

H Type Bath and Shower Mixer (without Shower & Shower Hose)
Flow rate: 31.72 I/min*

Quarter Turn | Taps






FON-40037

Bib Tap with Wall Flange Flow rate: 14.45 l/min*

Quarter Turn | Taps






FON-40041

2-Way Bib Tap with Wall Flange Flow rate: 13.65 l/min*






FON-40053

Angle Valve with Wall Flange Flow rate: 50.44 l/min*






FON-40083

In-Wall Stop Valve with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall Parts)

Flow rate: 68.39 l/min*






FON-40089

In-Wall Stop Valve with Adjustable Wall Flange, Size 20 mm (with Exposed and In-Wall Parts)
Flow rate: 69.65 I/min*

FONTE | SANITARYWARE




FNS-WHT-40931 Table Top Basin, Size: 500x415x200 mm





FNS-WHT-40701 Under Counter Basin with Fixing Accessories, Size: 605x410x200 mm,


Shape: Rectangular





Full pedestal basin FNS-WHT-40801 Wall Hung Basin with Fixing Accessories, Size: 620x480x185 mm

FNS-WHT-40301 Full Pedestal for FNS-WHT-40801






Half pedestal basin

FNS-WHT-40801 Wall Hung Basin with Fixing Accessories, Size: 620x480x185 mm

FNS-WHT-40305 Half Pedestal with Fixing Accessories for FNS-WHT-40801




FONTE | SANITARYWARE






FNS-WHT-40953UF Rimless Wall Hung WC with UF Soft Close Seat Cover, Hinges, Accessories Set, Size: 350x580x390 mm






FNS-WHT-40751S220UFSMZ Bowl with Cistern for Coupled WC with UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting and Fixing Accessories and Accessories Set, Size: 365x630x750 mm, S Trap-220 mm






FNS-WHT-40751P180UFSMZ Bowl with Cistern for Coupled WC with UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting and Fixing Accessories, Size: 365x630x750 mm, P Trap-180 mm





Single Lever | Basin






SOL-6001B

Single Lever Basin Mixer without Pop-Up-Waste, 375 mm Long Braided

Hoses

Flow rate: 15.53 l/min*






SOL-6001BCLW

Single Lever Basin Mixer without Pop-Up-Waste, 375 mm Long Braided Hoses & Click-Clack-Waste (ALD-729)

Flow rate: 15.53 l/min*






SOL-6051B

Single Lever Basin Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses

Flow rate: 15.2 l/min*






SOL-6231NK

Exposed Parts of Single Lever Built-in In-Wall Manual Valve with Basin Spout, Two Separate Wall Flanges, Cartridge Sleeve and Operating Lever (Compatible In-Wall Parts ALD-233NPSO or ALD-235NPSO are Sold Separately)






SOL-6233NK

Exposed Parts of Single Lever Built-in In-Wall Manual Valve with Basin Spout (Compatible In-Wall Parts ALD-233N or ALD-235N are Sold Separately)

Flow rate: 13.6 l/min*

Single Lever | Bath & Shower






SOL-6119

Single Lever Bath & Shower Mixer, Wall Mounted Flow rate: 22.9 l/min*






SOL-6119SHK

Single Lever Bath & Shower Mixer with Shower Kit (5537N, 571 & 555), Wall Mounted Flow rate: 21.03 l/min*






SOL-6145

Single Lever Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211NH or SHA-1213) & Hand Shower, Wall Mounted Flow rate: 22.23 l/min*






SOL-6147

Single Lever Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted Flow rate: 33.26 l/min*






SOL-6149

Single Lever Shower Mixer, Wall Mounted Flow rate: 34.3 I/min*

Single Lever | Bath & Shower






SOL-6135

Single Lever High Flow Built-in In-Wall Manual Valve with Bath Spout (with Exposed and In-Wall Parts) Flow rate: 30.47 l/min*






SOL-6137

Single Lever High Flow Built-in In-Wall Manual Valve with Diverter Bath Spout (with Exposed and In-Wall Parts) Flow rate: 25.3 l/min*






SOL-6065NK

Exposed Part Kit of Single Lever In-Wall Diverter (Compatible In-Wall Part ALD-065N is Sold Separately)






SOL-6079NK

Exposed Part Kit of Single Lever Hi-Flow In-Wall Diverter (Compatible In-Wall Part ALD-079N is Sold Separately)






SOL-6139

Single Lever In-Wall Manual Shower Valve, 40 mm Cartridge (with In-Wall & Exposed Parts)
Flow rate: 33.79 l/min*

Single Lever | Bath & Shower






SOL-6227K

Exposed Part Kit of Single Lever In-Wall Manual Valve, 35 mm Cartridge (Compatible In-Wall Parts ALD-227 or ALD-229 are Sold Separately)

Single Lever | Kitchen






SOL-6163

Single Lever Sink Mixer with Swivel Spout, Wall Mounted Flow rate: 16.44 l/min*






SOL-6165

Single Lever Sink Mixer with Swinging Spout on Upper Side, Wall Mounted Flow rate: 13.95 l/min*






SOL-6173B

Single Lever Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses

Flow rate: 14.45 l/min*

Single Lever | Bidet






SOL-6213B

Single Lever Bidet Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 7.01 l/min*

jaquar.com *at 3 bar pressure

Quarter Turn | Basin






SOL-6011

Basin Tap 1/2 Inch Flow rate: 17.11 I/min*






SOL-6021

High Neck Basin Tap Flow rate: 17.1 I/min*






SOL-6167B

Monoblock Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses

Flow rate: 15.6 l/min*






SOL-6169B

Monoblock Basin Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses

Flow rate: 14.15 l/min*






SOL-6189

3 hole Basin Mixer without Pop-Up-Waste

Flow rate: 14.99 l/min*

Quarter Turn | Basin






SOL-6191

3 Hole Basin Mixer with Pop-Up-Waste Flow rate: 14.99 l/min*






SOL-6433

3 Hole Basin Mixer Wall Mounted Flow rate: 15.1 l/min*






SOL-6441K

Exposed Parts of In-Wall Single Built-in Stop Valve with Basin Spout (Compatible In-Wall Part ALD-441 is Sold Separately)

Flow rate: 14.31 l/min*

Quarter Turn | Bath & Shower






SOL-6217

Bath & Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted Flow rate: 39.42 l/min*








SOL-6267

Bath & Shower Mixer with Connector for Hand Shower & Wall Bracket, Wall Mounted

Flow rate: 39.42 l/min*

Quarter Turn | Bath & Shower






SOL-6267SHK

Bath & Shower Mixer (Wall Mounted) with Connector for Hand Shower, Plastic Coated Shower Hose, Hand Shower & Wall Bracket, (571, 5537N & 555) Flow rate: 31.55 l/min*






SOL-6215

Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211NH or SHA-1213) & Hand Shower, Wall Mounted Flow rate: 52.61 l/min*






SOL-6209

Shower Mixer Flow rate:94.00 l/min*






SOL-6435

Built-in Two In-Wall Stop Valves with Bath Spout (with Exposed and In-Wall Parts) Flow rate: 29.94 l/min*






SOL-6437

Built-in Two In-Wall Stop Valves with Diverter Spout (with Exposed and In-Wall Parts) Flow rate: 26,86 I/min*

Quarter Turn | Bath & Shower






SOL-6421

2-Way In-Wall Diverter with Built-in Non-Return valve (with In-Wall & Exposed Parts) Flow rate: 45.55 l/min*






SOL-6095

Bath Tub Filler Consisting of 2 Control Valves and Spout Flow rate: 58.91 l/min*






SOL-6221

Bath Filler

Flow rate: 36.79 l/min*






SOL-6223

H Type Bath Filler Flow rate: 36.13 l/min*






SOL-6275

H Type Bath and Shower Mixer (without Shower & Shower Hose)
Flow rate: 29.82 I/min*

jaquar.com *at 3 bar pressure

Quarter Turn | Bath & Shower






SOL-6275SHK1

H Type Bath and Shower Mixer with Shower Kit (5537N, 571 & 555) Flow rate: 29.82 l/min*






SOL-6271

Bath & Shower Mixer with Telephone Shower Crutch, Deck Mounted Flow rate: 39.42 l/min*






SOL-6271SHK1

Bath & Shower Mixer with Telephone Shower Crutch & Shower Kit (5537N & 571), Deck Mounted

Flow rate: 39.42 l/min*

Quarter Turn | Kitchen






SOL-6309

Sink Mixer with Swivel Spout, Wall Mounted Flow rate: 18.15 l/min*






SOL-6319B

Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses Flow rate: 14.9 l/min*

Quarter Turn | Kitchen






SOL-6347

Sink Tap with Swivel Spout Flow rate: 18.8 l/min*






SOL-6357

Sink Pillar Tap with Swivel Spout

Flow rate: 17.5 l/min*





SOL-6359


Sink Pillar Tap with Angular Knob &

Swivel Spout

Flow rate: 17.88 l/min*

Quarter Turn | Bidet






SOL-6613B

Monoblock Bidet Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses

Flow rate: 6.97 l/min*

Quarter Turn | Taps






SOL-6037

Bib Tap (Angular Shape) with Wall Flange

Flow rate: 18.18 l/min*

Quarter Turn | Taps






SOL-6047

Bib Tap (Straight Line Model) with Wall Flange Flow rate: 18.21 I/min*






SOL-6041

2-Way Bib Tap with Wall Flange Flow rate: 21.33 l/min*






SOL-6053

Angle Valve with Wall Flange Flow rate: 70.91 l/min*






SOL-6083

In-Wall Stop Valve with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall Parts)

Flow rate: 68.39 l/min*






SOL-6089

In-Wall Stop Valve with Adjustable Wall Flange, Size 20 mm (with Exposed and In-Wall Parts)

Flow rate: 69.65 l/min*

Quarter Turn | Taps






SOL-6809

Deck Mounted Stop Valve Flow rate: 30.55 l/min*

jaquar.com *at 3 bar pressure




SLS-WHT-6901 Table Top Basin, Size: 485x370x150 mm






SLS-WHT-6601 Counter Top Basin, Size: 600x400x185 mm






SLS-WHT-6905 Thin Rim Table Top Basin, Size: 360x360x120 mm, Shape - Round





SLS-WHT-6801 Wall Hung Basin with Fixing Accessories, Size: 575x465x200 mm SLS-WHT-6301 Full Pedestal for SLS-WHT-6801






SLS-WHT-6801 Wall Hung Basin with Fixing Accessories,

Size: 575x465x200 mm

SLS-WHT-6305 Half Pedestal with

Fixing Accessories for SLS-WHT-6801








SLS-WHT-6953BIPPSM

Rimless, Blind Installation Wall Hung WC with PP Soft Close Slim Seat Cover, Hinges and Accessories Set, Size: 375x520x400 mm








SLS-WHT-6953BIUFSM


Rimless, Blind Installation Wall Hung WC with UF Soft Close Slim Seat Cover, Hinges and Accessories Set, Size: 375x520x400 mm





SLS-WHT-6851S110PP

Single Piece WC with PP Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 360x640x685 mm, S Trap- 110 mm






SLS-WHT-6851P180PP

Single Piece WC with PP Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting and Fixing Accessories,


Size: 360x640x685 mm, P Trap- 180 mm





SLS-WHT-6851S220PP


Single Piece WC with PP Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 360x640x685 mm, S Trap- 220 mm





SLS-WHT-6851S300PP


Single Piece WC with PP Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 360x730x740 mm, S Trap- 300 mm





SLS-WHT-6851S300UF


Single Piece WC with UF Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 360x730x740 mm, S Trap- 300 mm





SLS-WHT-6751S220PPZ


Bowl with Cistern for Coupled WC with PP Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 375x650x790 mm, S Trap- 220 mm





SLS-WHT-6751S240PPZ Bowl with Cistern for Coupled WC with PP Soft Close Seat


Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set. Size: 375x650x790 mm, S Trap- 240 mm





SLS-WHT-6751P180PPZ


Bowl with Cistern for Coupled WC with PP Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set. Size: 375x650x790 mm, P Trap- 180 mm





SLS-WHT-6153 Blind Installation Wall Hung Bidet with Accessories Set,

Size: 360x515x360 mm








SLS-WHM-6953BIUFSM Rimless, Blind Installation Wall Hung WC In White Matt with UF Soft Close Slim Seat Cover,

UF Soft Close Slim Seat Cover, Hinges and Accessories Set, Size: 375x520x400 mm








BI


SLS-BLM-6953BIUFSM Rimless, Blind Installation Wall Hung WC In Black Matt with UF Soft Close Slim Seat Cover,

UF Soft Close Slim Seat Cover, Hinges and Accessories Set, Size: 375x520x400 mm






SLS-WHT-6951JUFSM Wall Hung WC with In Built Jet, UF Soft Close Slim Seat, Hinges, Accessories Set, Size: 365x525x400 mm





Single Lever | Basin






FLR-5001B

Single Lever Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses

Flow rate: 16 l/min*






FLR-5001BCLW

Single Lever Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses & Click-Clack-Waste (ALD-729)

Flow rate: 16 l/min*





FLR-5063B


Single Lever Basin Mixer (Small Spout) with Pop-Up-Waste & 375 mm Long Braided Hoses
Also available

FLR-5003B

Single Lever Basin Mixer (Small Spout) without Pop-Up-Waste & 375 mm Long Braided Hoses

Flow rate: 15.96 l/min*






FLR-5025B

Single Lever Mini Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses

Flow rate: 10.75 l/min*






FLR-5051B

Single Lever Basin Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses

Flow rate: 16 l/min*

Single Lever | Basin






FLR-5026B

Single Lever Mini Basin Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses

Flow rate: 10.75 l/min*






FLR-5005NB

Single Lever High Neck Basin Mixer without Pop-Up-Waste, with 600 mm Long Braided Hoses

Flow rate: 16 l/min*






FLR-5009B

Single Lever High Neck Basin Mixer with Swivel Spout & 600 mm Long Braided Hoses

Flow rate: 13.46 l/min*






FLR-5231NK

Exposed Parts of Single Lever Built-In In-Wall Manual Valve with Basin Spout, Two Separate Wall Flanges, Cartridge Sleeve and Operating Lever (Compatible In-Wall parts ALD-233NPSO or ALD-235NPSO are Sold Separately)

Flow rate: 13.60 l/min*





FLR-5233NK


Exposed Parts of Single Lever Built-In In-Wall Manual Valve with Basin Spout (Compatible In-Wall parts ALD-233N or ALD-235N are Sold Separately)

Flow rate: 14.22 l/min*

*at 3 bar pressure jaquar.com

Single Lever | Bath & Shower






FLR-5119

Single Lever Bath & Shower Mixer, Wall Mounted Flow rate: 22.78 I/min*






FLR-5119SHK

Single Lever Bath & Shower Mixer with Shower Kit (5537N, 571 & 555), Wall Mounted

Flow rate: 24.51 l/min*






FLR-5123

Single Lever High-Flow Bath & Shower Mixer, Wall Mounted Flow rate: 26.75 I/min*






FLR-5145

Single Lever Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211NH or SHA-1213) & Hand Shower, Wall Mounted

Flow rate: 24.57 I/min*






FLR-5147

Single Lever Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted Flow rate: 33.09 l/min*

Single Lever | Bath & Shower






FLR-5149

Single Lever Shower Mixer, Wall Mounted Flow rate: 34.90 l/min*






FLR-5135

Single Lever High-Flow Built-In In-Wall Manual Valve with Bath Spout (with Exposed and In-Wall parts)
Flow rate: 30.53 l/min*






FLR-5137

Single Lever High-Flow Built-In In-Wall Manual Valve with Diverter Bath Spout (with Exposed and In-Wall parts) Flow rate: 24.51 l/min*






FLR-5783K

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-Way Diverter (Compatible In-Wall Parts ALD-783 or ALD-783E are Sold Separately)






FLR-5065NK

Exposed Part Kit of Single Lever In-Wall Diverter (Compatible In-Wall part ALD-065N is Sold Separately)

jaquar.com *at 3 bar pressure

Single Lever | Bath & Shower






FLR-5079NK

Exposed Part Kit of Single Lever Hi-Flow In-Wall Diverter (Compatible In-Wall part ALD-079N is Sold Separately)






FLR-5139

Single Lever In-Wall Manual Shower Valve, 40 mm Cartridge (with In-Wall & Exposed Parts)

Flow rate: 33.85 l/min*






FLR-5227K

Exposed Part Kit of Single Lever In-Wall Manual Valve, 35 mm Cartridge (Compatible In-Wall parts ALD-227 or ALD-229 are Sold Separately)






FLR-5129

Single Lever Bath & Shower Mixer, Deck Mounted Flow rate: 36.79 l/min*






FLR-5133

Single Lever Hi-Flow Bath & Shower Mixer, Deck Mounted Flow rate: 26.75 I/min*

Single Lever | Kitchen






FLR-5163

Single Lever Sink Mixer with Swivel Spout, Wall Mounted Flow rate: 16.44 I/min*






FLR-5165

Single Lever Sink Mixer with Swinging Spout on Upper Side, Wall Mounted Flow rate: 13.95 l/min*






FLR-5173B

Single Lever Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses Flow rate: 15.12 l/min*






FLR-5177B

Mono Sink Mixer with Pull-out Handspray & 375 mm Long Braided Hoses Flow rate: Spout 13.52 l/min* Shower: 10.49 l/min*





FLR-5179B

Side Single Lever Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses

Flow rate: 13.9 I/min*

Single Lever | Bidet




063 063 063 063 063 063

FLR-5213B

Single Lever Bidet Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 7 l/min*

Quarter Turn | Basin






FLR-5011N

Basin Tap 1/2 Inch Flow rate: 21.33 I/min*






FLR-5015

Lift Type Operating Knob Basin Tap 1/2 Inch

Flow rate: 12.4 l/min*






FLR-5021M

High Neck Basin Tap Flow rate: 18.11 l/min*





FLR-5167NB


Monoblock Basin Mixer without Pop-Up-Waste & 375 mm Long Braided Hoses Also available

FLR-5169NB

Monoblock Basin Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 16.83 l/min*

Quarter Turn | Basin






FLR-5189N

3 Hole Basin Mixer without Pop-Up-Waste Flow rate: 15.37 I/min*






FLR-5191N

3 Hole Basin Mixer with Pop-Up-Waste Flow rate: 15.37 l/min*






FLR-5433N

3 Hole Basin Mixer Wall Mounted Flow rate: 15.52 l/min*






FLR-5441NK

Exposed Parts of In-Wall Single Built-In Stop Valve with Basin Spout (Compatible In-Wall part ALD-441 is Sold Separately) Flow rate: 14.22 l/min*

Quarter Turn | Bath & Shower





FLR-5217N


Bath & Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted Flow rate: 39.42 I/min*

jaquar.com *at 3 bar pressure

Quarter Turn | Bath & Shower








FLR-5267N

Bath & Shower Mixer with Connector for Hand Shower & Wall Bracket, Wall Mounted

Flow rate: 39.42 l/min*






FLR-5215N

Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211NH or SHA-1213) & Hand Shower, Wall Mounted

Flow rate: 55.32 l/min*






FLR-5435N

Built-In Two In-Wall Stop Valves with Bath Spout (with Exposed and In-Wall parts)

Flow rate: 33.27 I/min*






FLR-5437N

Built-In Two In-Wall Stop Valves with Diverter Spout (with Exposed and In-Wall parts)

Flow rate: 17.64 I/min*






FLR-5427N

2-Way Diverter with Hot & Cold In-Wall Stop Valves and Built-In Non-Return Valves (with Exposed and In-Wall parts) Flow rate: 42.24 I/min*

Quarter Turn | Bath & Shower






FLR-5421N

2-Way In-Wall Diverter with Built-In Non-Return Valve (with In-Wall & Exposed Parts)

Flow rate: 45.55 I/min*






FLR-5095N

Bath Tub Filler Consisting of 2 Control Valves and Spout Flow rate: 58.91 l/min*






FLR-5221

Bath Filler

Flow rate: 36.79 l/min*






FLR-5223

H Type Bath Filler Flow rate: 36.13 l/min*






FLR-5275

H Type Bath and Shower Mixer (without Shower & Shower Hose)
Flow rate: 29.82 I/min*

jaquar.com *at 3 bar pressure

Quarter Turn | Bath & Shower






FLR-5275SHK1

H Type Bath and Shower Mixer with Shower Kit (5537N, 571 & 555) Flow rate: 29.82 l/min*






FLR-5271N

Bath & Shower Mixer with Telephone Shower Crutch, Deck Mounted Flow rate: 38.28 l/min*






FLR-5277N

4-Hole Bath & Shower Mixer, Deck Mounted

Flow rate: 20.02 l/min*






FLR-5277A

5-Hole Bath & Shower Mixer, Deck Mounted

Quarter Turn | Kitchen






FLR-5309N

Sink Mixer with Regular Swivel Spout, Wall Mounted Flow rate: 19.34 I/min*

Quarter Turn | Kitchen






FLR-5319NB

Mono Sink Mixer with Swivel Extended Spout & 375 mm Long Braided Hoses Flow rate: 18 I/min*






FLR-5347N

Sink Tap with Regular Swivel Spout Flow rate: 17.64 l/min*






FLR-5357N

Sink Pillar Tap with Swivel Spout Flow rate: 16.75 l/min*






FLR-5355N

Sink Pillar Tap with Provision for Connection to RO from Rear Side & Swinging Spout

Flow rate: 14.43 l/min*

Quarter Turn | Bidet






FLR-5613NB

Monoblock Bidet Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 7 l/min*

*at 3 bar pressure jaquar.com

Quarter Turn | Taps






FLR-5037N

Bib Tap (Angular Shape) with Wall Flange Flow rate: 20.96 l/min*






FLR-5047N

Bib Tap (Straight Line Model) with Wall Flange Flow rate: 17.8 l/min*






FLR-5041N

2-Way Bib Tap with Wall Flange Flow rate: 17.96 l/min*






FLR-5053N

Angle Valve with Wall Flange Flow rate: 70.91 I/min*






FLR-5083N

In-Wall Stop Valve with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall parts)

Flow rate: 68.39 I/min*

Quarter Turn | Taps






FLR-5089N

In-Wall Stop Valve with Adjustable Wall Flange, Size 20 mm (with Exposed and In-Wall parts)
Flow rate: 69.65 l/min*





FLR-5809


Deck Mounted Stop Valve Flow rate: 18.57 l/min*

*at 3 bar pressure jaquar.com

FLORENTINE | SANITARYWARE




FLS-WHT-5931 Table Top Basin, Size: 520x360x125 mm






FLS-WHT-5935 Table Top Basin, Size: 500x425x130 mm






FLS-WHT-5601 Counter Top Basin, Size: 570x420x195 mm





FLS-WHT-5701 Under Counter Basin with Fixing Accessories, Size: 560x430x195 mm, Shape: Oval



FLORENTINE | SANITARYWARE




FLS-WHT-5801 Wall Hung Basin with Fixing

Accessories, Size: 585x450x220 mm

FLS-WHT-5301

Full Pedestal for FLS-WHT-5801








FLS-WHT-5953UFSM

Rimless Wall Hung WC with UF Soft Close Slim Seat Cover,

Hinges, Accessories Set, Size: 355x555x370 mm








FLS-WHT-5953JUFSM

Rimless Wall Hung WC

with Inbuilt Jet, UF Soft Close Slim Seat Cover, Hinges, Accessories Set, Size: 355x555x370 mm








FLS-WHT-5353PPZ

Rimless Bowl with Cistern

for Extended Wall Hung WC with PP Soft Close Seat cover, Hinges, Dual Flush Cistern Fitting, Accessories Set, Size: 380x650x730 mm TOP VIEW

SIDE VIEW




BACK VIEW



Single Lever | Basin






EKO-33001B

Single Lever Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses

Flow rate: 16.2 l/min*






EKO-33023B

Single Lever Extended Basin Mixer (Height-83 mm) without Pop-Up-Waste, with 375 mm Long Braided Hoses

Flow rate: 17.31 l/min*






EKO-33023BCLW

Single Lever Extended Basin Mixer (Height-83 mm) without Pop-Up-Waste, with 375 mm Long Braided Hoses & Click-Clack-Waste (ALD-729)

Flow rate: 16 l/min*






EKO-33051B Single Lever Basin Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses

Flow rate: 16 l/min*






EKO-33052B

Single Lever Extended Basin Mixer (Height-83mm) with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 17.4 l/min*

jaquar.com *at 3 bar pressure

Single Lever | Basin






EKO-33233NK

Exposed Parts of Single Lever Built-In In-Wall Manual Valve with Basin Spout, Two Separate Wall Flanges, Cartridge Sleeve and Operating Lever (Compatible In-Wall parts ALD-233NPSO or ALD-235NPSO are Sold Separately) Flow rate: 13.6 l/min*

Single Lever | Bath & Shower






EKO-33119

Single Lever Bath & Shower Mixer, Wall Mounted Flow rate: 15.9 l/min*






EKO-33119SHK

Single Lever Bath & Shower Mixer with Shower Kit (1937, 571 & 555), Wall Mounted Flow rate:15.90 l/min*






EKO-33141

Single Lever Bath & Shower Mixer with Provision for Overhead Shower from rear side with 50 mm Long Collar Pipe, Elbow, nuts & Washers on Upper Side, Wall Mounted Flow rate: 15.9 l/min*






EKO-33149

Single Lever Shower Mixer, Wall Mounted Flow rate: 32.78 l/min*

Single Lever | Bath & Shower






EKO-33055NK

Exposed Part Kit of Single Lever In-Wall Diverter (Compatible In-Wall Part ALD-055N is Sold Separately)




Single Lever | Kitchen



EKO-33227K

Exposed Part Kit of Single Lever In-Wall Manual Valve, 35 mm Cartridge (Compatible In-Wall parts ALD-227 or ALD-229 are Sold Separately)






EKO-33163

Single Lever Sink Mixer with Swivel Spout, Wall Mounted Flow rate: 16.44 l/min*



Single Lever | Bidet




EKO-33173B

Single Lever Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses

Flow rate: 15.35 l/min*






EKO-33213B

Single Lever Bidet Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 7.15 l/min*

*at 3 bar pressure jaquar.com

Quarter Turn | Basin






EKO-33011

Basin Tap 1/2 Inch Flow rate: 22 I/min*






EKO-33021

Basin Tap 1/2 Inch with Long Neck Flow rate: 18.28 l/min*

Quarter Turn | Taps








Bib Tap with Wall Flange Flow rate: 17 l/min*






EKO-33041

2-Way Bib Tap with Wall Flange Flow rate: 16.5 l/min*






EKO-33053

Angle Valve with Wall Flange Flow rate: 30 l/min*

Quarter Turn | Taps





EKO-33069

In-Wall Stop Valve, Reduced Body with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall parts) Flow rate: 28.75 l/min*

COMBO PACK



EKO-CHR-33051B



EKO-CHR-33119



SHA-CHR-1110E

EKO-B051W119SRP

Combo of Basin Mixer, Wall Mixer & Sliding Rail Pack (33051B, 33119 & 1110E)

jaquar.com *at 3 bar pressure

CONTINENTAL PRIME

Vintage Charm, Redefined





NOW PRIMED
TO BE THE PILLAR
OF MODERN

Designed by

MICHAEL FOLEY

Pillars are unique in being both decorative and structural.


BATH DESIGN

The 21st-century update of Jaquar's bestselling Continental collection takes inspiration from the timeless appeal and eternal solidity of India's ancient pillars.



Single Lever | Basin






COP-001BPM

Single Lever Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses

Flow rate: 12.24 I/min*






COP-001BPMCLW

Single Lever Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses & Click-Clack-Waste (ALD-729)

Flow rate: 12.24 l/min*





COP-051BPM

Single Lever Basin Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 12.24 l/min*






COP-005BPM

Single Lever High Neck Basin Mixer without Pop-Up-Waste, with 600 mm Long Braided Hoses

Flow rate: 12.00 l/min*






COP-233NKPM

Exposed Parts of Single Lever Built-In In-Wall Manual Valve with Basin Spout (Compatible In-Wall parts ALD-233N or ALD-235N are Sold Separately)

Flow rate: 14.74 l/min*

Single Lever | Bath & Shower






COP-119PM

Single Lever Bath & Shower Mixer, Wall Mounted Flow rate: 25.51 l/min*






COP-227KPM

Exposed Part Kit of Single Lever In-Wall Manual Valve, 35 mm Cartridge (Compatible In-Wall parts ALD-227 or ALD-229 are Sold Separately)






COP-055KPM

Exposed Part Kit of Single Lever In-Wall Diverter (Compatible In-Wall Part ALD-055N is Sold Separately)






COP-065NKPM

Exposed Part Kit of Single Lever In-Wall Diverter (Compatible In-Wall part ALD-065N is Sold Separately)






COP-145PM

Single Lever Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211NH or SHA-1213) & Hand Shower, Wall Mounted Flow rate: 24.57 l/min*








COP-149PM

Single Lever Shower Mixer, Wall Mounted Flow rate: 31.18 l/min*

Single Lever | Kitchen






COP-179BPM

Side Single Lever Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses

Single Lever | Bidet






Flow rate: 11.77 l/min*

COP-213BPM

Single Lever Bidet Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 7.44 l/min*

Quarter Turn | Basin






COP-167BPM

Monoblock Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses

Flow rate: 15.83 l/min*






COP-169BPM

Monoblock Basin Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses

Flow rate: 15.83 l/min*

Quarter Turn | Basin






COP-011PM

Basin Tap 1/2 Inch Flow rate: 14.94 I/min*








COP-021PM

High Neck Basin Tap Flow rate:13.89 I/min*






COP-209PM

Shower Mixer Flow rate: 63.9 l/min*



Quarter Turn | Kitchen




COP-281PM

Bath & Shower Mixer 3-in-1 System with Provision for Hand Shower & Overhead Shower Complete with 115 mm Long Bend Pipe, Wall Mounted

Flow rate: 24.48 I/min*






COP-309PM

Sink Mixer with Swivel Spout, Wall Mounted Flow rate: 16.7 I/min*

Quarter Turn | Kitchen






COP-347PM

Sink Tap with Swivel Spout Flow rate: 15.17 l/min*

Taps






COP-037PM

Bib Tap with Wall Flange Flow rate: 14.87 l/min*






COP-107PM

Long Body Bib Tap with Wall Flange Flow rate: 14.9 l/min*






COP-041PM

2-Way Bib Tap with Wall Flange Flow rate: 14.66 l/min*






COP-057PM

Angle Valve with Wall Flange Flow rate: 20.75 l/min*

Taps






COP-083PM

In-Wall Stop Valve with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall parts)






COP-089PM

In-Wall Stop Valve with Adjustable Wall Flange, Size 20 mm (with Exposed and In-Wall parts)



Multi Turn | Basin






CON-011KN

Basin Tap 1/2 Inch Flow rate: 45.08 I/min*






CON-021KN

Basin Tap 1/2 Inch with Long Neck Flow rate: 46.70 I/min*






CON-167KNB

Monoblock Basin Mixer without Pop-Up-Waste & 375 mm Long Braided Hoses

Flow rate: 21.58 l/min*






CON-169KNB

Monoblock Basin Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 21.58 l/min*





CON-123BKN


Basin Tap with Left Hand Operating Knob & 375 mm Long Braided Hoses Also available

CON-127BKN

Basin Tap with Right Hand Operating Knob & 375 mm Long Braided Hoses Flow rate: 17.88 l/min*

Multi Turn | Bath & Shower






CON-217KN

Bath & Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted Flow rate: 28.12 l/min*








CON-267KN

Bath & Shower Mixer with Connector for Hand Shower & Wall Bracket, Wall Mounted Flow rate: 28.12 l/min*






CON-271KN

Bath & Shower Mixer with Telephone Shower Crutch, Deck Mounted Flow rate: 28.12 I/min*

Multi Turn | Kitchen






CON-309KNM

Sink Mixer with Swivel Spout, Wall Mounted Flow rate: 23.52 l/min*






CON-309KNBM

Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses Flow rate: 21.09 l/min*

jaquar.com *at 3 bar pressure

Multi Turn | Kitchen






CON-319KN

Sink Mixer with Swivel Raised J Shaped Spout, Wall Mounted Flow rate: 21.09 l/min*






CON-319KNB

Mono Sink Mixer with Swivel Raised J Shaped Spout & 375 mm Long Braided Hoses Flow rate: 21.09 l/min*






CON-321KNB

Mono Sink Mixer with Swivel Special Extended Spout & 375 mm Long Braided Hoses Flow rate: 21.52 l/min*






CON-347KNM

Sink Tap with Swivel Spout Flow rate: 22.47 l/min*






CON-349KNM

Sink Pillar Tap with Swivel Spout Flow rate: 22.47 I/min*

Multi Turn | Kitchen






CON-357KN

Sink Tap with Swivel Raised J Shaped Spout Flow rate: 21.12 l/min*






CON-359KN

Sink Pillar Tap with Swivel Raised J Shaped Spout Flow rate: 21.12 I/min*

Multi Turn | Taps






CON-047KN

Bib Tap with Wall Flange Flow rate: 46.70 l/min*






CON-107KN

Long Body Bib Tap with Wall Flange Flow rate: 42.07 l/min*






CON-041KNF

2-Way Bib Tap with Wall Flange Flow rate: 44.15 l/min*

Multi Turn | Taps






CON-059KN

Angle Valve with Wall Flange Flow rate: 47.00 l/min*






CON-069KN

In-Wall Stop Valve, Reduced Body with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall parts) Flow rate: 47.00 l/min*






CON-083KN

In-Wall Stop Valve with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall parts)

Flow rate: 47.00 l/min*






CON-087KN

In-Wall Stop Valve, Extra Heavy Body with Adjustable Wall Flange, Size 20 mm (with Exposed and In-Wall parts)

Flow rate: 47.00 l/min*






CON-089KN

In-Wall Stop Valve with Adjustable Wall Flange, Size 20 mm (with Exposed and In-Wall parts)
Flow rate: 47.00 l/min*




CNS-WHT-903 Table Top Basin, Size: 425x340x175 mm






CNS-WHT-905 Table Top Basin, Size: 420x420x155 mm






CNS-WHT-701 Under Counter Basin with Fixing Accessories, Size: 485x370x205 mm, Shape: Rectangular





CNS-WHT-705 Under Counter Basin with Fixing Accessories, Size: 605x430x200 mm, Shape: Oval






CNS-WHT-801 Wall Hung Basin with Fixing Accessories, Size: 560x415x200 mm

CNS-WHT-301

Full Pedestal for CNS-WHT-801






Full pedestal wash basin CNS-WHT-811 Wall Hung Basin with

Fixing Accessories, Size: 565x450x195 mm

CNS-WHT-303 Full Pedestal for CNS-WHT-811





Half pedestal wash basin CNS-WHT-801


Wall Hung Basin with

Fixing Accessories, Size: 560x415x200 mm

CNS-WHT-305 Half Pedestal with Fixing Accessories for

CNS-WHT-801

F.F.Lvl.




NEW




CNS-WHT-813 Wall Hung Basin with Fixing Accessories,

Size: 420x420x155 mm






CNS-WHT-959SPP Wall Hung WC with PP Soft Close Seat Cover, Hinges, Accessories Set, Size: 370x540x410 mm



NEW




CNS-WHT-959UF
Wall Hung WC with UF Soft
Close Seat Cover, Hinges,
Accessories Set,
Size: 370x540x410 mm





CNS-WHT-961SPP
Wall Hung WC with PP Soft
Close Seat Cover, Hinges,
Accessories Set,
Size: 365x545x360 mm




TOP VIEW






CNS-WHT-963UFSM Rimless Wall Hung WC with UF Soft Close Slim Seat Cover, Hinges, Accessories Set, Size: 380x515x360 mm





CNS-WHT-959JSPP


Wall Hung WC with In-Built Jet, PP Soft Close Seat Cover, Hinges, Accessories Set, Size: 370x540x410 mm





CNS-WHT-851S300SPP


Single Piece WC with PP Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 370x690x680 mm, S Trap- 300 mm





CNS-WHT-851P180SPP


Single Piece WC with PP Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 380x700x665 mm, P Trap- 180 mm





CNS-WHT-551SSPP


EWC with PP Soft Close Seat Cover, Hinges, Fixing Accessories and Accessories Set, Size: 350x480x395 mm, S Trap





CNS-WHT-751S300SPPZ


Bowl with Cistern for Coupled WC with PP Soft Close Seat Cover, Hinges, Fixing Accessories and Accessories Set, Size: 410x660x810 mm, S Trap- 300 mm





CNS-WHT-751P180SPPZ


Bowl with Cistern for Coupled WC with PP Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 410x660x810 mm, P Trap- 180 mm





CNS-WHT-755S220SPPZ


Bowl with Cistern for Coupled WC with PP Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 365x680x770 mm, S Trap- 220 mm






CNS-WHT-757NS300SPPSZ

Bowl with Side Flush Cistern for Coupled WC with PP Soft Close Seat Cover, Hinges, Single Side Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 410x695x785 mm, S Trap- 300 mm









CNS-WHT-757NS300SPPZ

Bowl with Cistern for Coupled

WC with PP Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 410x695x785 mm, S Trap- 300 mm








CNS-WHT-551PSPP


EWC with PP Soft Close Seat Cover, Hinges, Fixing Accessories and Accessories Set, Size: 360x475x395mm, P Trap





CNS-WHT-153 Installation Wall Hung Bidet with Accessories Set,

Size: 370x500x330 mm








CNS-WHT-853P180SPPSM Rimless Single Piece WC with

PP Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fittings, Fixing Accessories and Accessories Set, Size: 370x665x750 mm, P Trap- 180 mm






CNS-WHT-853S220SPPSM

Rimless Single Piece WC
with PP Soft Close Slim Seat
Cover, Hinges, Dual Flush Cistern
Fittings, Fixing Accessories and
Accessories Set,

Size: 370x665x750 mm, S Trap- 220 mm






CNS-WHT-853S300SPPSM

Rimless Single Piece WC with PP Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fittings, Fixing Accessories and Accessories Set, Size: 370x665x750 mm,


S Trap- 300 mm





CNS-WHT-959JUF


Wall Hung WC with In-Built Jet, UF Soft Close Seat Cover, Hinges, Accessories Set, Size: 370x540x410 mm





CNS-WHT-961UF


Wall Hung WC with UF Soft Close Seat Cover, Hinges, Accessories Set, Size: 365x545x360 mm





CNS-WHT-363SSPPZ

Rimless Bowl with Cistern for Extended Wall Hung WC with PP Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Accessories Set, Size: 375x630x750 mm






ASTRA | FAUCETS

Quarter Turn | Basin






AQT-3011

Basin Tap 1/2 Inch Flow rate: 23.94 I/min*






AQT-3169B

Monoblock Basin Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 20.42 l/min*






AQT-3171B

Monoblock Basin Mixer with Swivel Pipe Spout & 375 mm Long Braided Hoses Flow rate: 19.79 l/min*






AQT-3181B

Monoblock Basin Mixer with Swivel Casted Round Shape Spout & 375 mm Long Braided Hoses Flow rate: 20.01 l/min*

Quarter Turn | Bath & Shower





AQT-3517A


Bath & Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted Flow rate: 20.01 I/min*

ASTRA | FAUCETS

Quarter Turn | Bath & Shower




Quarter Turn | Kitchen



AQT-3209

Shower Mixer Flow rate: 56.69 l/min*






AQT-3309

Sink Mixer with Swivel Spout, Wall Mounted Flow rate: 21.69 l/min*






AQT-3319

Sink Mixer with Swivel Pipe Spout, Wall Mounted Flow rate: 33.19 l/min*






AQT-3357

Sink Tap with Swivel Pipe Spout Flow rate: 18.95 I/min*

Quarter Turn | Taps






AQT-3047

Bib Tap with Wall Flange Flow rate: 37.70 l/min*

ASTRA | FAUCETS

Quarter Turn | Taps






AQT-3049

Bib Tap with Nozzle Flow rate: 24.94 l/min*






AQT-3107

Bib Tap Long Body with Wall Flange Flow rate: 37.70 l/min*






AQT-3053

Angle Valve with Wall Flange Flow rate: 21.40 l/min*






AQT-3057P

Angle Valve with Triangular Handle & Wall Flange Flow rate: 21.20 l/min*



Sensor | Basin






SNR-51011N

Sensor Faucet for Wash Basin Deck Mounted Complete with Control Box (Battery Operated) Flow rate: 12.30 l/min*






SNR-51021

Sensor Faucet for Wash Basin Deck Mounted Complete with Control Box (Battery Operated) Flow rate: 12.78 l/min*






SNR-51021A

Sensor Faucet for Wash Basin Deck Mounted Complete with 175 mm Extended Body & Control Box (Battery Operated) Flow rate: 12.78 I/min*






SNR-51001SQ

Sensor Faucet for Wash Basin in Square Shape Deck Mounted Complete with Control Box (Battery Operated) Flow rate: 13.16 l/min*






SNR-51027

Sensor Faucet for Wash Basin Deck Mounted Complete with Control Box (Battery Operated) Flow rate: 13.43 l/min*

Sensor | Basin






SNR-51033

Sensor Faucet for Wash Basin Deck Mounted Complete with Control Box (Battery Operated) Flow rate: 7.20 l/min*






SNR-35019PM

Kubix Prime Sensor Faucet for Wash Basin Deck mounted Complete with Control Box (Battery Operated) Flow rate: 11.80 l/min*






SNR-35019PMPK

Kubix Prime Sensor Faucet for Wash Basin Deck mounted Complete with Control Box & Pre-mixed Water Supply Kit (Battery Operated)

Flow rate: 11.80 l/min*






SNR-35017PM

Kubix Prime High Neck Sensor Faucet for Wash Basin Deck mounted Complete with Control Box (Battery Operated)








SNR-35017PMPK

Kubix Prime High Neck Sensor Faucet for Wash Basin Deck mounted Complete with Control Box & Pre-mixed Water Supply Kit (Battery Operated) Flow rate: 11.90 l/min*

*at 3 bar pressure jaquar.com

Sensor | Basin






SNR-15019PM

Opal Prime Sensor Faucet for Wash Basin Deck mounted Complete with Control Box (Battery Operated) Flow rate: 12.15 l/min*






SNR-15019PMPK

Opal Prime Sensor Faucet for Wash Basin Deck mounted Complete with Control Box & Pre-mixed Water Supply Kit (Battery Operated) Flow rate: 12.15 l/min*






SNR-15017PM

Opal Prime High Neck Sensor Faucet for Wash Basin Deck mounted Complete with Control Box (Battery Operated) Flow rate: 12.20 l/min*






SNR-15017PMPK

Opal Prime High Neck Sensor Faucet for Wash Basin Deck mounted Complete with Control Box & Pre-mixed Water Supply Kit (Battery Operated)

Flow rate: 12.20 l/min*

Sensor | Urinal






SNR-51097

Sensor Flush Valve for Urinal Complete with Installation Kit (Battery Operated) Suitable for Urinal (URS-WHT-13255) Flow rate: 2.0 l/f**

Sensor | Urinal






SNR-STL-51083

Sensor Flush Valve for Urinal Complete with Mini Installation Box (Battery Operated) Flow rate: 2.0 l/f**






SNR-STL-51087

Sensor Flush Valve for Urinal Complete with Installation Box (Battery Operated) Flow rate: 2.0 l/f**

Sensor | Water Closet






SNR-STL-51093N

Sensor Flush Valve for Western Commode with Provision for Manual Operation Also, Complete with Installation Box (Battery Operated) Flow rate: 11.90 l/min*

Sensor | Blush Sensor






SNR-51443

Blush Wall Mounted Sensor Faucet with Control Box (Battery Operated) Flow rate: 8.50 l/min*






SNR-51445

Blush Deck Mounted Sensor Faucet with Control Box (Battery Operated) Flow rate: 9.50 l/min*

Sensor | Blush Sensor






SNR-51449

Blush High Neck Deck Mounted Sensor Faucet with Control Box (Battery Operated) Flow rate:8.20 I/min*






SNR-51443PK

Blush Wall Mounted Sensor Faucet with Control Box & Pre-mixed Water Supply Kit (Battery Operated) Flow rate:8.50 l/min*






SNR-51445PK

Blush Deck Mounted Sensor Faucet with Control Box & Pre-mixed Water Supply Kit (Battery Operated) Flow rate: 9.50 l/min*






SNR-51449PK

Blush High Neck Deck Mounted Sensor Faucet with Control Box & Pre-mixed Water Supply Kit (Battery Operated) Flow rate:8.20 I/min*

Sensor Faucets with 9V Transformer & Battery Operated






SNR-51033EB

Sensor Faucet for Wash Basin in Rectangular Shape (9V Transformer & Battery Operated) Flow rate: 7.20 l/min*






SNR-51021EB

Sensor Faucet for Wash Basin (9V Transformer & Battery Operated) Flow rate: 12.78 l/min*






SNR-51021AEB

Sensor Faucet for Wash Basin with 175 mm Extension Body (9V Transformer & Battery Operated)

Flow rate: 14.19 l/min*






SNR-51001SQEB

Sensor Faucet for Wash Basin in Square Shape with Base Flange (9V Transformer & Battery Operated)

Flow rate: 14.19 l/min*






SNR-51027EB

Sensor Faucet for Wash Basin (9V Transformer & Battery Operated) Flow rate: 14.19 l/min*





SNR-35019PMEB


Kubix Prime Sensor Faucet for Wash Basin (9V Transformer & Provision for Battery Operated)

Flow rate: 11.80 l/min*

jaquar.com *at 3 bar pressure

Sensor Faucets with 9V Transformer & Provision for Battery Operated






SNR-35019PMEBPK

Kubix Prime Sensor Faucet for Wash Basin with Pre-mixed Water Supply Kit (9V Transformer & Provision for Battery Operated)

Flow rate: 11.80 l/min*






SNR-15019PMEB

Opal Prime Sensor Faucet for Wash Basin (9V Transformer & Provision for Battery Operated)

Flow rate: 12.15 l/min*






SNR-15019PMEBPK

Opal Prime Sensor Faucet for Wash Basin with Pre-mixed Water Supply Kit (9V Transformer & Provision for Battery Operated)

Flow rate: 12.15 l/min*






SNR-STL-51077E

Sensor In-Wall Type Flush Valve for Urinal Complete set with Installation Box & Control Valve (9V Transformer)

Flow rate: 19.30 l/min*






SNR-35017PMEB

Kubix Prime High Neck Sensor Faucet for Wash Basin (9V Transformer & Provision for Battery Operated)

Flow rate: 11.90 l/min*






SNR-35017PMEBPK

Kubix Prime High Neck Sensor Faucet for Wash Basin with Pre-mixed Water Supply Kit (9V Transformer & Provision for Battery Operated)

Flow rate: 11.90 l/min*






SNR-15017PMEB

Opal Prime High Neck Sensor Faucet for Wash Basin (9V Transformer & Provision for Battery Operated)

Flow rate: 12.20 l/min*





SNR-15017PMEBPK

Opal Prime High Neck Sensor Faucet for Wash Basin with Pre-mixed Water Supply Kit (9V Transformer & Provision for Battery Operated)


Flow rate: 12.20 l/min*



PRESSMATIC | FAUCETS

Basin






PRS-031

Non-Concussive Basin Tap Flow rate: 16.72 l/min*






PRS-031L65

Non-Concussive Basin Tap with 65 mm Extension Body Flow rate: 15.74 l/min*






PRS-061

Non-Concussive Basin Tap, Wall Mounted

Flow rate: 14.32 l/min*

Taps






PRS-043

Non-Concussive Bib Tap Flow rate: 17 l/min*

Urinals






PRS-073

Non-Concussive In-Wall Urinal Valve Flow rate: 2.0 l/f**

■ PRESSMATIC | FAUCETS

Urinals






PRS-077

Non-Concussive Urinal Valve Flow rate: 3.85 lpf**

New Age Pressmatic






PRS-001MED

Non-Concussive (Straight Line Model) Basin Tap with Elbow Operated Extended Lever

Flow rate: 16.72 l/min*






PRS-031MED

Non-Concussive Basin Tap with Elbow Operated Extended Lever

Flow rate: 16.72 l/min*






PRS-031L65MED

Non-Concussive Basin Tap with 65 mm Extension Body & Elbow Operated

Extended Lever Flow rate: 15.75 l/min*






PRS-043MED

Non-Concussive Bib Tap with Elbow Operated Extended Lever Flow rate: 17.00 l/min*

PRESSMATIC | FAUCETS

New Age Pressmatic






PRS-STL-033EF

Exposed Foot Operated Non-Concussive Valve for Basin Taps & Spouts (Table Mounted Model) with Two 900 & 1200 mm Long Braided Hoses with 15 mm Nuts






PRS-STL-033EFP

Exposed Foot Operated Non-Concussive Valve for Pressmatic Basin Taps Only with Plug (Table Mounted Model) with Two 900 & 1200 mm Long Braided Hoses with 15 mm Nuts






PRS-STL-033EFPWC

Exposed Foot Operated Non-Concussive Valve for Pressmatic Basin Taps without Cartridge, But with Plug (Table Mounted Model) with Two 900 & 1200 mm long Braided Hoses with 15 mm nuts





PRS-277


Elbow Operated Non-concussive Extended Lever Assembly for Operating Exposed Pressmatic Basin Taps & Bib Tap



MEDI SERIES | FAUCETS

Basin






FLR-5033B

Florentine Single Lever Basin Mixer with Extended Lever Handle without Pop-Up-Waste with 375 mm Long Braided Hoses

Flow rate: 16.78 l/min*






FLR-5031N

Florentine Basin Tap with Extended Lever Handle

Flow rate: 17.70 l/min*

Sink






FLR-5043N

Bib Tap with Extended Lever Handle Flow rate: 17.96 I/min*





FLR-5166

Florentine Single Lever Sink Mixer with Extended Lever Handle, Wall Mounted


Flow rate: 16.44 I/min*



SPOUT OPERATING TAPS

Basin






SOT-83011

Spout Operated Pillar Tap Flow rate: 18.37 I/min*

Тар






SOT-83037

Spout Operated Bib Tap Flow rate: 18.53 l/min*



Allied






ALD-661

Aquamax In-Wall Body of Thermostatic Shower Mixer Single Function (without Exposed Parts)

Flow rate: 56.00 l/min*






ALD-681

Aquamax In-Wall Body of Thermostatic Shower Mixer with 2-Way Diverter (without Exposed Parts) Flow rate: 42.00 l/min*






ALD-683

Aquamax In-Wall Body of Thermostatic Shower Mixer with 3-Way Diverter (without Exposed Parts)

Flow rate: 52.00 l/min*






ALD-661E

Aquamax In-Wall Body of Thermostatic Shower Mixer Single Function with Fixing Lugs (without Exposed Parts)

Flow rate: 56.00 l/min*





ALD-681E


Aquamax In-Wall Body of Thermostatic Shower Mixer with Fixing Lugs & 2-Way Diverter (without Exposed Parts)

Flow rate: 42.00 l/min*

Allied




Laguna




ALD-683E

Aquamax In-Wall Body of Thermostatic Shower Mixer with Fixing Lugs & 3-Way Diverter (without Exposed Parts) Flow rate: 52.00 l/min*








LAG-91661K

Aquamax Exposed Part Kit of Thermostatic Shower Mixer (Compatible In-Wall parts ALD-661 or ALD-661E are Sold Separately)










LAG-91681K

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 2-Way Diverter (Compatible In-Wall Part ALD-681 or ALD-681E are Sold Separately)








thermostate handle

LAG-91683K

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 3-Way Diverter (Compatible In-Wall Parts ALD-683 or ALD-683E are Sold Separately)

Queen's Prime







THERMOSTATE HANDLE





Aquamax Exposed Part Kit of Thermostatic Shower Mixer (Compatible In-Wall parts ALD-661 or ALD-661E are Sold Separately)

jaquar.com *at 3 bar pressure

Queen's Prime








QQP-7681KPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 2-Way Diverter (Compatible In-Wall Part ALD-681 or ALD-681E are Sold Separately)








THERMOSTATE HANDLE

QQP-7683KPM Aquamax Exposed

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 3-Way Diverter (Compatible In-Wall Parts ALD-683 or ALD-683E are Sold Separately)

Arc






ARC-87661K

Aquamax Exposed Part Kit of Thermostatic Shower Mixer (Compatible In-Wall parts ALD-661 or ALD-661E are Sold Separately)






ARC-87681K

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 2-Way Diverter (Compatible In-Wall Part ALD-681 or ALD-681E are Sold Separately)






ARC-87683K

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 3-Way Diverter (Compatible In-Wall Parts ALD-683 or ALD-683E are Sold Separately)

Kubix Prime






KUP-35661KPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer (Compatible In-Wall parts ALD-661 or ALD-661E are Sold Separately)






KUP-35681KPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 2-Way Diverter (Compatible In-Wall Part ALD-681 or ALD-681E are Sold Separately)







KUP-35683KPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 3-Way Diverter (Compatible In-Wall Parts ALD-683 or ALD-683E are Sold Separately)

Opal Prime








OPP-15661KPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer (Compatible In-Wall parts ALD-661 or ALD-661E are Sold Separately)






OPP-15681KPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 2-Way Diverter (Compatible In-Wall Part ALD-681 or ALD-681E are Sold Separately)

Opal Prime










OPP-15683KPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 3-Way Diverter (Compatible In-Wall Parts ALD-683 or ALD-683E are Sold Separately)

Ornamix Prime






ORP-10661KPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer (Compatible In-Wall parts ALD-661 or ALD-661E are Sold Separately)






ORP-10681KPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 2-Way Diverter (Compatible In-Wall Part ALD-681 or ALD-681E are Sold Separately)






ORP-10683KPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 3-Way Diverter (Compatible In-Wall Parts ALD-683 or ALD-683E are Sold Separately)

Vignette Prime






VGP-81661K

Aquamax Exposed Part Kit of Thermostatic Shower Mixer (Compatible In-Wall parts ALD-661 or ALD-661E are Sold Separately)

Vignette Prime






VGP-81681K

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 2-Way Diverter (Compatible In-Wall Part ALD-681 or ALD-681E are Sold Separately)






VGP-81683K

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 3-Way Diverter (Compatible In-Wall Parts ALD-683 or ALD-683E are Sold Separately)








ALI-85661K

Aquamax Exposed Part Kit of Thermostatic Shower Mixer (Compatible In-Wall parts ALD-661 or ALD-661E are Sold Separately)






ALI-85681K

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 2-Way Diverter (Compatible In-Wall Part ALD-681 or ALD-681E are Sold Separately)






ALI-85683K

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 3-Way Diverter (Compatible In-Wall Parts ALD-683 or ALD-683E are Sold Separately)

Aria






ARI-39661K

Aquamax Exposed Part Kit of Thermostatic Shower Mixer (Compatible In-Wall parts ALD-661 or ALD-661E are Sold Separately)






ARI-39681K

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 2-Way Diverter (Compatible In-Wall Part ALD-681 or ALD-681E are Sold Separately)






ARI-39683K

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 3-Way Diverter (Compatible In-Wall Parts ALD-683 or ALD-683E are Sold Separately)

Florentine






FLR-5661K

Aquamax Exposed Part Kit of Thermostatic Shower Mixer (Compatible In-Wall parts ALD-661 or ALD-661E are Sold Separately)






FLR-5681K

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 2-Way Diverter (Compatible In-Wall Part ALD-681 or ALD-681E are Sold Separately)

Florentine






FLR-5683K

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 3-Way Diverter (Compatible In-Wall Parts ALD-683 or ALD-683E are Sold Separately)

AQUAMAX SINGLE LEVER SHOWER MIXER WITH 3-Way Diverter

Allied






ALD-783

Aquamax In-Wall Body of Single Lever Shower Mixer with 3-Way Diverter (without Exposed Parts) Flow rate: 54.15 l/min*






ALD-783E

Aquamax In-Wall Body of Single Lever Shower Mixer with Fixing Lugs & 3-Way Diverter (without Exposed Parts) Flow rate: 54.15 I/min*

Kubix Prime






KUP-35783KPM

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-Way Diverter (Compatible In-Wall Parts ALD-783 or ALD-783E are Sold Separately)

AQUAMAX SINGLE LEVER SHOWER MIXER WITH 3-Way Diverter

Opal Prime







OPP-15783KPM

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-Way Diverter (Compatible In-Wall Parts ALD-783 or ALD-783E are Sold Separately)

Ornamix Prime








ORP-10783KPM

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-Way Diverter (Compatible In-Wall Parts ALD-783 or ALD-783E are Sold Separately)

Vignette Prime









VGP-81783K

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-Way Diverter (Compatible In-Wall Parts ALD-783 or ALD-783E are Sold Separately)

Alive








ALI-85783K

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-Way Diverter (Compatible In-Wall Parts ALD-783 or ALD-783E are Sold Separately)

Aria






ARI-39783K

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-Way Diverter (Compatible In-Wall Parts ALD-783 or ALD-783E are Sold Separately)

AQUAMAX SINGLE LEVER SHOWER MIXER WITH 3-Way Diverter

Lyric






LYR-38783K

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-Way Diverter (Compatible In-Wall Parts ALD-783 or ALD-783E are Sold Separately)

Fusion






FUS-29783K

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-Way Diverter (Compatible In-Wall Parts ALD-783 or ALD-783E are Sold Separately)

Florentine





FLR-5783K


Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-Way Diverter (Compatible In-Wall Parts ALD-783 or ALD-783E are Sold Separately)



THERMOSTATIC MIXERS

Opal Prime






OPP-15653PM

Multifunction Thermostatic Shower Valve with Integrated Diverter and Provision for Rigid Riser, Shower Head & Shower Handset Flow rate: 35.64 I/min*






OPP-15655PM

Opal Prime Thermostatic Bar Valve Flow rate: 36.43 l/min*






OPP-15657PM

Opal Prime Thermostatic Bath & Shower Mixer, Wall Mounted Flow rate: 29.96 I/min*

Florentine






FLR-5657

Florentine Thermostatic Bath & Shower Mixer, Wall Mounted Flow rate: 29.96 l/min*





FLR-5653


Multifunction Thermostatic Shower Valve with Integrated Diverter and Provision for Rigid Riser, Shower Head & Shower Handset


Flow rate: 35.16 l/min*

THERMOSTATIC MIXERS I

Florentine








FLR-5653SHK

Multifunction Thermostatic Shower Valve with Integrated Diverter and Adjust Height Upto 250 mm Rigid Riser with Shower Head & Shower Handset (1213, 1613, 1653 & 571) Flow rate: 35.16 l/min*






FLR-5655

Florentine Thermostatic Bar Valve Flow rate: 36.43 l/min*






FLR-5659

Florentine Thermostatic Bath & Shower Mixer, Deck Mounted Flow rate: 26.96 l/min*






FLR-5677

4-Hole Thermostatic Bath & Shower Mixer, Deck Mounted Flow rate: 33.35 l/min*

Arc






ARC-87677

4-Hole Thermostatic Bath & Shower Mixer, Deck Mounted Flow rate: 14.19 I/min*

THERMOSTATIC MIXERS

Eko





EKO-33673LWR

Eko Thermostatic Shower Valve with 115 mm Long Bend pipe on Lower Side, Wall Mounted

Flow rate: 26.54 l/min*


jaquar.com *at 3 bar pressure



BATHTUB SPOUTS

Laguna








SPJ-91429

Laguna Bath Spout with Wall Flange Flow rate: 31.59 l/min*






SPJ-91463

Laguna Bath Spout with Diverter & Wall Flange Flow rate: 25.60 l/min*

Continental Prime






SPJ-429PM

Continental Prime Bath Spout with Wall Flange

Flow rate: 22.06 l/min*






SPJ-463PM

Continental Prime Bath Spout with Diverter & Wall Flange

Flow rate: 28.22 l/min*

Queen's Prime






SPJ-7429PM

Queens Prime Bath Spout with Wall Flange Flow rate:47 I/min*

BATHTUB SPOUTS

Queen's Prime






SPJ-7463PM

Queens Prime Bath Spout with Diverter & Wall Flange Flow rate: 34.50 l/min*

Arc






SPJ-87429

Arc Bath Spout with Wall Flange Flow rate: 33.92 l/min*






SPJ-87463

Arc Bath Spout with Diverter & Wall Flange Flow rate: 28.97 I/min*

Kubix Prime






SPJ-35429PM

Kubix Prime Bath Spout with Wall Flange Flow rate: 17.18 I/min^*






SPJ-35463PM

Kubix Prime Bath Spout with Diverter & Wall Flange Flow rate: 37.22 l/min*

BATHTUB SPOUTS

Opal Prime






SPJ-15429PM

Opal Prime Bath Spout with Wall Flange Flow rate: 18.69 I/min*








SPJ-15463PM

Opal Prime Bath Spout with Diverter & Wall Flange Flow rate: 17.71 I/min*






SPJ-10429PM

Ornamix Prime Bath Spout with Wall Flange

Flow rate: 18.57 I/min*








SPJ-10463PM

Ornamix Prime Bath Spout with Diverter & Wall Flange

Flow rate: 18.2 l/min*






SPJ- 85429

Alive Bath Spout with Wall Flange Flow rate: 22.81 I/min*

Alive






SPJ-85463

Alive Bath Spout with Diverter & Wall Flange Flow rate: 21.14 l/min*

Allied






SPJ-461

Bath Spout with Diverter & Built-In Flange with Inclined Shape Flow rate: 30.06 l/min*






SPJ-467

Bath Spout Heavy Casted Body with Diverter Flow rate: 35.17 I/min*

Max25 Flow rate: 35.17 I/mi








SPJ-429

Continental Bath Spout with Wall Flange Flow rate: 36.98 l/min*






SPJ-433

Continental Bath Spout 235mm Long with Wall Flange Flow rate: 47 l/min*

BATHTUB SPOUTS

Continental






SPJ-463

Continental Bath Spout with Diverter Flow rate: 29.06 l/min*

Florentine






SPJ-5429S

Florentine Bath Spout with Wall Flange, Stainless Steel Flow rate: 47 l/min*






SPJ-5439

Florentine Bath Spout (20 mm) with Wall Flange Flow rate: 47.00 l/min*





SPJ-5447

Florentine Basin Spout 9 Inch with Wall Flange Flow rate: 29.81 l/min* Also available


SPJ-5443

Florentine Basin Spout 7 Inch with

Wall Flange

Flow rate: 13.93 l/min*






SPJ-5463

Florentine Bath Spout with Diverter & Wall Flange
Flow rate: 32.29 I/min*

Queen's






SPJ-7429

Queens Bath Spout with Wall Flange Flow rate: 47 I/min*






SPJ-7439

Queens Bath Spout (20 mm) with Wall Flange Flow rate: 47.00 l/min*






SPJ-7463

Queens Bath Spout with Diverter & Wall Flange Flow rate: 27.75 l/min*

Fusion






SPJ-29429

Fusion Bath Spout with Wall Flange Flow rate: 36.43 l/min*





SPJ-29463

Fusion Bath Spout with Diverter & Wall Flange Flow rate: 32.2 l/min*

BATHTUB SPOUTS

Fusion






SPJ-29439

Fusion Bath Spout (20 mm) with Wall Flange Flow rate: 36.43 l/min*

Vignette Prime






SPJ-81429

Vignette Prime Bath Spout with Wall Flange Flow rate: 22.97 l/min*






SPJ-81463

Vignette Prime Bath Spout with Diverter & Wall Flange Flow rate: 20.83 I/min*

D'Arc






SPJ-37429

D-Shape Bath Spout with Wall Flange Flow rate: 34.84 I/min*






SPJ-37463

D-Shape Bath Spout with Diverter & Wall Flange Flow rate: 29.72 l/min*

BATHTUB SPOUTS

Rendezvous






SPJ-8429

Rendezvous Bath Spout with Wall Flange Flow rate: 47 l/min*





SPJ-8463

Rendezvous Bath Spout with Diverter & Wall Flange Flow rate: 35.19 l/min*



Sanitaryware | Bidspa

Features

- Smart button
- UV nozzle
- LED light
- Adjustable temperature-water, air & seat
- Smart deodorization
- Automatic flushing
- Bidet & rear wash
- Self cleaning
- 4.8L average flushing volume
- Seat thickness is 6.5cm
- Smart flushing system with brushless motor
- Slim in shape
- Powerful flushing with low noise
- Automatic opening seat & cover
- Foot sensor
- · Remote operated




Multi-functional remote control



Hygienic anti-bacterial surface




ITS-WHT-89853S300PPPM **Automatic Rimless Floor** Mounted WC with Electronic PP Seat Cover, Adjustable Seat, Air, Water temperature, Night light, Fixing Accessories and Accessories Set, Size: 390x685x465 mm, S Trap- 300 mm






ITS-WHT-89853S300PPPMAT Fully Automatic Rimless Floor Mounted WC with Electronic PP Seat Cover - Auto Open, Adjustable Seat, Air, Water temperature, Night light, Fixing Accessories Set, Size: 390x685x465 mm, S Trap- 300 mm





ITS-WHT-89851S300PP Bidspa Single Piece WC with Electronic PP Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 360x730x740 mm, S Trap- 300 mm









ITS-WHT-89853S300PP Bidspa Rimless Single Piece WC with Electronic PP Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set,

Size: 385x720x710 mm, S Trap- 300 mm










ITS-WHT-89953PP Bidspa Rimless Wall Hung WC with Electronic PP Seat Cover, Hinges, Accessories Set, Size: 390x570x365 mm






■ DISABLED - FRIENDLY SANITARYWARE




DIS-WHT-93801 Wall Hung Basin with Fixing Accessories, Size: 650X565X155 mm





DIS-WHT-93951UF Wall Hung WC with UF Soft Close Seat Cover, Hinges and Accessories Set,


Size: 350x750x340 mm





DIS-WHT-93955P180UF

Rimless Back To Wall WC with UF Soft Close Seat Cover, Hinges, Fixing Accessories and Accessories Set, Size: 360x515x410 mm, P Trap- 180 mm





DIS-WHT-93753P180UF


Rimless Bowl for Coupled

WC with UF Soft Close Seat Cover, Hinges, Fixing Accessories, Size: 390x610x800 mm, P Trap- 180 mm

DIS-WHT-93201

Cistern with Dual Flush Cistern

Fitting for 93751P180UF



JAQUAR DESIGNER (JDR)


Modernity Gets New Sophistication



JDR - JAQUAR DESIGNER RANGE




JDS-WHT-25901 Table Top Basin, Size: 640x425x155 mm




NEW



JDS-WHT-25943 Table Top Basin Size: 640x500x130 mm




JDS-WHT-25903 Table Top Basin, Size: 480x470x195 mm






JDS-WHT-25905 Table Top Basin, Size: 450x450x170 mm



JDR - JAQUAR DESIGNER RANGE I




JDS-WHT-25907N Thin Rim Table Top Basin, Size: 530x420x140 mm, Shape - Rectangular






JDS-WHM-25907N Thin Rim Table Top Basin In White Matt, Size: 530x420x140 mm, Shape - Rectangular






JDS-BLM-25907N Thin Rim Table Top Basin In Black Matt, Size: 530x420x140 mm, Shape - Rectangular






JDS-WHT-25909 Thin Rim Table Top Basin, Size: 495x395x150 mm, Shape - Rectangular



■ JDR - JAQUAR DESIGNER RANGE




JDS-WHT-25911 Thin Rim Table Top Basin, Size: 420x420x150 mm, Shape - Square






JDS-WHM-25911 Thin Rim Table Top Basin In White Matt, Size: 420x420x150 mm, Shape - Square






JDS-BLM-25911 Thin Rim Table Top Basin In Black Matt, Size: 420x420x150 mm, Shape - Square






JDS-WHT-25935 Table Top Basin, Size: 460x460x170 mm



JDR - JAQUAR DESIGNER RANGE I




JDS-WHT-25937 Thin Rim Table Top Basin, Size: 500x380x120 mm, Shape - Oval






JDS-WHT-25939 Thin Rim Table Top Basin, Size: 455x455x110 mm, Shape - Round






JDS-WHT-25501 Semi Recessed Basin, Size: 520x430x170 mm






JDS-WHT-25503 Semi Recessed Basin, Size: 510x450x175 mm



JDR - JAQUAR DESIGNER RANGE




JDS-WHT-25801 Table Top Basin, Size: 460x265x110 mm





JDS-WHT-25841 Wall Hung Corner Basin with Fixing Accessories, Size: 315x450x175 mm






URINALS




URS-WHT-13253N Urinal (Back Inlet) with Fixing Accessories, Size: 385x325x635 mm






URS-WHT-13255 Urinal without Sensor with Fixing Accessories, Size: 480x300x740 mm






URS-WHT-13257 Urinal (Top Inlet) with Fixing Accessories, Size: 345x320x610 mm






URS-WHT-13259 Urinal (Top Inlet) with Fixing Accessories, Size: 475x315x715 mm






URS-WHT-13263 Urinal (Back Inlet) with Fixing Accessories, Size: 340x325x650 mm






URS-WHT-13261H Urinal with Spreader Hole and Fixing Accessories, Size: 355x340x535 mm





URS-WHT-13261 Urinal with Fixing Accessories, Size: 355x340x535 mm





i-FLUSH | COLOUR FINISHES



If you wish to place orders for the different colour finishes of this range shown above, just replace the colour code in the middle of the product code with the colour code of your choice. For instance, in the product code FLV-CHR-1075NK, 'CHR' connotes Chrome Finish. If you wish to order the same product in Gold Dust finish, replace 'CHR' with 'GDS'. Thus the product code will be FLV-GDS-1075NK.

The finishes depicted here are only indicative and may differ from that on the actual product.

White Matt WHM

i-FLUSH

Installed directly in the pipeline, the i Flush concealed flushing mechanism has multiple aesthetic and design advantages. It also provides a more appropriate mechanism of flushing, using the available water pressure to create better siphoning at the trap and superior clearing of waste.









i-Flush advantages

- Repeated flushing is possible, whereas concealed cisterns will definitely take time to fill up after flushing once
- i-Flush 32 mm can work efficiently at even low pressure (minimum 0.8 bar dynamics)
- Less noise in flushing
- Dual flush Saves water, a green product
- Easy maintenance, control stop valve can be closed with the help of a T-type key provided along with the product
- Access to control cartridge by removing front actuation plate hence easy accessibility for maintenance



in-built control system



saves water



twin flowsystem



less noise



slim wall plate




go green



cost effective






FLV-1075N

In-Wall i-flushing system, 20 mm with Dual Fush Push Button Actuation & Control Stop Valve

Flow rate: 1.2 l/sec*






FLV-1075NK

Exposed Part Kit of i Flush with Dual Flush Push Button Actuation & Control Stop Valve (Compatible Concealed Parts FLV-1073C or FLV-1075C are Sold Separately)






FLV-1075FP

i-Flush 20 mm In-Wall Body with Floor Mounting Frame, Installation Kit and "P-Type" Drain Pipe Connection Set for Wall Hung WC (without Exposed Actuation Plate Kit)

Flow rate: 1.2 l/sec*






FLV-1075FS

i-Flush 20 mm In-Wall Body with Floor Mounting Frame, Installation Kit and "S-Type" Drain Pipe Connection Set for Wall Hung WC (without Exposed Actuation Plate Kit)

Flow rate: 1.2 l/sec*






FLV-1073

In-Wall i-flushing system, 32 mm with Dual Fush Push Button Actuation & Control Stop Valve

Flow rate: 1.2 l/sec*

i-FLUSH






FLV-1073FP

i-Flush 32 mm In-Wall Body with Floor Mounting Frame, Installation Kit and "P-Type" Drain Pipe Connection Set for Wall Hung WC (without Exposed Actuation Plate Kit) Flow rate: 1.2 l/sec*





FLV-1073FS

i-Flush 32 mm In-Wall Body with Floor Mounting Frame, Installation Kit and "S-Type" Drain Pipe Connection Set for Wall Hung WC (without Exposed Actuation Plate Kit)


Flow rate: 1.2 l/sec*

*at 3 bar pressure jaquar.com



FLUSH VALVES






FLV-1015

Flush Valve Regular, 32 mm Size Flow rate: 10.00 l/f** (Adjustable from 4 - 20 l/f**)






FLV-1029

Flush Valve Dual Flow, 32 mm Size Flow rate: 3.0/6.0 l/f**

In-Wall Flush Valve






FLV-1051

In-Wall Flush Valve, 32 mm Size with 200 mm Long Operating Lever Flow rate: 10.00 l/f** (Adjustable from 4 - 20 l/f**)

Metropole Flush Valves-32 mm






FLV-1095N

Metropole Regular In-Wall Flush Valve, 32 mm Size for Western Commode with Round Flange Flow rate: 6.0 l/f**






FLV-1095NSQ

Metropole Regular In-Wall Flush Valve, 32 mm Size for Western Commode with Square Flange Flow rate: 6.0 l/f**






FLV-1085N

Metropole Dual Flow In-Wall Flush Valve, 32 mm Size for Western Commode with Round Flange

Flow rate: 3.0/6.0 1/f**








FLV-1085NSQ

Metropole Dual Flow In-Wall Flush Valve, 32 mm Size for Western Commode with Square Flange

Flow rate: 3.0/6.0 l/f**






FLV-1085DFP

Metropole Dual Flow In-Wall Flush Valve, 32 mm Size for Western Commode with Rectangular Dual Flush Plate

Flow rate: 3.0/6.0 l/f**

Metropole Flush Valves-40 mm






FLV-1093N

Metropole Regular In-Wall Flush Valve, 40 mm Size for Western Commode with Round Flange

Flow rate: 6.0 1/f**





FLV-1093NSQ


Metropole Regular In-Wall Flush Valve, 40 mm Size for Western Commode with Square Flange

Flow rate: 6.0 1/f**

FLUSH VALVES

Metropole Flush Valves-40 mm






FLV-1089N

Metropole Dual Flow In-Wall Flush Valve, 40 mm Size for Western Commode with Round Flange

Flow rate: 3.0/6.0 l/f**






FLV-1089NSQ

Metropole Dual Flow In-Wall Flush Valve, 40 mm Size for Western Commode with Square Flange

Flow rate: 3.0/6.0 l/f**






FLV-1089DFP

Metropole Dual Flow In-Wall Flush Valve, 40 mm Size for Western Commode with Rectangular Dual Flush Plate

Flow rate: 3.0/6.0 l/f**

jaquar.com *at 3 bar pressure | **litre per flush

FLUSHING SYSTEMS



FLUSHING SYSTEMS

In order to bring you the latest and the most advanced bath products, Jaquar, a complete bathroom solutions provider, presents a design revolution—the superbly designed high quality Flush Plates. Besides modern designs that offer a sleek look to bath spaces and outstanding features like water - saving, easy access maintenance and anti-condensation, Jaquar Concealed Cisterns ensure that your bathrooms look spacious, clean and hygienic at all times.

Advantages

Saves Water: Impressive Dual Flush with a provision of 3/6 Ltr flush (Can be adjusted to 2/4 Ltrs)

Less Noise: Technically advanced, silent flush valve and fast-filling hydraulic float valve minimises the flushing sound during usage

Perfect Pan Cleaning: Heavy and even water discharge during every flush at every water pressure

No Damage from Condensation: Has anti-condensation lining wrapping the tank and supply bend to protect damage from masonry condensation

Easy to install and maintain: Jaquar's floor standing frames with concealed cisterns not only provide the benefits of easy, quick and perfect installation but also allow you to choose contemporary wall mounted sanitaryware of your choice for the bathroom.



Features

Easy Installation: Easy and hassle free installation as no chiselling of the wall is required

Load Bearing Capacity: Wall hung WC can be bolted simply and securely to the frame, which can take a load of up to 400 kg


Wide Compatibility of WC: Accommodates different types of wall hung WCs as holes are provided at different heights

Perfect Easy Alignment: Fixed inlet and outlet distance (135 mm from centre to centre) means perfect installation of WC, and pre-defined space for cistern results in perfect flushing every time

Adjustable Height: Adjustable legs (0-200 mm) to allow for variation in heights of WC, as required

External






JAH-WHT-184NL

Wall Hung Cistern with 39 mm Drainage L-Bend Pipe with Gasket & Installation Kit (Suitable for EWC)






JAH-WHT-184NBTL

Wall Hung Cistern with Black Top, 39 mm Drainage L-Bend Pipe with Gasket & Installation Kit (Suitable for EWC)






JAH-WHT-184ANL

Wall Hung Cistern (Top Cover with Ledge) with 39 mm Drainage L-bend Pipe with Gasket & Installation Kit (Suitable for EWC)

In-Wall






JCS-WHT-2400WP

Single Piece Slim In-Wall Cistern with Wall Mounting Frame, Installation Kit and "P-Type" Drain Pipe Connection Set for Wall Hung WC (without Flush Control Plate)






JCS-WHT-2400WS

Single Piece Slim In-Wall Cistern with Wall Mounting Frame, Installation Kit and "S-Type" Drain Pipe Connection Set for Wall Hung WC (without Flush Control Plate)

CISTERNS

In-Wall






JCS-WHT-2400FP

Single Piece Slim In-Wall Cistern with Floor Mounting Frame, Installation Kit and "P-Type" Drain Pipe Connection Set for Wall Hung WC (without Flush Control Plate)






JCS-WHT-2400FS

Single Piece Slim In-Wall Cistern with Floor Mounting Frame, Installation Kit and "S-Type" Drain Pipe Connection Set for Wall Hung WC (without Flush Control Plate)






JCS-WHT-2400P

Single Piece Slim In-Wall Cistern Body with Installation Kit & "P-Type" Drain Pipe Connection Set for Wall Hung Wc (without Flush Control Plate)






JCS-WHT-2400S

Single Piece Slim In-Wall Cistern Body with Installation Kit & "S-Type" Drain Pipe Connection Set for Wall Hung WC (without Flush Control Plate)






JCS-WHT-2431P

Single Piece In-Wall Cistern Body (Front or Top Actuation) with Installation Kit & "P-Type" Drain Pipe Connection Set for Wall Hung WC (without Flush Control Plate)

CISTERNS I






JCS-WHT-2431S

Single Piece In-Wall Cistern Body (Front or Top Actuation) with Installation Kit & "S-Type" drain pipe connection set for Wall Hung WC (without Flush Control Plate)






JCS-WHT-2431FP

Single Piece In-Wall Cistern Body (Front or Top Actuation) with Floor Mounting Frame, Installation Kit and "P-Type" Drain Pipe Connection Set for Wall Hung WC (without Flush Control Plate)






JCS-WHT-2431FS

Single Piece In-Wall Cistern Body (Front or Top Actuation) with Floor Mounting Frame, Installation Kit and "S-Type" Drain Pipe Connection Set for Wall Hung WC (without Flush Control Plate)


FLUSH PLATES






JCP-912415 Control Plate Laguna






JCP-2415 Control Plate Continental Prime






JCP-152415 Control Plate Opal





JCP-352415 Control Plate Kubix






JCP-292415 Control Plate Fusion


FLUSH PLATES






JCP-372415 Control Plate D'arc






JCP-102415 Control Plate Ornamix Prime







JCP-812415 Control Plate Vignette Prime





JCP-852415 Control Plate Alive







JCP-392415 Control Plate Aria

FLUSH PLATES








JCP-72415 Control Plate Queens Prime



Continental





ACN-1101S

Grab Bar 300 mm Long, Stainless Steel






ACN-1111SM

Towel Rail 600 mm Long, Stainless Steel Also available

ACN-1111BSM

Towel Rail 450 mm Long Stainless Steel






ACN-1115S

Swivel Towel Holder Twin Type, Stainless Steel






ACN-1121N


Towel Ring Square





ACN-1121BN

Towel Ring Round






ACN-1131N

Soap Dish Holder






ACN-1135N

Soap Dispenser, Glass Bottle






ACN-1137N

Soap Dispenser, Metallic Bottle






ACN-1141N

Tumbler Holder






ACN-1143N

Toilet Brush & Holder






ACN-1151N

Toilet Paper Holder






ACN-1153S

Toilet Paper Holder with Stainless Steel Lid






ACN-1155S

Spare Toilet Paper Holder, Stainless Steel






ACN-1161N

Double Robe Hook





ACN-1171N


Glass Shelf 600 mm Long



ACN-1181S

Towel Shelf 600 mm Long with Lower Hangers, Stainless Steel






ACN-1181FS

Towel Shelf 600 mm Long without Hangers, Stainless Steel






ACN-1181FHS

Towel Shelf 600 mm Long without Lower Hanger but with 3 Hooks, Stainless Steel






ACN-1191N

Single Robe Hook






ACN-1193N

Double Arm Wall Mounted Reversible Plain/ Magnifying (3X) Pivotal Mirror






ACN-1195N


Swivel Mirror






ACN-1173

Corner Glass Shelf (with Bracket)






ACN-1175N

Corner Shower Basket






ACN-1177N

Shower Basket Small





ACN-1179N


Shower Basket Large



AKP-35701PS

Grab Bar 300 mm Long, Stainless Steel






AKP-35711PS

Single Towel Rail 600 mm Long, Stainless Steel






AKP-35715PS

Swivel Towel Holder Twin Type, Stainless Steel






AKP-35721P

Towel Ring Square






AKP-35731P

Soap Dish Holder

Kubix Prime






AKP-35735P

Soap Dispenser with Glass Bottle






AKP-35741P

Tumbler Holder






AKP-35743P

W.C. Brush Holder






AKP-35751P

Toilet Roll Holder






AKP-35753PS

Toilet Roll Holder with Stainless Steel Flap








Spare Toilet Roll Holder, Stainless Steel






AKP-35761P

Double Coat Hook






AKP-35771P

Glass Shelf 600 mm Long






AKP-35781PS

Towel Shelf 600 mm long with Lower Hangers, Stainless Steel Also available

AKP-35781PFS

Towel Shelf 600 mm long without Lower hangers, Stainless Steel






AKP-35791P

Robe Hook

Kubix Prime






AKP-35795

Swivel Mirror 630 X 445 mm Rectangular Shape

Queen's





AQN-7711

Towel Rail 600 mm Long Also available


AQN-7711A

Towel Rail 450 mm Long

AQN-7711B

Grab Bar 300 mm Long






AQN-7721

Towel Ring Round







AQN-7733

Soap Dish





AQN-7741 Tumbler Holder






AQN-7751

Toilet Paper Holder






AQN-7753

Toilet Paper Holder with Lid






AQN-7755

Toilet Paper Holder Twin Type






AQN-7761

Double Robe Hook






AQN-7771 Glass Shelf 550 mm Long

Queen's





AQN-7781

Towel Shelf 600 mm long with Lower Hangers

Also available


AQN-7781A

Towel Shelf 600 mm long without Lower Hangers

AQN-7781B

Towel Shelf 450 mm long with Lower Hangers





AQN-7791

Single Robe Hook

Hotelier





AHS-1501

Grab Bar (Stainless Steel) 300 mm Long Also available


AHS-1503

Grab Bar (Stainless Steel) 450 mm Long

AHS-1507

Grab Bar (Stainless Steel) 600 mm Long






AHS-1565

Cloth Liner Retractable (Stainless Steel)






AHS-1581

Towel Shelf with Lower Hanger (Stainless Steel)






AHS-1581H

Towel Shelf with Lower Hanger (Stainless Steel) with Hooks

Rendezvous Crystal Collection






ACT-8881

Towel Shelf 600 mm Long






ACT-8881B

Towel Shelf 450 mm Long





ACT-8871

Glass Shelf 550 mm Long






ACT-8811

Towel Rail 600 mm Long


Rendezvous Crystal Collection






ACT-8851 Toilet Paper Holder






ACT-8821 Towel Ring






ACT-8841 Tumbler Holder






ACT-8861 Double Coat Hook





ACT-8891 Robe Hook





ACT-8833 Soap Dish

COMBO PACK



ACN-CHR-1121BN



ACN-CHR-1131N



ACN-CHR-1153S



ACN-CHR-1161N



ACN-CHR-1135N



ACN-CHR-1111SM


ACN-6PCCOP1

Combo Pack of Accessories 6 Pcs (1121BN, 1131N, 1135N, 1153S, 1161N & 1111SM)

ALLIED

In-Wall Bodies | Basin






ALD-233N

In-Wall Body of Single Lever Built-In Manual Valve for Wall Mounted Basin Mixer (without Exposed Parts) Flow rate: 32 l/min*






ALD-233NPSO

In-Wall Body of Single Lever Built-In Manual Valve for Wall Mounted Basin Mixer with Protection Cover Old (without Exposed Parts)

Flow rate: 32 l/min*






ALD-235N

Left Hand Side Operated In-Wall Body of Single Lever Built-In Manual Valve for Wall Mounted Basin Mixer (without Exposed Parts)

Flow rate: 32 l/min*






ALD-235NPSO

Left Hand Side Operated In-Wall Body of Single Lever Built-In Manual Valve for Wall Mounted Basin Mixer with Protection Cover Old (without Exposed Parts)

Flow rate: 32 l/min*






ALD-441

In-Wall body of Single Built-In Stop Valve with provision for basin spout (without Exposed Parts)

Flow rate: 14.44 l/min*






ALD-055N

In-Wall Body of Single Lever Diverter with 35 mm Cartridge (without Exposed Parts) Flow rate: 27.77 l/min*






ALD-065N

In-Wall Body of Single Lever Diverter with 40 mm Cartridge (without Exposed Parts) Flow rate: 29.72 l/min*






ALD-079N

In-Wall Body of Single Lever Hi-Flow Diverter (without Exposed Parts) Flow rate: 48.94 I/min*






ALD-783

Aquamax In-Wall Body of Single Lever Shower Mixer with 3-Way Diverter Flow rate: 54.15 l/min*






ALD-783E

Aquamax In-Wall Body of Single Lever Shower Mixer with Fixing Lugs & 3-Way Diverter Flow rate: 54.15 l/min*

ALLIED






ALD-661

Aquamax In-Wall Body of Thermostatic Shower Mixer

Flow rate: 56.00 l/min*






ALD-681

Aquamax In-Wall Body of Thermostatic Shower Mixer with 2-Way Diverter Flow rate: 42.00 l/min*






ALD-683

Aquamax In-Wall Body of Thermostatic Shower Mixer with 3-Way Diverter

Flow rate: 52.00 l/min*






ALD-661E

Aquamax In-Wall Body of Thermostatic Shower Mixer with Fixing Lugs

Flow rate: 56.00 l/min*






ALD-681E

Aquamax In-Wall Body of Thermostatic Shower Mixer with Fixing Lugs & 2-Way Diverter Flow rate: 42.00 l/min*






ALD-683E

Aquamax In-Wall Body of Thermostatic Shower Mixer with Fixing Lugs & 3-Way Diverter Flow rate: 52.00 l/min*






ALD-227

In-Wall Body of Single Lever Manual Shower Valve, 35 mm Cartridge (without Exposed Parts)

Flow rate: 35.00 l/min*






ALD-229

In-Wall Body of Single Lever Manual Spout Valve (without Exposed Parts) Flow rate: 35.00 l/min*






ALD-121

Basic Set for Floor Mounted Single Lever Bath Mixer (without Exposed Parts)

Health Faucet






ALD-565

Health Faucet Kit (Easy flex Hose, Handset & Bracket) Flow rate: 8.52 l/min*

ALLIED

Health Faucet






ALD-573

Health Faucet Kit (Flexible Hose, Handset & Bracket) Flow rate: 11.65 //min*






ALD-577

Health Faucet Kit (Flexible Hose, Handset & Bracket) with N.R.V Flow rate: 11.64 I/min*






ALD-587

Health Faucet Kit (Spirochrome Flex Hose, Handset & Bracket) Flow rate: 21.72 l/min*








ALD-705

Basin Waste with 80 mm Height, Unslotted






ALD-705L130

Basin Waste with 130 mm Height, Unslotted

Waste






ALD-709

Basin Waste with 80 mm Height, Slotted





ALD-709L130

Basin Waste with 130 mm Height, Slotted





ALD-727

Click Clack Basin Waste, Unslotted






ALD-727L130

Click Clack Basin Waste with 130 mm Height, Unslotted






ALD-729

Click Clack Basin Waste, Slotted

ALLIED






ALD-729L130

Click Clack Basin Waste with 130 mm Height, Slotted

Bottle Trap






ALD-769L250X190

Bottle Trap with 250 mm & 190 mm Long Wall Connection Pipes






ALD-769L300X190

Bottle Trap with 300 mm & 190 mm Long Wall Connection Pipes

Spreaders






ALD-1043

Urinal Spreader Bowl Top Inlet 15 mm with Fixing Stud






ALD-1041

Urinal Spreader Back Inlet 75 mm Tail Slab Fixing





ALD-591R

Round Wall Outlet with Shower Hook and Shut off Valve

SHOWERS



Jaquar showers are designed to deliver a range of experiences, and let you have a shower of your choice every time. Our overhead, hand and body showers complement a wide range of shower systems, catering to your unique showering habits, design and installation requirements.

Our advanced showers are designed to deliver great precision and consistent water distribution to each individual nozzle. Jaquar showers give you a choice of up to 5 different flows matching your mood. Whichever flow you choose, you will be assured of an ultimate experience every time.











Normal

Soft

Massage

Cascade

Mist

Features



Advanced Rubit Technology

A feature that keeps showers clean and increases their longevity. Since the spray jets on the showers are made from elastic silicone, they ensure that no limescale deposits stick to the shower face. Even if they do, they can be easily rubbed off by hand or flannel.



Click Position System

All Jaquar multi-functional showers feature the convenient click mechanism. You can feel and hear the click while changing the function of the shower sprays.



Jaquar Booster Technology

Jaquar Booster Technology creates the sensation of a full shower regardless of the water pressure.



Thermo Insulation

Jaquar's insulated shower systems prevent scalding by not heating up the shower body.

SHAPES AVAILABLE









Oval

Rectangular

Sizes



Hand Shower 75 mm dia, 80 mm dia 95 mm dia, 100 mm dia 105 mm dia, 120 mm dia 140 mm dia, 180 mm dia



Overhead Shower (Square)

150 x 150 mm, 200 x 200 mm, 240 x 240 mm, 300 x 300 mm, 450 x 450 mm Registered design no.276017



Overhead Shower (Round)

80 mm dia, 100 mm dia 105 mm dia, 120 mm dia 140 mm dia, 150 mm dia 180 mm dia, 190 mm dia 200 mm dia, 240 mm dia 300 mm dia Registered design no.276016



Overhead Shower (Oval) 340 x 220 mm Registered design no.276015



Overhead Shower (Round Edge & Rectangular head)

200 x 300 mm, 450 x 450 mm Registered design no.276014



Overhead Shower (Rectangular head) 552 X 205 X 25 mm 190 X 295 mm






UNMATCHED SHOWERING, EVEN AT LOW WATER PRESSURES

- PATENTED, INVERTED RIVETING SYSTEM FOR DURABILITY
- REMOTE-OPERATED HEALING CHROMOTHERAPY LIGHT










MAZE PRIME

Overhead Showers





OHS-1679

Maze Prime Square Shape Single Function Shower 450 X 450mm AISI 304 Stainless Steel with RGB LED Light Remote Control & Installation Kit for False Ceiling


 Chromo therapy (RGB): LED x 0.23W with 12V Power Supply (SMPS) Including Controller, Connecting to AC 100-240V, 50-60Hz

Flow rate: 47 l/min*

Registered design no.276017







OHS-1673

Maze Prime Round Shape Single Function Shower 450 mm AISI 304 Stainless Steel with RGB LED Light Remote Control & Installation Kit for False Ceiling


Chromo therapy (RGB): LED x 0.23W with 12V Power Supply (SMPS) Including Controller, Connecting to AC 100-240V, 50-60Hz

Flow rate: 47 l/min*

Registered design no.276016







OHS-85857

Alive- Maze Prime Single Function Shower 450 X 350 mm AlSI 304 Stainless Steel with RGB LED Light Remote Control & Installation Kit for False Ceiling


• Chromo therapy (RGB): LED x 0.23W with 12V Power Supply (SMPS) Including Controller, Connecting to AC 100-240V, 50-60Hz

Flow rate: 47 l/min*

Registered design no.276014








OHS-1633

Single Function 300 mm Round Shape Maze Overhead Shower, Stainless Steel Flow rate: 42 l/min*

Registered design no.276016







OHS-1603: Single Function 150 mm Round Shape Maze Overhead Shower, Stainless Steel Flow rate: 47 l/min*

OHS-1613: Single Function 200 mm Round Shape Maze Overhead Shower, Stainless Steel Flow rate: 45.67 l/min*


OHS-1623: Single Function 240 mm Round Shape Maze Overhead Shower, Stainless Steel Flow rate: 42.64 l/min*

Registered design no.276016



MAZE SHOWERS I






OHS-1639

Single Function 300X300 mm Square Shape Maze Overhead Shower, Stainless Steel Flow rate: 42.9 l/min*









OHS-1605: Single Function 150X150 mm Square Shape Maze Overhead Shower,

Stainless Steel Flow rate: 43.8 l/min*

Registered design no.276017

OHS-1619: Single Function 200X200 mm Square Shape Maze Overhead Shower,

Stainless Steel Flow rate: 42.16 l/min*

OHS-1629: Single Function 240X240 mm Square Shape Maze Overhead Shower,

Stainless Steel Flow rate: 37.91 l/min*








OHS-1637

Single Function 190X295 mm Rectangular Shape Maze Overhead Shower, Stainless Steel

Flow rate: 45.18 l/min*








OHS-85859M

Single Function 200x300 mm Round Edge & Rectangular Head Alive Maze Overhead Shower, Stainless Steel

Flow rate: 40.96 l/min* Registered design no.276014







OHS-1635

Single Function 340X220 mm Oval Shape Maze Overhead Shower, Stainless Steel Flow rate: 42.93 l/min*


Registered design no.276015



MAZE SHOWER

Hand Shower





HSH-85537

Single Function 68X100 mm Round Edge & Rectangular Head Alive Maze Hand Shower (with Stainless Steel Face Plate & ABS Body) Flow rate: 22.88 I/min*

Registered design no.283938







HSH-1653


Single Function 95 mm Round Shape Maze Hand Shower (with Stainless Steel Face Plate & ABS Body)

Flow rate: 22.75 l/min*

Registered design no.283936







HSH-1655


Single Function 95X95 mm Square Shape Maze Hand Shower (with Stainless Steel Face Plate & ABS Body)

Flow rate: 23.34 l/min*

Registered design no.283939







HSH-1657

Single Function 65X95 mm Rectangular Shape Maze Hand Shower (with Stainless Steel Face Plate & ABS Body)


Flow rate: 22.52 l/min*



SHOWERS | MULTI FUNCTION

Overhead Showers





OHS-1649


Waterfall Overhead Shower 552X205X25mm, Dual Function (Maze Rain & Cascade), Stainless Steel Flow rate: 26.16 l/min*



SHOWERS | MULTI FUNCTION

Overhead Showers






OHS-1719

Multifunction 105 mm Round Shape Overhead Shower with Normal & Massage Spray with Air Effect Flow rate: 11.89 l/min*








OHS-1769

Multifunction 140 mm Round Shape Overhead Shower with Normal & Massage Spray with Air Effect Flow rate: 12.9 l/min*







OHS-1999

Multifunction 100 mm Round Shape Overhead Shower with Normal, Soft & Massage Spray Flow rate: 14.59 l/min*







OHS-1787

Multifunction 100 mm Cylindrical Shape Overhead Shower with Normal, Massage & Mist Spray Flow rate: 16.35 l/min*









OHS-1799

Multifunction 120 mm Round Shape Overhead Shower with Normal, Soft & Massage Spray Flow rate: 15.84 l/min*



SHOWERS | MULTI FUNCTION







OHS-1779


Multifunction 120 mm Round Shape Overhead Shower with Normal, Soft, Massage & Cascade Spray

Flow rate: 16.64 l/min*



Hand Showers






HSH-1721

Multifunction 105 mm Round Shape Hand Shower with Air Effect Flow rate: 11.44 l/min*








HSH -1729

Multifunction 140 mm Round Shape Hand Shower with Air Effect Flow rate: 13.1 l/min*








HSH-5541

Multifunction 32 mm Round Shape Hand Shower with Normal & Massage Spray Flow rate: 18.82 l/min*







HSH-1797


Multifunction 75 mm Cylindrical Shape Hand Shower with Normal, Massage & Mist Spray

Massage & Mist Spr Flow rate: 13 l/min*



SHOWERS | MULTI FUNCTION |






HSH-1739

Multifunction 95 mm Round Shape Hand Shower with Normal, Soft & Massage Spray Flow rate: 15.74 l/min*








HSH-1939

Multifunction 100 mm Round Shape Hand Shower with Normal, Soft & Massage Spray Flow rate: 16.51 l/min*







HSH-1731


Multifunction 120 mm Round Shape Hand Shower with Normal, Soft, Massage & Cascade Spray Flow rate: 14.81 l/min*



SHOWERS | SINGLE FUNCTION

Overhead Showers






OHS-1757

Single Function 140 mm Round Shape Overhead Shower with Air Effect

Flow rate: 12.16 l/min*







OHS-1709


Single Function 105 mm Round Shape Overhead Shower with Air Effect

Flow rate: 12.12 l/min*



SHOWERS | SINGLE FUNCTION






OHS-1755

Single Function 180 mm Round Shape Overhead Shower with Air Effect Flow rate: 13.63 l/min*








OHS-1843

Victorian Showerhead Round 200 mm dia, brass Flow rate: 23.27 l/min*








OHS-1989

Single Function 100 mm Round Shape Overhead Shower Flow rate: 17.26 l/min*








OHS-1789

Single Function 120 mm Round Shape Overhead Shower Flow rate: 24.76 l/min*








OHS-1759

Single Function 180 mm Round Shape Overhead Shower Flow rate: 25.89 l/min*



SHOWERS | SINGLE FUNCTION I







OHS-497N

Single Function 190 mm Round Shape Overhead Shower Flow rate: 35.59 l/min*









OHS-35495

Single Function 150X150 mm Square Shape Overhead Shower Flow rate: 24.78 l/min*








OHS-35497

Single Function 200X200 mm Square Shape Overhead Shower Flow rate: 24.15 l/min*








OHS-1765

Single Function 250 mm Round Shape Overhead Shower Flow rate: 11.33 l/min*







OHS-WHM-1765


Single Function 250 mm Round Shape Overhead Shower (with Face Plate White Matt)

Flow rate: 11.33 l/min*



SHOWERS | SINGLE FUNCTION






OHS-1801

Single Function 150 mm dia Round Shape Overhead Shower with Self Cleaning Function, brass Body with Gray Face Plate Flow rate: 24.29 I/min*








OHS-1763

LED Single Function 180 mm Circular Shape Overhead Shower Flow rate: 12.29 l/min*








OHS-WHM-1763

LED Single Function 180 mm Circular Shape Overhead Shower (with Face Plate White Matt) Flow rate: 12.29 l/min*











OHS-BLM-1763

LED Single Function 180 mm Circular Shape Overhead Shower (with Face Plate Black Matt) Flow rate: 12.29 l/min*









OHS-1661


Single Function 100 mm Round Shape Overhead Shower




jaquar.com *at 3 bar pressure

SHOWERS | SINGLE FUNCTION |








OHS-1663

Single Function 120 mm Round Shape Overhead Shower








OHS-1665

Single Function 100X100 mm Square Shape Overhead Shower








OHS-1667

Single Function 120X120 mm Square Shape Overhead Shower



Hand Showers






HSH-1715

Single Function 105 mm Round Shape Hand Shower with Air Effect Flow rate: 9.92 l/min*







HSH-WHM-1715

Single Function 105 mm Round Shape Hand Shower with Air Effect (with Face Plate White Matt) Flow rate: 9.92 I/min*



SHOWERS | SINGLE FUNCTION






HSH-1717

Single Function 105 mm Round Shape Hand Shower with Air Effect Flow rate: 12.73 l/min*







HSH-1727

Single Function 140 mm Round Shape Hand Shower with Air Effect Flow rate: 13.16 l/min*







HSH-5537N

Single Function 24 mm Round Shape Hand Shower Flow rate: 21.74 l/min*








HSH-35537

Single Function 27X27 mm Square Shape Hand Shower Flow rate: 33.63 l/min*








HSH-49537

Single Function 25X38 mm Oval Shape Hand Shower Flow rate: 25.65 l/min*



SHOWERS | SINGLE FUNCTION






HSH-9537N

Single Function 78 mm Round Shape Victorian Hand Shower Flow rate: 14.19 l/min*








HSH-1937

Single Function 100 mm Round Shape Hand Shower Flow rate: 22 l/min*








HSH-1781

Single Function 180 mm Round Shape Hand Shower Flow rate: 24.52 l/min*







HSH-1737

Single Function 95 mm Round Shape Hand Shower Flow rate: 19.89 l/min*



■ HYDROLITE SHOWERS








A light emitting shower which transforms the stream of water into a beautiful waterfall of light.

- Powerful electric energy for LED, which is generated by waterpower. Does not require any battery or electrical power supply.
- The sensitive shower light changes its colour with change in temperature.
- Water glows Red when temperature is above 42°C
- Water glows Purple when temperature is between 32-42°C
- Water glows Blue when temperature is less than 32°C
- Immersing your body in a heavenly rain, experience nature's downpour.















OHS-1743 LED Single Function 250X250 mm Square Shape Overhead Shower Flow rate: 15.51 l/min*



SHOWERS | BODY SHOWERS






BSH-1761

Tilting Round Bodytile 120 mm, in wall installation
Flow rate: 8.82 l/min*







BSH-1771

Tilting Rectangular Bodytile 130 X 120 mm, in wall installation Flow rate: 9 l/min*









BSH-1751

Tilting Square Bodytile 100X100 mm, Wall mounted Flow rate: 13.19 l/min*



*at 3 bar pressure




Exposed Shower Pipes



SHA-1215F

Exposed Shower Pipe with Provision for Simultaneous Working of Showers with Operating Diverter Knob, Flat Shape 1071X50X15mm & 350 mm Wide with Sliding Holder for Hand Shower, Wall Bracket & 15 mm In-wall Water Inlet Connection for Connection To In-wall Shower Mixer (without Showers)






FL 1/2"BSI

SHA-1215FSHK1

Exposed Shower Pipe with Provision for Simultaneous Working of Showers with Operating Diverter Control, Flat Shape 1071X50X15mm & 350 mm Wide with Sliding Holder for Hand Shower, Wall Bracket & 15 mm In-wall Water Inlet for Connection to an In-wall Shower Mixer with Shower Kit (1619, 1657 & 549D8)






SHA-1215R*

Exposed Shower Pipe with Provision for Simultaneous Working of Showers with Operating Diverter Knob, Round Shape 24 mm dia., Size 975X 370 mm with Sliding Holder for Hand Shower, Wall Bracket & 15mm In-wall Water Inlet Connection for Connection To In-wall Shower Mixer (without Showers)

Exposed Shower Pipes






SHA-1215RSHK1

Exposed Shower Pipe with Provision for Simultaneous Working of Showers with Operating Diverter Knob, Round Shape 24 mm, Size 975X 370 mm with Sliding Holder for Hand Shower, Wall Bracket & 15mm In-wall Water Inlet for Connection to a In-wall Shower Mixer with Shower Kit (1613, 1653 & 549D8)






SHA-1217F

Exposed Shower Pipe with Provision for Simultaneous Working of Showers with Operating Diverter Knob, Flat Shape 1071X50X15mm & 350 mm Wide with Sliding Holder for Hand Shower, Wall Bracket & 8 mm dia, 0.5M Long Flexible Tube for Connection To Exposed Shower Mixer (without Showers)






SHA-1217FSHK

Exposed Shower Pipe with Provision for Simultaneous Working of Showers with Operating Diverter Knob, Flat Shape 1071X50X15mm & 350 mm Wide with Sliding Holder for Hand Shower, Wall Bracket & 8 mm dia, 0.5M Long Flexible hose for Connection to an Exposed Shower Mixer with Shower Kit (497N, 5537N & 549D8)

Exposed Shower Pipes






SHA-1217R

Exposed Shower Pipe with Provision for Simultaneous Working of Showers with Operating Diverter Knob, Round Shape 24 mm dia., Size 975X370 mm with Sliding Holder for Hand Shower, Wall Bracket & 8mm dia, 0.5M Long Flexible Tube for Connection To Exposed Shower Mixer (without Showers)






SHA-1217RSHK1

Exposed Shower Pipe with Provision for Simultaneous Working of Showers with Operating Diverter Knob, Round Shape 24 mm, Size 975X370 mm with Sliding Holder for Hand Shower, Wall Bracket & 8 mm dia, 0.5M Long Flexible hose for Connection to an Exposed Shower Mixer with Shower Kit (1989, 5537N & 549D8)

Exposed Shower Pipes






SHA-1217NR

Exposed Shower Pipe with Provision for Simultaneous Working of Showers with Operating Diverter Knob, L-Type in Round Shape Ø20 mm, Size 1120X410mm with Sliding Holder for Hand Shower, Wall Bracket & 8mm dia, 0.5M Long Flexible Tube (for connection to Exposed Shower Mixer) without Showers

Exposed Shower Pipes






SHA-1211N

Exposed Shower Pipe L-Type in Round Shape 20 mm, Size 1120X410mm (for Connecting Overhead Shower)






SHA-1211NH

Exposed Shower Pipe with Hand Shower Holder, L-Type in Round Shape 20 mm, Size 1120X410 mm (for Connecting Overhead Shower & Sliding Holder for Hand Shower)






SHA-1213


Exposed Shower Pipe for Bath & Shower Mixer Round Shape 25 mm dia., Size 1050X350 mm with Provision to Adjust Height Upto 250 mm & Sliding Holder for Hand Shower

Sliding Rails




SHA-1183 Slide Rail 700X30X10 mm





SHA-1187N Slide Rail 19 mm dia. & 600 mm with Soap Dish






SHA-1189N

Slide Rail 24 mm dia. & 600 mm with Soap Dish

Sliding Rails






SHA-1197N

Slide Rail 19 mm dia. & 600 mm






SHA-1199N

Slide Rail 24 mm dia. & 600 mm






SHA-1110

Slide Rail (24 mm dia. & 600mm) with Single function Hand Shower (HSH-1937) with 8 mm dia 1.5M Long Flexible Hose and soap dish

Sliding Rails






SHA-1110E

Slide Rail (19 mm dia. & 600 mm) with Single function Hand Shower (EHS-551) with 1.5M Plastic Coated Shower Hose and soap dish






SHA-1110EF

Slide Rail (19 mm dia. & 600 mm) with Single function Hand Shower (HSH-1937) with 1.5M Plastic Coated Shower Hose and soap dish






SHA-1110FHS

Slide Rail (19 mm dia. & 600 mm) with Single function Hand Shower (HSH-5537N) with 8 mm dia 1.5M Long Flexible Hose and soap dish






SHA-1150

Slide Rail (24 mm dia. & 600 mm) with Multifunction Hand Shower (HSH-1939) with 8mm dia 1.5M Long Flexible Hose and soap dish






SHA-1150EF

Slide Rail (19 mm dia. & 600 mm) with Multifunction Hand Shower (HSH-1939) with 1.5M Long Flexible Hose and soap dish

Wall Mounted Shower Arms






SHA-477

Casted Light Body Round Shape Shower Arm, 160 mm Long

Wall Mounted Shower Arms






SHA-483

Casted Flat Shape Shower Arm, 190 mm Long





SHA-487

Casted Heavy Body Round Shape Shower Arm, 120 mm Long






SHA-49483

Round Straight Shower Arm without Bend, 20 mm dia. & 450mm Long





SHA-479L300S

Round Shower Arm, 20 mm dia. & 300 mm Long with Stainless Steel


SHA-479L450

Round Shower Arm, 20 mm dia. & 450mm Long

SHA-479L600

Round Shower Arm, 20 mm dia. & 600mm Long





SHA-455L400


Square Shower Arm, 400X25X25 mm

Also available

SHA-455L600

Square Shower Arm, 600X25X25 mm






SHA-485

Victorian Shower Arm, 20 mm dia. & 460mm Long






SHA-91483

Shower Arm for operating Overhead Shower and Holding Shower Enclosure





SHA-475L75

Round Ceiling Shower Arm, 20 mm dia. & 75 mm Long

Also available

SHA-475L100

Round Ceiling Shower Arm, 20 mm dia. & 100 mm Long

SHA-475L280

Round Ceiling Shower Arm, 20 mm dia. & 280mm Long

SHA-475L450

Round Ceiling Shower Arm, 20 mm dia. & 450mm Long






SHA-457L200

Square Ceiling Shower Arm, 200X25X25mm

Wall Outlet






SHA-1195S Square Wall Outlet

Wall Outlet






SHA-1195R Round Wall Outlet

Shower Tubes






SHA-549D8

Flexible Metal Hose, 8mm dia. & 1.5M Also available

SHA-549D12

Flexible Metal Hose, 12mm dia. & 1.5M






SHA-571

Plastic Coated Shower Hose, 1.5M






SHA-547D8

Spirochrome flex Hose, 8mm dia & 1.5M

Wall Bracket






SHA-555 Wall Bracket

Wall Outlet with Shower Hook






SHA-566R

Round Wall Outlet with Shower Hook





SHA-566S

Square Wall Outlet with Shower Hook



FLOOR MOUNTED SINGLE LEVER BATH MIXER I

Fresh. Dynamic. Striking. The distinctiveness of our Floor Mounted Faucets makes the perfect choice for modern freestanding bathtubs. They add eye-catching detail to a freestanding bathtub. Floor Mounted faucets are the choice for today's modern bathroom. Once the tub of choice for traditional style bathrooms, the floor mounted faucets have seen a rise in recent years as the bathroom continues to evolve into a lifestyle space.


Our Floor Mounted Faucets lets you choose the exact location of your bath, giving you the freedom to plan your bathroom without compromise. The wide-angle lever provides the perfect comfort and flawless smooth operations.

Range Name	Chrome	Antique Bronze	Antique Copper	Black Chrome	Black Matt Finish	Gold Dust	Full Gold	Graphite	Stainless Steel Finish	White Matt
	CHR	ABR	ACR	всн	BLM	GDS	GLD	`GRF	SSF	WHM
Kubix Prime	√	1	√	1	√	√	1	√	√	√
Opal Prime	1	1	1	1	√	√	1	√	√	√
Ornamix Prime	√	1	√	1	√	√	1	√	√	√
Vignette Prime	1	1	1	1	√	√	1	√	√	√
Alive	1	1	1	1	√	√	1	√	√	√
D'arc	1									
Lyric	1									
Aria	1									
Fonte	1									
Fusion	J									
Solo	J									
Florentine										
Laguna	J			J	1					

Laguna Dual Colours

Gold Matt PVD + Black Matt	Black Chrome + Black Matt	Gold Bright PVD + Gold Matt PVD	Gold Bright PVD	Gold Matt PVD	Blush Gold Bright PVD
BGM	BBC	GMG	GBP	GMP	BGP
	J	J	J	J	J






ALD-121

Basic Set for Floor Mounted Single Lever Bath Mixer






LAG-91121K

Exposed Parts of Floor Mounted Single Lever Bath Mixer with Provision for Hand Shower, but without Hand Shower & Shower Hose (Compatible In-Floor part ALD-121 is sold separately)






LYR-38121K

Exposed Parts of Floor Mounted Single Lever Bath Mixer with Provision for Hand Shower, but without Hand Shower & Shower Hose (Compatible In-Floor part ALD-121 is sold separately)

Flow rate: 21.00 LPM I/min*






ARI-39121K

Exposed Parts of Floor Mounted Single Lever Bath Mixer with Provision for Hand Shower, but without Hand Shower & Shower Hose (Compatible In-Floor part ALD-121 is sold separately)

Flow rate: 21.00 LPM I/min*

jaquar.com *at 3 bar pressure






DRC-37121K

Exposed Parts of Floor Mounted Single Lever Bath Mixer with Provision for Hand Shower, but without Hand Shower & Shower Hose (Compatible In-Floor part ALD-121 is sold separately)

Flow rate: 21.00 LPM I/min*






ALI-85121K

Exposed Parts of Floor Mounted Single Lever Bath Mixer with Provision for Hand Shower, but without Hand Shower & Shower Hose (Compatible In-Floor part ALD-121 is sold separately)

Flow rate: 21.00 LPM I/min*






KUP-35121KPM

Exposed Parts of Floor Mounted Single Lever Bath Mixer with Provision for Hand Shower, but without Hand Shower & Shower Hose (Compatible In-Floor part ALD-121 is sold separately)

Flow rate: 21.00 LPM I/min*






FLR-5121K

Exposed Parts of Floor Mounted Single Lever Bath Mixer with Provision for Hand Shower, but without Hand Shower & Shower Hose (Compatible In-Floor part ALD-121 is sold separately)

Flow rate: 21.00 LPM I/min*






SOL-6121K

Exposed Parts of Floor Mounted Single Lever Bath Mixer with Provision for Hand Shower, but without Hand Shower & Shower Hose (Compatible In-Floor part ALD-121 is sold separately)

Flow rate: 21.00 LPM I/min*






FUS-29121K

Exposed Parts of Floor Mounted Single Lever Bath Mixer with Provision for Hand Shower, but without Hand Shower & Shower Hose (Compatible In-Floor part ALD-121 is sold separately)

Flow rate: 21.00 LPM I/min*






FON-40121K

Exposed Parts of Floor Mounted Single Lever Bath Mixer with Provision for Hand Shower, but without Hand Shower & Shower Hose (Compatible In-Floor part ALD-121 is sold separately)

Flow rate: 21.00 LPM I/min*






VGP-81121K

Exposed Parts of Floor Mounted Single Lever Bath Mixer with Provision for Hand Shower, but without Hand Shower & Shower Hose (Compatible In-Floor part ALD-121 is sold separately)

Flow rate: 21.00 LPM I/min*

*at 3 bar pressure jaquar.com






OPP-15121KPM

Exposed Parts of Floor Mounted Single Lever Bath Mixer with Provision for Hand Shower, but without Hand Shower & Shower Hose (Compatible In-Floor part ALD-121 is sold separately)

Flow rate: 21.00 LPM I/min*






ORP-10121KPM

Exposed Parts of Floor Mounted Single Lever Bath Mixer with Provision for Hand Shower, but without Hand Shower & Shower Hose (Compatible In-Floor part ALD-121 is sold separately)

Flow rate: 21.00 LPM I/min*

SHOWER ENCLOSURES





Shower Enclosure

Shower Enclosures have become an integral part of modern bathrooms. Besides serving the functional purpose of separating wet and dry areas they provide elegance and style to the bathroom by taking the aesthetic of the bathroom to the next level.


Shower Enclosures keep bathrooms dry, hygienic and safe. By restricting the water inside the wet area only, shower enclosures keep the rest of the bathroom dry, thus making it bacteria free and hygienic. Shower enclosures reduce the risks of slipping and falling, making the bathroom safe.

Space has become the most precious commodity in cities today and a shower enclosure also helps save space. Modern bathrooms have 3 specific areas in them: the basin area, the water closet area and the shower area. A standard size corner shower area of, say, 1m x 1m or 1.2 m x 1.2 m can comfortably serve all the functional requirements of the bathroom.

With all these functional benefits, shower enclosures have become the need of every bathroom today.

Why Jaquar Shower Enclosures?

- 1 Jaquar understands bathrooms the best: Our experts are professionals. They understand the requirement of every bathroom in terms of its pipelines concealed inside the wall, the slope of the floor, the height of the overhead shower or shower arm, and the design advantage and limitations of the bathroom as a whole.
- 2 Complete Solutions from selection to installation: Jaquar offers a complete solution starting from the selection of the right model as per the design and technical need of the bathroom. We also provide technical guidance and ensure perfect installation of the enclosure by Jaquar trained technicians.
- 3| Ready-to-fit: Jaquar's standard enclosures are flexible enough to be adjustable in terms of alignment of the tiling in the bathroom. Ready-to-fit enclosures save time. Just choose it and install it.
- 4 A wide range of designs: It comes in a wide range of designs and shapes with the option of clear, frosted, textured, curved, square, rectangular glass etc.
- 5| A complete set, not the knocked down unit: Jaquar shower enclosures are manufactured in our own plant in Bhiwadi, Rajasthan. All the components like glass, hardware, plastic components etc. come as a complete product from the house of Jaquar.
- 6 Ezee Kleen tempered glass: This feature helps in easy maintenance of the shower enclosure. Since the glasses of Jaquar shower enclosures have special hydrophobic treatment. They repel water, oil and soap, and help keep the glass clean with 90% less effort than others. It also inhibits bacterial growth and prevents buildup of limescale and water spots.
- 7| Global standards: Jaquar shower enclosures meet the stringent quality parameters of both European and Indian standards, ensuring consistency and enhancing the life of the product.
- 8 Unmatched Customer Service: Jaquar Shower Enclosures come with a 5-year warranty (except on the glass) along with nationwide service back up. Jaquar also offers preventive maintenance services for hassle free bathrooms.



Features:

1 Glass:

Tempered glass: option of 6 mm, 8 mm and 10 mm.

Advantages of tempering/toughening glass:

- 4-5 times stronger than normal float glass
- Breaks into small pieces/dices minimising the risks of injury
- Can resist thermal stress as edge strength is higher

Tempering is done at Jaquar's own fully automatic state-of-the-art tempering unit:

- Tempering is for shower enclosure glasses only
- · 90% of an enclosure is glass, so glass must conform to the highest safety standards since it is used in the bathroom

Quality checks:

- Fragmentation test: to check breakage pattern of glass
- Zebra test: to ensure there's no waviness
- Ball drop test (impact resistance): to check strength at the point of impact
- Visual defects: to check for bubbles, scratches, chipping at edges and other visible defects
- · Free fall test: to check the overall strength of the glass, by throwing the glass freely on a plain surface

Standards

- These standards ensure that the glass passes stringent quality parameters
- Ensures consistency
- Enhances life of the product

Conforms to both European and Indian standards:

i. Reference: India

- IS 2553 (part 1 : 1990)
- IS 14900 : 2000IS 2835 : 1987

ii. Reference: Europe

- En 14450 : 2000
- Adheres to European toughening norms

2 Hardware:

Frameless Range:

Hinges

Minimalist and sleek design to make the entire enclosure aesthetically appealing

- Made of brass with nickel and chrome plating
- Automatic closing upto 30°
- Tested for 5 lakh cycles
- Rust proof screws
- Screw caps
- Protective film on the hardware to prevent scratches, etc.
- Designed to carry loads of upto 25 kg (per hinge)
- Gaskets made of food-grade plastic

Glass Connectors:

- Minimalist and sleek design to match the hinges
- Made of brass with nickel and chrome plating

Stabilisers:

- SS 304 grade
- Mirror finish to match chrome finish of the hinges and connectors
- 19 mm dia

Towel Bars:

- Longest towel rod (405 mm x 205 mm) to hang 2 towels
- Brass with nickel and chrome finish
- 9 mm dia
- No visible screws

Plastic Parts:

Semi-Framed and Frameless range:

- i. Made of food grade plastic
- ii. Finish:
 - Sleek to match with the hardware
 - Transparent look to complement glass
 - Enhances aesthetic appeal of the enclosure
- iii. Concealed magnet ensures longer life
- iv. 5-year warranty for complete peace of mind
- v. Replacement even if it turns yellowish
- vi. Profile instead of wall connectors:
 - Aluminium profiles with powder coating
 - Aluminium is first cut to size, then chemically treated and powder coated so that there is no chance of rusting
 - Adjustment of 15 mm to cover undulations in the wall

vii Hinges:

• Rise and fall mechanism: door rises 6-8 mm above the floor while opening thus preventing any chance of breakage

Sliding Range:

- Top hung channel gives obstruction-free walk way
- Wall profiles: sleek with 15 mm adjustment
- Rollers: ball bearing encapsulated in brass
- 5-year warranty on rollers



Tempered Glass with Ezee Kleen Feature

As glass is the major component in any shower enclosure, utmost caution should be taken while choosing the type of glass for shower enclosures. Raw float glass or heat-treated glass should never be used in shower enclosures because of the risks involved. Jaquar, keeping safety as priority, uses the highest quality of toughened or tempered glass - manufactured in Jaquar's own fully automated state-of-the-art tempering unit, meeting Indian as well as the European safety norms. These standards ensure that the glass passes through stringent quality checks ensuring consistency and safety, thus enhancing the life of the shower enclosures too.

All Jaquar Shower Enclosures have special hydrophobic treatment on the inner surface of the glass. This treatment repels water, oil and soap, and helps to keep the glass clean with minimum effort. It also prevents bacterial growth, and stops limescale buildup and water spots on the glass.

Jaquar offers a variety of models with different glass options like clear glass, extra clear glass, frosted glass and textured glass, as well as a choice of patterns on the glass. These patterns add elegance to your bathroom décor and provide uniqueness to your enclosures.





Five level testing of toughness

Key Components:




Wall to Glass Hinge



Glass to Glass Hinge



Wall to Glass Connector



Floor Clamp



Stablizer Rod



Towel Rod/Door Handle



Knob




Plastic Parts



Roller







Siz	Finish	Glass	Product Code	
900 x 900 1950		Chrome	Clear	JSE-CHR-ENNA9090X
1000 x 1000	1950	Chrome	Clear	JSE-CHR-ENNA1010X
1000 x 1200	1950	Chrome	Clear	JSE-CHR-ENNA1012X
1200 x 1200	1950	Chrome	Clear	JSE-CHR-ENNA1212X

*All dimensions are in mm

- Finish: Chrome / Black
- Glass: 6mm
- Shower Tray compatible
- Installation with Shower Tray or Artificial Ledge







Easy Clean Glass



Silent Cushioned Closing




Top Cover Caps

DELTA: DOUBLE DOOR QUADRANT Corner entry half round shower enclosure with curved



Chrome / Clear



S	ize	Finish	Glass	Product Code
Width	Height			
900 x 900	1950	Chrome	Clear	JSE-CHR-DEL9090X
1000 x 1000	1950	Chrome	Clear	JSE-CHR-DEL1010X

* All Dimensions are in mm

- Finish: Chrome / Clear
- Glass: 6mm
- Shower Tray compatible
- Installation with Shower Tray or Artificial Ledge





Glass




Silent Cushioned Closing

DELTA: DOUBLE DOOR QUADRANT Corner entry half round shower enclosure with curved



Black / Clear



Size		Finish	Glass	Product Code
Width	Height			
900 x 900	1950	Black	Clear	JSE-CHR-BLM9090X
1000 x 1000	1950	Black	Clear	JSE-CHR-BLM1010X

* All Dimensions are in mm

- Finish: Chrome / Clear
- Glass: 6mm
- Shower Tray compatible
- Installation with Shower Tray or Artificial Ledge








Closing



Chrome / Clear



Size		Finish	Glass	Product Code
Width	Height	1 11 1151 1	Glass	Froduct Code
1000	2000	Chrome	Clear	JSE-CHR-OPTSDR1000SX
1200	2000	Chrome	Clear	JSE-CHR-OPTSDR1200SX
1400	2000	Chrome	Clear	JSE-CHR-OPTSDR1400SX
1500	2000	Chrome	Clear	JSE-CHR-OPTSDR1500SX
1700	2000	Chrome	Clear	JSE-CHR-OPTSDR1700SX
				* All Dimensione are in mm

All Dimensions are in mm

- Finish: Chrome / Clear
- Glass: 8mm
- Shower Tray compatible
- Installation with Shower Tray or Artificial Ledge



Glass




Silent Cushioned Closing





Black / Clear



Size Width Height		Finish	Glass	Product Code
VVIGITI	Height			
1000	2000	Black	Clear	JSE-BLM-OPTSDR1000SX
1200	2000	Black	Clear	JSE-BLM-OPTSDR1200SX
1400	2000	Black	Clear	JSE-BLM-OPTSDR1400SX
1500	2000	Black	Clear	JSE-BLM-OPTSDR1500SX
1700	2000	Black	Clear	JSE-BLM-OPTSDR1700SX

* All Dimensions are in mm

- Finish: Chrome / Clear
- Glass: 8mm
- Shower Tray compatible
- Installation with Shower Tray or Artificial Ledge



\$\\ \dagger{\phi}

Glass






Silent Cushioned Closing


I Reversible

FUSION PLUS

"L" shaped shower enclosure with sliding door and entry from the front











Left Version

Right Version

Size		Finish	Glass	Version	Product Code	Adjustment	Door
Width	Height	FILIISH	Glass	version	Product Code	Adjustment	Opening
1200 x 800	1950	Chrome	Clear	Diodet	JSE-CHR-FUSP1280RX	1190 - 1200 / 790 - 800	500
1200 x 900	1950	Chrome	Clear	Right	JSE-CHR-FUSP1290RX	1190 - 1200 / 890 - 900	500
1200 x 800	1950	Chrome	Clear	1 - 6	JSE-CHR-FUSP1280LX	1190 - 1200 / 790 - 800	500
1200 x 900	1950	Chrome	Clear	Left	JSE-CHR-FUSP1290LX	1190 - 1200 / 890 - 900	500

^{*}All dimensions are in mm

- Finish: Chrome / Black
- Glass: 6mm
- Shower Tray compatible
- Installation with Shower Tray or Artificial Ledge



8mm Glass




Easy Clean Glass



Silent Cushioned Closing

WALK IN PANEL: FRAMELESS (1810F) Free standing shower enclosure - 1 part without stabilizer





Size Width Height		Finish	Glass	Product Code
800	1950	Chrome	Clear	JSE-CHR-810F800SX
900	1950	Chrome	Clear	JSE-CHR-810F900SX
1000	1950	Chrome	Clear	JSE-CHR-810F1000SX
1200	1950	Chrome	Clear	JSE-CHR-810F1200SX

^{*} All Dimensions are in mm

• Finish: Chrome / Clear

• Glass: 8mm






Easy Clean Glass



Closing

WALK IN PANEL: FRAMELESS (1810S) Free standing shower enclosure - 1 part with stabilizer





Size Width Height		Finish	Glass	Product Code
800	1950	Chrome	Clear	JSE-CHR-810S800SX
900	1950	Chrome	Clear	JSE-CHR-810S900SX
1000	1950	Chrome	Clear	JSE-CHR-810S1000SX
1200	1950	Chrome	Clear	JSE-CHR-810S1200SX

* All Dimensions are in mm

• Finish: Chrome / Clear

• Glass: 8mm





Easy Clean Glass




Silent Cushioned Closing

WALK IN PANEL

J8 wet Screen offers different combinations of finish & glass. (Ref. table below)



Chrome / Clear





Size Width Height		Finish	Glass	Product Code
800	2000	Chrome	Clear	JSE-CHR-810SWP800X
900	2000	Chrome	Clear	JSE-CHR-810SWP900X
1000	2000	Chrome	Clear	JSE-CHR-810SWP1000X
1200	2000	Chrome	Clear	JSE-CHR-810SWP1200X

^{*} All Dimensions are in mm

• Glass: 8mm



*



ass Easy Cle


asy Clean Glass

WALK IN PANEL

J8 wet Screen offers different combinations of finish & glass. (Ref. table below)



Black / Clear





Size Width Height		Finish	Glass	Product Code
800	2000	Black	Clear	JSE-BLM-810SWP800X
900	2000	Black	Clear	JSE-BLM-810SWP900X
1000	2000	Black	Clear	JSE-BLM-810SWP1000X
1200	2000	Black	Clear	JSE-BLM-810SWP1200X

* All Dimensions are in mm

• Glass: 8mm



\$\\ \dag{\rangle}

Easy Clean Glass




Reversibl


TUB MOUNTED FREE STANDING BATH SCREEN Tub mounted bath screen free standing & wall profile in standard dimension- 8mm glass.







Black / Clear



_	ize Height	Finish	Glass	Product Code
800	1400	Chrome	Clear	JSE-CHR-810TWPF800X
800	1400	Black	Clear	JSE-BLM-810TWPF800X

* All Dimensions are in mm

• Glass: 8mm






Glass

TUB MOUNTED BATH SCREEN WITH SWING DOOR Tub mounted bath screen with swinging door fixed with stabilizer rod & wall profile in standard dimension- 8mm glass









Black / Clear


Size Width Height		Finish	Glass	Product Code
800	1400	Chrome	Clear	JSE-CHR-810TWPSD800X
800	1400	Black	Clear	JSE-BLM-810TWPSD800X


* All Dimensions are in mm

• Glass: 8mm



Glass





Cr	ro	me /	Clear	•
----	----	------	-------	---

	ize Height	Finish	Glass	Product Code
700	1950	Chrome	Clear	JSE-CHR-810D700SX

* All Dimensions are in mm

• Wall to wall shower enclosure only door with towel rod &

• handle - 1 part • Finish: Chrome • Glass: 8mm








Glass





Size		Finish	Glass	Product Code
Width	Width Height			
800x800	1950	Chrome	Clear	JSE-CHR-840F8080SX
900x900	1950	Chrome	Clear	JSE-CHR-840F9090SX
900x1000	1950	Chrome	Clear	JSE-CHR-840F9010SX

* All Dimensions are in mm

• Door 2 Parts

• Glass: 8mm








Easy Clean Glass



Silent Cushioned Closing



Chrome	/	Clear
--------	---	-------

Size		Finish	Glass	Product Code
Width	Width Height			
900 x 900	1950	Chrome	Clear	JSE-CHR-840G9090SX
1000 x 1000	1950	Chrome	Clear	JSE-CHR-840G1010SX
1200 x 1000	1950	Chrome	Clear	JSE-CHR-840G1210SX
1200 x 1200	1950	Chrome	Clear	JSE-CHR-840G1212SX

^{*} All Dimensions are in mm

• Finish: Chrome • Glass: 8mm






8mm Glass

Easy Clean Glass

Closing



Black Matt / Clear

Size		Finish	Glass	Product Code
Width	Height			
900 x 900	1950	Black	Clear	JSE-BLM-840G9090SX
1000 x 1000	1950	Black	Clear	JSE-BLM-840G1010SX
1200 x 1000	1950	Black	Clear	JSE-BLM-840G1210SX
1200 x 1200	1950	Black	Clear	JSE-BLM-840G1212SX

* All Dimensions are in mm

- Door 2 Parts
- Glass: 8mm
- Square Stabilizer Rod










Silent Cushioned Closing

1810UC Curved shaped urinal partition







Size		Finish	Glass	Product Code
Width	Height			
450	900	Chrome	Frosted	JSE-CHR-810US450X

* All Dimensions are in mm

Size		Finish	Glass	Product Code
Width	Height			
450	900	Chrome	Frosted	JSE-CHR-810UC450X

• Finish: Chrome • Glass: 8mm







Closing

LEDGES

Raw Material: PVC and Stone Dust

Dimensions : Features : Width: 60 mm • Easy to Fix

Height: 50 mm • Weight Carrying Capacity: 250 Kg
Length: 800 mm - 2400 mm • Longer Life: No deformation for 50 years



Dark gray Mesh



Galaxy Black



Beige




White



Gray Mesh

Size	Model	Product Code
900x900	Dark Grey Mesh	ESA-DGM-LDG9090
1000X1000	Dark Grey Mesh	ESA-DGM-LDG1010
1000X1200	Dark Grey Mesh	ESA-DGM-LDG1012
1200X1200	Dark Grey Mesh	ESA-DGM-LDG1212
801-1200	Dark Grey Mesh	ESA-DGM-LDG0812
1201-1600	Dark Grey Mesh	ESA-DGM-LDG1216
1601-2000	Dark Grey Mesh	ESA-DGM-LDG1620
2001-2400	Dark Grey Mesh	ESA-DGM-LDG2024
900x900	Galaxy Black	ESA-GBL-LDG9090
1000X1000	Galaxy Black	ESA-GBL-LDG1010
1000X1200	Galaxy Black	ESA-GBL-LDG1012
1200X1200	Galaxy Black	ESA-GBL-LDG1212
801-1200	Galaxy Black	ESA-GBL-LDG0812
1201-1600	Galaxy Black	ESA-GBL-LDG1216
1601-2000	Galaxy Black	ESA-GBL-LDG1620
2001-2400	Galaxy Black	ESA-GBL-LDG2024
	5.	504 505 / 50000
900x900	Beige	ESA-BGE-LDG9090
1000X1000	Beige	ESA-BGE-LDG1010
1000X1200	Beige	ESA-BGE-LDG1012
1200X1200	Beige	ESA-BGE-LDG1212
801-1200	Beige	ESA-BGEM-LDG081
1201-1600	Beige	ESA-BGE-LDG1216
1601-2000	Beige	ESA-BGE-LDG1620
2001-2400	Beige	ESA-BGE-LDG2024
900x900	White	ESA-WHT-LDG9090
1000X1000	White	ESA-WHT-LDG1010
1000X1200	White	ESA-WHT-LDG1012
1200X1200	White	ESA-WHT-LDG1212
801-1200	White	ESA-WHT-LDG0812
1201-1600	White	ESA-WHT-LDG1216
1601-2000	White	ESA-WHT-LDG1620
2001-2400	White	ESA-WHT-LDG2024
900x900	Grey Mesh	ESA-GMS-LDG9090
1000X1000	Grey Mesh	ESA-GMS-LDG1010
1000X1200	Grey Mesh	ESA-GMS-LDG1012
1200X1200	Grey Mesh	ESA-GMS-LDG1212
801-1200	Grey Mesh	ESA-GMS-LDG0812
1201-1600	Grey Mesh	ESA-GMS-LDG1216
1601-2000	Grey Mesh	ESA-GMS-LDG1620
2001-2400	Grey Mesh	ESA-GMS-LDG2024




Model: Square

Description: Shower Tray in square shape with standard dimensions. Best fitted with Model Enna, Kretana, Kristal

Trend, S840L and 1840G

	Size Width Height		Finish	Product Code
ļ	vviatri	neigni		
	900x900	40	White	JSE-WHT-STSQ9090X
	1000x1000	40	White	JSE-WHT-STSQ1010X
	1000x1200	40	White	JSE-WHT-STSQ1012X

* All Dimensions are in mm Square



Model: Rectangular

Description: Shower Tray in rectangular shape with standard dimensions. Best fitted with Model Fusion Plus, Enna, Kretana, Kristal Trend, S840L and 1840G

Size		Finish	Product Code	
Width	Height	FILIISH	Product Code	
1000x1200	40	White	JSE-WHT-STRCT1210X	

* All Dimensions are in mm



Quadrant

Model: Quadrant

Description: Shower Tray in quadrant shape with standard dimensions. Best fitted with Model Delta & Mica

Size		Finish	Product Code
Width	Height	1 11 1101 1	Troddot Godo
900x900	40	White	JSE-WHT-STQD9090X
1000x1000	40	White	JSE-WHT-STSD1010X
1000x1200	40	White	JSE-WHT-STSD1012X

^{*} All Dimensions are in mm

WELLNESS

Stimulating Invigorating Restorative Welcome To The Rejuvenation Zone





WHIRLPOOLS

Jaquar proudly presents its own range of whirlpools. Created by specialist designers from Europe and made in Jaquar's state-of-the-art manufacturing facilities. Jaquar whirlpools bring wellness into your home with great style and panache. Their jets project water in a flowing, circular motion, which offers a wide array of health benefits, including relaxation, improved blood circulation and sore muscle and joint relief. Whatever you desire, whether hot or cold water massages, long relaxing soaks or even chromotherapy, a Jaquar whirlpool gives you all these and more. Easy to use functions flawlessly switch water modes for your benefit.

Hydromassage

A gentle jet stream massage bath that stimulates from the surface of the skin onwards. The deep tissue massage stimulates blood vessels and nerve endings and relaxes your body's entire muscular system.

Air Massage

An infinite number of air bubbles provide a caressing sensation on the skin and allow the water's soothing warmth to penetrate deeper into the body's tissue. This sensational feeling, akin to weightlessness, is accompanied by a deep experience of healing warmth

Chromotherapy

The use of various coloured lights offers additional therapeutic benefits when used in conjunction with the whirlpool's massage. These include:

Green: has harmonious effects on the digestive system.

Yellow: radiates sun-like warmth on the body.


Blue: is calming and soothing and lets you float away into your dreams.

Red: infuses energy and vitality, giving lost strength to the entire system.

Features

The unbeatable product features are:

- Brilliant surface of acrylic
- Antibac® hygienic surface
- Increased chemical resistance
- High break strength
- Long life
- Excellent design possibilities
- Easyglide® layer
- Low specific weight
- Recyclable
- Repairable



Special transparent acrylic top layer has a high chemical resistance to: cleaning agents, perfumed foams, household detergents, body care products. It prevents surface defects, crazing/cracking, decolouration and colour fading

Special polymer for better mechanical resistance to impact and the temperature

Polyurethane layer is recyclable and usable ecological material with high insulation that retains the temperature for a longer period than FRP





Safety Vacuum Breaker

This is one of the important safety features installed in Jaquar whirlpools. In case of blockage in the suction point the motor switches off automatically.



No Bacteria Formation

Fresh water everytime. The water pipes connect via Y-shaped housings, creating a bow which ensures the complete drainage of water. Unpleasant odours and, even worse, bacteria are thus avoided.



Environment Friendly

The pipes are made from special Food Grade PVC. These pipes have an anti bacterial coating on the inner side so that even if some drops of water stay behind after the tub is drained, there won't be any bacteria formation in the water droplets.



3 Tier Test

Each and every Jaquar whirlpool goes through a functional test with hot water after which it is tested on a European test machine for earthing resistance, insulation test and a high voltage test.



Easy To Use

The electronic keypad control activates all the hydromassage functions, to regulate airpool intensity. All electronic parts can be installed and removed on site, thus making after-sales, what it should ideally be - a service!



Water Jets

The effectiveness of the hydromassage is enhanced by the water flow which can be adjusted in intensity and direction to suit personal needs, in order to gently massage delicate areas.



Airpool Jet

The airpool jets provide a gentle and delicate massage on your spine, which increases the sensation of warmth in the body and has benefical effects on the back. The air bubbles open the insulation layer by oxygenating the body.



PMMA Sheet

Jaquar whirlpools are made of the highest grade of PMMA acrylic sheets.



Air Suction Valve

To enable suction of atmospheric air, and distribute it to each and every water jet to boost the jet pressure.



JWP-WHT-ARC190CX Arc 1900x900x470mm Whirlpool and Airpool Combi System

Specifications



PMMA Sheet



PU Green Reinforcement



SS Frame



Level Sensor



Safety Vacuum Breaker



Keypad control



Overflow with drain & filler



n Water Pump 1.4 HP



Super slim brass water jets 8





Micro brass Air Jets 12







Headrests



Chromotherapy



Slim Suction Cover

JWA-WHT-ARCFPX (Front Panel Suitable For Arc Bathtub & Whirlpool With Fixing Kit) JWA-WHT-ARCSPX (Side Panel Suitable For Arc Bathtub & Whirlpool With Fixing Kit)

Accessories available (only for Combi System): White/Chrome



JWP-WHT-ARC190WX Arc 1900x900x470mm Water System

Specifications



PMMA



PU Green Reinforcement



SS Frame



Level Sensor



Safety Vacuum Breaker



Keypad control



Overflow with drain & filler



Water Pump 1.4 HP



Super slim brass water jets 8















Slim Suction Cover

JWA-WHT-ARCFPX (Front Panel Suitable For Arc Bathtub & Whirlpool With Fixing Kit) JWA-WHT-ARCSPX (Side Panel Suitable For Arc Bathtub & Whirlpool With Fixing Kit)

KUBIX PRIME



JWP-WHT-KUBIXPM180CX Kubix Prime 1800x1100x470mm Whirlpool And Airpool Combi System Specifications



PMMA Sheet



PU Green Reinforcement



SS Frame



Level Sensor



Safety Vacuum Breaker



Keypad control



Overflow with drain & filler





Slim water Jets 8









Air Jets 16



Air Regulator



Disinfection



Headrests



Chromotherapy

JWA-WHT-FP180X (Front Panel Suitable For Kubix / Alive / Fonte180 / Kubix P / D'arc With Fixing Kit) JWA-WHT-SP110X (Side Panel Suitable For Kubix Prime / D'arc With Fixing Kit)



JWP-WHT-KUBIXPM180WX Kubix Prime 1800x1100x470 mm Water System

Specifications



PMMA Sheet



PU Green Reinforcement



SS Frame



Level Sensor



Safety Vacuum Breaker



Keypad control



Overflow with drain & filler





Slim water Jets 8







Air Regulator



Disinfection




Headrests



JWA-WHT-FP180X (Front Panel Suitable For Kubix / Alive / Fonte180 / Kubix P / D'arc With Fixing Kit) JWA-WHT-SP110X (Side Panel Suitable For Kubix Prime / D'arc With Fixing Kit)

OPAL PRIME



JWP-WHT-OPALPM180CX (Opal Prime 1800x800x470mm Whirlpool And Airpool Combi System)

Specifications



PMMA



PU Green Reinforcement



SS Frame



Level Sensor



Safety Vacuum Breaker



Touchpad Control



Overflow with drain & filler



Water Pump 1.4 HP



Super slim brass water jets 8





Air Blower









Headrests



Chromotherapy



Slim Suction Cover



JWP-WHT-OPALPM180WX (Opal Prime 1800x800x470mm Water System Whirlpool)

Specifications



PMMA Sheet



PU Green Reinforcement



SS Frame



Level Sensor



Safety Vacuum Breaker



Touchpad Control



Overflow with drain & filler



Water Pump 1.4 HP



Super slim brass water jets 8















JWA-WHT-OPALPMFPX- Front Panel C-Shape Suitable For Opal Prime Bathtub and Whirlpool



JWP-WHT-DARC180CX D'Arc 1800x1100x470mm Combi System

Specifications



PMMA Sheet











Level Sensor



Safety Vacuum



Keypad



Overflow with drain & filler



Water Pump 1.4 HP



Slim water Jets 8





0.9 HP Air Blower









Disinfection



Headrests



JWA-WHT-FP180X (Front Panel Suitable For Kubix / Alive / Fonte180 / Kubix P / D'arc With Fixing Kit) JWA-WHT-SP110X (Side Panel Suitable For Kubix Prime / D'arc With Fixing Kit)



JWP-WHT-DARC180WX D'Arc 1800x1100x470mm Water System

Specifications



PMMA Sheet

Back Jets-4



PU Green Reinforcement



Air Regulator



SS Frame









Safety Vacuum Breaker




















Disinfection



Chromotherapy

JWA-WHT-FP180X (Front Panel Suitable For Kubix / Alive / Fonte180 / Kubix P / D'arc With Fixing Kit) JWA-WHT-SP110X (Side Panel Suitable For Kubix Prime / D'arc With Fixing Kit)

VIGNETTE PRIME



JWP-WHT-VGNT190CX Vignette Prime 1900x900x470mm Whirlpool and Airpool Combi System

Specifications



PMMA Sheet



PU Green Reinforcement



SS Frame



Level Sensor



Safety Vacuum Breaker



Keypad control



Overflow with drain & filler





Slim water Jets 8







0.9 HP Air Blower



Air Jets 12



Air Regulator



Disinfection



Headrests



Chromotherapy

JWA-WHT-VGNTPFPX (Front Panel For Vignette Prime 1900x900x470 With Fixing Kit) JWA-WHT-VGNTPSPX (Side Panel For Vignette Prime 1900x900x470 With Fixing Kit)



JWP-WHT-VGNT190WX Vignette Prime 1900x900x470 Water System

Specifications









PU Green Reinforcement



SS Frame





Safety Vacuum Breaker



Keypad control



Overflow with drain & filler



Water Pump 1.4 HP



Slim water Jets 8









Disinfection



Headrests



JWA-WHT-VGNTPFPX (Front Panel For Vignette Prime 1900x900x470 With Fixing Kit) JWA-WHT-VGNTPSPX (Side Panel For Vignette Prime 1900x900x470 With Fixing Kit)

I KUBIX



JWP-WHT-KUBIX180CX Kubix 1800x800x470mm Whirlpool and Airpool Combi System Specifications























PMMA Sheet















Slim water Jets 8
















JWA-WHT-FP180X (Front Panel Suitable For Kubix / Alive / Fonte180 / Kubix P / D'arc With Fixing Kit) JWA-WHT-SP80X (Side Panel Suitable For Kubix / Alive / Fonte1800 With Fixing Kit)



JWP-WHT-KUBIX180WX kubix 1800x800x470 mm Water System Specifications



PMMA Sheet



PU Green



SS Frame



Level Sensor



Safety Vacuum Breaker



Keypad control



Overflow with drain & filler



Water Pump 1.4 HP



Slim water Jets 8














 $JWA-WHT-FP180X \ (\text{Front Panel Suitable For Kubix / Alive / Fonte180 / Kubix P / D'arc With Fixing Kit)}\\$ JWA-WHT-SP80X (Side Panel Suitable For Kubix / Alive / Fonte1800 With Fixing Kit)



JWP-WHT-ALIVE180CX Alive 1800x800x470mm Whirlpool and Airpool Combi System

Specifications



PMMA



PU Green



SS Frame



Level Sensor



Safety Vacuum Breaker



Keypad control



Overflow with drain & filler



Water Pump 1.4 HP



Slim water



Back Jets-4



0.9 HP Air Blower



Air Jets 12



Air Regulator



Disinfection





Headrests



Chromotherapy

JWA-WHT-FP180X (Front Panel Suitable For Kubix / Alive / Fonte180 / Kubix P / D'arc With Fixing Kit) JWA-WHT-SP80X (Side Panel Suitable For Kubix / Alive / Fonte1800 With Fixing Kit)





JWP-WHT-ALIVE180WX Alive 1800x800x470 mm Water System Specifications



PMMA Sheet



PU Green Reinforcement



SS Frame



Level Sensor



Safety Vacuum Breaker



Keypad control



Overflow with drain & filler





Slim water Jets 8









Disinfection



Headrests



JWA-WHT-FP180X (Front Panel Suitable For Kubix / Alive / Fonte180 / Kubix P / D'arc With Fixing Kit) JWA-WHT-SP80X (Side Panel Suitable For Kubix / Alive / Fonte1800 With Fixing Kit)

FONTE



JWP-WHT-FONTE180CX Fonte 1800x800x450mm Whirlpool and Airpool Combi System

Specifications



PMMA Sheet



PU Green Reinforcement



SS Frame




Level Sensor



Safety Vacuum Breaker



Keypad control













Back Jets-4



0.9 HP Air Blower


















JWA-WHT-FP180X (Front Panel Suitable For Kubix / Alive / Fonte180 / Kubix P / D'arc With Fixing Kit) JWA-WHT-SP80X (Side Panel Suitable For Kubix / Alive / Fonte1800 With Fixing Kit)



JWP-WHT-FONTE180WX Fonte 1800x800x450 mm Water System

Specifications



PMMA Sheet



PU Green Reinforcement



SS Frame



Level Sensor



Safety Vacuum Breaker



Keypad control



Overflow with Drain pipe



Water Pump 1 HP



Slim water Jets 6









Headrests



Chromotherapy

 $JWA-WHT-FP180X \ (\text{Front Panel Suitable For Kubix / Alive / Fonte180 / Kubix P / D'arc With Fixing Kit)} \\$ $\label{eq:JWA-WHT-SP80X} \textbf{(Side Panel Suitable For Kubix / Alive / Fonte1800 With Fixing Kit)}$

FONTE



JWP-WHT-FONTE150CX Fonte 1500x750x420 mm Combi System

JWP-WHT-FONTE150PCX Fonte 1500x750x420 mm Combi System Project (6 Water + 12 Air Jet) With Out Light

JWP-WHT-FONTE160CX Fonte 1600x750x420 mm Whirlpool and Airpool Combi System

JWP-WHT-FONTE160PCX Fonte 1600x750x420 mm Whirlpool and Airpool Combi System-Project

JWP-WHT-FONTE170CX Fonte 1700x750x420mm Whirlpool And Airpool Combi System

JWP-WHT-FONTE170PCX Fonte 1700x750x420mm Combi System Project (6 Water + 12 Air Jet) With Out Light

Specifications



PMMA Sheet



PU Green Reinforcement





















Air Jets 12



Air Regulator



Chromotherapy

JWA-WHT-FONT150FPX Front Panel with Fixing Kit JWA-WHT-FONT170FPX Front panel with Fixing kit

JWA-WHT- FONT160SPX Side Panel Suitable For Fonte 1600x700 mm Bathtub JWA-WHT-SP75X Side panel suitable for fonte1500 / fonte1700 with fixing kit JWA-WHT-FONT160FPX Front panel



JWP-WHT-FONTE160PWX Fonte 1600x750x420 Water System Whirlpool- Project

JWP-WHT-FONTE170PWX Fonte 1700x750x420 mm Water System Project (6 Water) With Level Sensor Electronic Key Pad

JWP-WHT-FONTE150WX Fonte 1500x750x420 mm Water System

JWP-WHT-FONTE160WX Fonte 1600x750x420 mm Water System

JWP-WHT-FONTE150PWX Fonte 1500x750x420 mm Water System Project (6 Water) - With Level Sensor Electronic Key Pad JWP-WHT-FONTE170WX Fonte 1700x750x420 mm Water System

Specifications



PMMA



PU Green



SS Frame



Level Sensor



Safety Vacuum Breaker



Keypad control



Drain pipe



Water Pump 1 HP



Slim water










Headrests



JWA-WHT-FONT150FPX Front Panel with Fixing Kit JWA-WHT-FONT170FPX Front panel with Fixing kit

JWA-WHT-FONT160FPX Front panel JWA-WHT-FONT160SPX Side Panel Suitable For Fonte 1600x700 mm Bathtub JWA-WHT-SP75X Side Panel Suitable For Fonte1500 / Fonte1700 With Fixing Kit

FONTE-R



JWP-WHT-POINT150CX Fonte - R 1500x1500x470 mm Combi System



PMMA Sheet



PU Green Reinforcement



SS Frame





Level Sensor



Safety Vacuum Breaker



Keypad control



Overflow with drain & filler



Water Pump 1.4 HP



Slim water







Air Jets 12



Air Regulator



Disinfection



Headrests





JWP-WHT-POINT150WX Fonte - R 1500X1500X470mm Water System



PMMA Sheet



PU Green Reinforcement



SS Frame



Level Sensor



Safety Vacuum Breaker



Keypad control



Overflow with drain & filler



Water Pun



Slim Line Jets 8








Chromotherapy

FUSION



JWP-WHT-GMI140CX Fusion 1400x1400x450 mm Combi System

Specifications



PMMA Sheet



PU Green Reinforcement



SS Frame



Level Sensor



Safety Vacuum Breaker



Keypad control



Overflow with drain & filler



Water Pump 1 HP



Slim water Jets 8



Back Jets-4



0.9 HP Air Blower



Air Jets 12



Air Regulator Disinfection






Headrests



Chromotherapy



JWP-WHT-GMI140WX Fusion 1400x1400x450 mm Water System



PMMA Sheet



PU Green Reinforcement



SS Frame



Level Sensor



Safety Vacuum Breaker



Keypad control



Overflow with drain & filler



Water Pump 1 HP



.












LAGUNA



JWP-WHT-LAGUNA170CX Laguna 1700x700x450mm Whirlpool and Airpool Combi System JWP-WHT-LAGUNA180CX Laguna 1800x700x450mm Whirlpool and Airpool Combi System

Specifications



Sheet



PU Green Reinforcement



SS Frame



Level Sensor



Safety Vacuum



Keypad control



Overflow with drain & filler























Headrests



Chromotherapy

JWA-WHT-FPLAG170X Front Panel Suitable For Laguna 1700 X 700 Bathtub JWA-WHT-SP55X Side Panel Suitable For Laguna Bathtub JWA-WHT-FPLAG180X Front Panel Suitable For Laguna 1800 X 700 Bathtub

Accessories available (only for Combi System): White/Chrome



JWP-WHT-LAGUNA170WX Laguna 1700 X 700 X 450 mm Water System Whirlpool JWP-WHT-LAGUNA180WX Laguna 1800 x 700 X 450 mm Water System Whirlpool



PMMA Sheet



PU Green Reinforcement



SS Frame



Level Sensor



Safety Vacuum Breaker



Keypad control



Overflow with drain & filler



Water Pump 1.4 HP



Slim water Jets 6



Back Jets-4





Air Regulator



Disinfection



Headrests



Chromotherapy

JWA-WHT-FPLAG170X Front Panel Suitable For Laguna 1700 X 700 Bathtub JWA-WHT-SP55X Side Panel Suitable For Laguna Bathtub JWA-WHT-FPLAG180X Front Panel Suitable For Laguna 1800 X 700 Bathtub

		Whirld	ools spe	ecificatio	ons shee	et	
	Range Product Name	Arc ARC 1900X900	Kubix Prime 1800X1100	Opal Prime 1800 x 800	Kubix KUBIX 1800X800	Alive ALIVE 1800X800	D'Arc D'Arc 1800X1100
	Size	1900X900	1800X1100	1800X800	1800X800	180X800	1800X1100
	Depth	470	480	470	470	470	470
	Material	PMMA	PMMA	PMMA	PMMA	PMMA	PMMA
	Reinforcement	PU Green Reinforcement					
	Water jets	8	8	8	8	8	8
	Slim and flat Water jets	•	•	•	•	•	•
Physical	Air jets	12	16	12	12	12	12
Pnysical	Back jets	4	4	4	4	4	4
	Feet jets	0	0	•	0	0	0
	Pump water	1.4HP	1.4HP	1.4HP	1.4HP	1.4HP	1.4HP
	Air blower	0.90Hp	0.90Hp	0.90Hp	0.90Hp	0.90Hp	0.90Hp
	Chromotherapy	•	•	•	•	•	•
	White Light	X	Χ	X	X	X	X
	Headrest	•	•	•	•	•	•
	Overflow with drain & filler	•	•	•	•	•	•
Safety	3 Tier Testing	•	•	•	•	•	•
Culoty	Steel Frame	SS202	SS202	SS202	SS202	SS202	SS202
	Sanitazation/System Clean	•	•	•	•	•	•
	Food Grade Pipe	•	•	•	•	•	•
Hygiene	Bow shape Pipes	•	•	•	•	•	•
	Level sensor	•	•	•	•	•	•
	Self drainage system	•	•	•	•	•	•
Control	Digital	•	•	•	•	•	•
Control _	Cross	X	X	•	X	X	X

Warranty Table								
	Range Product Name	Arc ARC 1900X900	Kubix Prime 1800X1100	Opal Prime 1800 x 800	Kubix KUBIX 1800X800	Alive ALIVE 1800X800	D'Arc D'Arc 1800X1100	
	Body	5	5	5	5	5	5	
Warranty	Electrical	2	2	2	2	2	2	
	Jets	5	5	5	5	5	5	

Note:

• Symbol indicate that particular feature is available in that product. X Symbol indicate that particular Feature is not available in that product.

	Whirl	pools sp	pecifica	tions sh	eet		
Range Product Name	Vignette Prime 1900X900	Fonte R 1500X1500	Fonte 1800X800	Fusion Fusion 1400X1400	Fonte Fonte 1500x750	Fonte Fonte 1700x750	Laguna Laguna 1800x700
Size	1900X900	1500X1500	1800X800	1400X1400	1500x750	1700x750	1800x700
Depth	470	470	450	450	420	420	450
Material	PMMA	PMMA	PMMA	PMaMA	PMMA	PMMA	PMMA
Reinforcement	PU Green Reinforcement	PU Green Reinforcement	PU Green Reinforcement	PU Green Reinforcement	PU Green Reinforcement	PU Green Reinforcement	PU Green Reinforcement
Water jets	8	8	6	6	6	6	6
Slim and flat Water jets	•	•	•	•	•	•	8
Air jets	12	16	12	12	12	12	12
Back jets	4	0	4	4	4	4	4
Feet jets	0	0	0	0	0	0	0
Pump water	1.4HP	1.4HP	1.0HP	1.0HP	1HP	1HP	1.4HP
Air blower	0.90Hp	0.90Hp	0.90Hp	0.90Hp	0.90Hp	0.90Hp	0.90Hp
Chromotherapy	•	•	•	•	•	•	•
White Light	X	X	X	X	Χ	X	X
Headrest	•	X	•	•	•	•	•
Overflow with drain & filler	•	•	X	•	Χ	X	•
3 Tier Testing	•	•	•	•	•	•	•
Steel Frame	SS202	SS202	SS202	SS202	SS202	SS202	SS202
Sanitazation/System Clean	•	•	X	X	Χ	X	•
Food Grade Pipe	•	•	•	•	•	•	•
Bow shape Pipes	•	•	•	•	•	•	•
Level sensor	•	•	•	•	•	•	•
Self drainage system	•	•	•	•	•	•	•
Digital	•	•	•	•	•	•	•
Cross	X	X	X	X	Χ	X	Х

Warranty Table								
Range Product Name	Vignette Prime 1900X900	Fonte R 1500X1500	Fonte 1800X800	Fusion 1400X1400	Fonte Fonte 1500x750	Fonte Fonte 1700x750	Laguna Laguna 1800x700	
Body	5	5	5	5	5	5	5	
Electrical	2	2	2	2	2	2	2	
Jets	5	5	5	5	5	5	5	

Note:

• Symbol indicate that particular feature is available in that product. X Symbol indicate that particular Feature is not available in that product.

FREESTANDING BATHTUBS

Bathtubs are far more than just bathing. They can be an oasis of peace and calm. Jaquar's freestanding bathtubs set the mood perfectly for those precious moments of relaxation with their beautiful lines and curves, which invites you to step in and indulge yourself at the end of a long day. For those who have the luxury of space in their bathroom, a chic, freestanding Jaquar bathtub placed away from the walls makes a stunning statement of style and class.

QUEENS



JBT-WHT-FSBTMAD1778: Queens Free Standing Bath Tub 1702x787x434/615mm with Chrome Over Flow, Waste and Legs

JBT-WHT-FSBTMAD1778G: Queens Free Standing Bath Tub 1702x787x434/615mm with Gold Over Flow, Waste and Legs Specifications



Free standing bathtub




Lucite acrylic sheet




Overflow



Zinc alloy legs / feet









JBT-WHT-FSBT177542X: Alaska Free Standing Bathtub 1712x760x440/580mm with Over Flow & Waste




Free standing bathtub





Lucite acrylic sheet



Overflow & drain










SAIPAN



JBT-WHT-FSBT177544X: Saipan Free Standing Bath Tub 1690x800x445/565mm with Over Flow & Waste










Lucite acrylic sheet

Overflow & drain







JBT-WHT-FSBTPB278X: Eggy Free Standing Bath Tub 1700x850x450/580mm with Built In Overflow & Pop-up Waste




Free standing bathtub




Lucite acrylic sheet



Overflow & drain









JULIA



JBT-WHT-FSBT177840X: Julia Free Standing Bath Tub 1715x785x400/560mm with Over Flow & Waste




Free standing bathtub




Lucite acrylic sheet



Overflow & drain









^{*560} mm is the outer size



JBT-WHT-FSBTLG6001: Laguna Free Standing Bathtub 1800x800x440/580mm with Built-in Overflow, Pop-up Waste JBT-WHT-FSBTLG6005: Laguna Free Standing Bathtub 1800x800x440/580mm with Holes For 5 Hole Filler, Built-in Overflow




Free standing bathtub



Overflow & drain







BUILT-IN BATHTUBS

The more common and practical choice in bathtubs, the built-in or 'drop-in' bathtub is preferred wherever space is at a premium. Because they are placed adjacent to a wall and tucked away, built-in bathtubs are space-economical and can also offer additional storage on the surrounding ledges or the walls next to them. Perfect for placing aromatic candles while you soak in the bubble bath and unwind!



JBT-WHT-ARC190X: Built-in Bathtub

Specifications






PMMA Sheet

JWA-WHT-ARCFPX: Front Panels JWA-WHT-ARCSPX: Side Panels

IWA-CHR-ACC00510X: Base Europa Kit for bathtub JWA-CHR-132201: Drain pipe with overflow & filler JWA-CHR-DRNPIPE80: Drain pipe with overflow **JBT-WHT-ARC190FX:** Arc 1900x900x470mm Built in bathtub with powder coated MS frame



^{**} In case of one side wall installation 2 side panels and one front panel is a must for installation.





JBT-WHT-KUBIXP180X: Built-in Bathtub

Specifications





JWA-WHT-FP180X: Front Panel
JWA-WHT-SP110X: Side Panel

JWA-CHR-132201: Drain Pipe with overflow & filler


JWA-CHR-DRNPIPE100: Drain Pipe 1000mm with overflow

IWA-CHR-ACC00510X: Base Europa Kit

JBT-WHT-KUBIXP180FX: Kubix Prime 1800x1100x470mm


Built-in Bathtub with Powder Coated Ms Frame







OPAL PRIME 1800 x 800 x 470mm



JBT-WHT-OPALPM180X: Built-in Bathtub

Specifications



PMMA Sheet



JWA-WHT-OPALPMFPX: Front Panel C-shape Suitable For

Opal Prime Bathtub And Whirlpool


JWA-CHR-132201: Drain Pipe with Overflow & Filler


JWA-CHR-DRNPIPE80: Drain Pipe 800 mm with Overflow

IWA-CHR-ACC00510X: Base Europa Kit

JWA-WHT-OPALPM180FX: Opal Prime 1800X800X470mm

Built-in Bathtub with Powder Coated MS Frame









JBT-WHT-DARC180X: Built In Bath Tub

Specifications





PMMA Sheet

JWA-WHT-SP110X: Side Panel Suitable For Kubix Prime / D'Arc With Fixing Kit

JWA-WHT-FP180X: Front Panel


JWA-CHR-132401: Drain Pipe with Overflow & Filler

JWA-CHR-DRNPIPE100: Drain Pipe 100 cm with Overflow

IWA-CHR-ACC00510X: Base Europa Kit

JBT-WHT-DARC180FX: D Arc 1800x1100x470 mm Built-in Bath Tub With

Powder Coated Ms Frame





FONTE 1500 x 750 x 420mm



JBT-WHT-FONT150X: Built-in Bathtub

Specifications








JBT-WHT-FONT150X: Built-in Bathtub JWA-WHT-FONT150FPX: Front Panels JWA-WHT-SP75X: Side Panels with Fixing Kit JWA-CHR-DRNPIPE70: (Drain Pipe)* with Overflow JWA-CHR-132201: Drain Pipe with Overflow & Filler **JBT-WHT-FONT150FX:** Fonte 1500X750X420mm Built-in bathtub with power Coated MS Frame IWA-CHR-ACC00510X: Base Europa Kit

For Bathtubs







JBT-WHT-FONT160X: Built In Bathtub

Specifications






JBT-WHT-FONT160X: Built In Bathtub


JBT-WHT-FONT160FX: Fonte 1600x750x420mm Built in Bathtub with Powder Coated MS Frame

JWA-WHT-FONT160FPX: Front Panel JWA-WHT-FONT160SPX: Side Panels

JWA-CHR-DRNPIPE70: (Drain Pipe)* with overflow JWA-CHR-DRNPIPE80: Drain Pipe 800mm with overflow JWA-CHR-132201: Drain Pipe with Overflow & Filler

IWA-CHR-ACC00510X: Base Europa Kit







FONTE-R 1500 x 1500 x 470mm



JBT-WHT-FONTR150X: Built In Bathtub

Specifications




JBT-WHT-FONTR150X: Built In Bathtub

JBT-WHT-FONTR150FX: Fonte-R 1500x1500x470mm

Built-in Bathtub with Powder Coated MS Frame JWA-CHR-132201: Drain Pipe with Overflow & Filler JWA-CHR-DRNPIPE100: Drain Pipe 100 cm with Overflow IWA-CHR-ACC00510X: Base Europa Kit For Bathtub







JBT-WHT-FONT170X: Built In Bathtub

Specifications



PMMA Sheet

世

PU Green Reinforcement


JBT-WHT-FONT170FPX: Front Panel **JBT-WHT-FONT170SPX:** Side Panel


JWA-WHT-SP75X: Side Panels with Fixing Kit
JWA-CHR-DRNPIPE70: (Drain Pipe)* with overflow
JWA-CHR-DRNPIPE80: Drain Pipe 800mm with overflow
JWA-CHR-132201: Drain Pipe with Overflow & Filler

IWA-CHR-ACC00510X: Base Europa Kit

JBT-WHT-FONT170FX: Fonte 1700x750x420mm Built in Bath Tub with Powder Coated MS Frame







JBT-WHT-KUBIX180X: Built-in Bathtub

Specifications



PMMA Sheet

PU Green

PU Green Reinforceme


JWA-WHT-FP180X: Front Panel JWA-WHT-SP80X: Side Panel

JWA-CHR-132201: Drain Pipe with Overflow & Filler JWA-CHR-DRNPIPE80: Drain Pipe 800mm with overflow

IWA-CHR-ACC00510X: Base Europa Kit

JBT-WHT-KUBIX180FX: Kubix 1800x800x470 Built-in Bath

Tub with Powder Coated MS Frame







JBT-WHT-ALIVE180X: Built-in Bathtub

Specifications



PMMA




JWA-WHT-FP180X: Front Panel JWA-WHTSP80X: Side Panel

JWA-CHR-132201: Drain Pipe with Overflow & Filler

JWA-CHR-DRNPIPE80: Drain Pipe size 800mm with Overflow

JBT-WHT-ALIVE180X: Built-in Bathtub IWA-CHR-ACC00510X: Base Europa Kit

JBT-WHT-ALIVE180FX: Alive 1800x800x470mm Built-in Bath Tub with Powder Coated MS Frame





■ VIGNETTE PRIME 1900 x 900 x 470mm



JBT-WHT-VGNTP190X: Built-in Bathtub

Specifications




PMMA Sheet



JWA-WHT-VGNTPFPX: Front Panel JWA-WHT-VGNTPSPX: Side Panel

JWA-CHR-132201: Drain Pipe with Overflow & Filler JWA-CHR-DRNPIPE80: Drain Pipe 800mm with Overflow JBT-WHT-VGNTP190FX: Vignette Prime 1900x900x470mm

Built-in Bath Tub with Powder Coated MS Frame







JBT-WHT-FONT180X: Built In Bathtub

Specifications



PMMA




JWA-WHT-FP180X: Front Panel JWA-WHT-SP80X: Side Panel

JWA-CHR-132201: Drain Pipe with Overflow & Filler JWA-CHR-DRNPIPE80: Drain Pipe 800 mm with Overflow

IWA-CHR-ACC00510X: Base Europa Kit

JBT-WHT-FONT180FX: Fonte 1800x800x450mm Built in Bath Tub with Powder Coated MS Frame





■ FUSION 1400 x 1400 x 450mm



JBT-WHT-FUSN140X: Built-in Bathtub

Specifications





PU Green Reinforcemen

JWA-WHT-FUSNCPX: Angular Panel for Fusion 1400x1400x450 With Fixing Kit


JWA-CHR-132201: Drain Pipe with Overflow & Filler

JWA-CHR-DRNPIPE80: Drain Pipe 800 mm with Overflow

IWA-CHR-ACC00510X: Base Europa Kit

JBT-WHT-FUSN140FX: Fusion 1400x1400x450mm Built-in Bathtub

With Powder Coated MS Frame







JBT-WHT-LAGUNA170X: Built-in Bathtub

Specifications



PMMA Sheet



JBT-WHT-LAGUNA170FX: Laguna 1700x700x450mm Built-in Bathtub With Powder Coated Ms Frame

JWA-CHR-132201: Drain Pipe 80cm with Overflow &

Filler For Laguna


JWA-CHR-DRNPIPE80: Drain Pipe 80cm with Overflow

for Laguna

JWA-WHT-FPLAG170X: Front Panel Suitable for Laguna

1700 X 700 Bathtub

JWA-WHT-SP55X: Side Panel Suitable for Laguna Bathtub





Note: Drain pipe/Europa kit are mandatory products for installation of all the bathtubs. Accessories shown in the image are not a part of the product

LAGUNA 1800 x 700 x 450mm



JBT-WHT-LAGUNA180X: Built-in Bathtub

Specifications







JBT-WHT-LAGUNA180FX: Laguna 1800x700x450mm Built-in Bathtub With Powder Coated MS Frame

JWA-CHR-132201: Drain Pipe 80cm with Overflow &

Filler For Laguna


JWA-CHR-DRNPIPE80: Drain Pipe 80cm with Overflow

for Laguna

JWA-WHT-FPLAG180X: Front Panel Suitable for Laguna

1800x700 Bathtub

JWA-WHT-SP55X: Side Panel Suitable for Laguna Bathtub





Note: Drain pipe/Europa kit are mandatory products for installation of all the bathtubs. Accessories shown in the image are not a part of the product





BATHTUB ACCESSORIES

Drain Pipe



JWA-CHR-132201

Drain Pipe 80cm With Overflow & Filler For Kubix, Alive, Fonte, Vignette Prime, Fusion & Laguna Available in: Chrome



JWA-CHR-DRNPIPE70

Drain Pipe with Overflow System 70 - 80 mm for Jaquar Whirlpool 1500x750, 1700x750, 1800x800 & 1900 X900 mm

JWA-CHR-DRNPIPE80

Drain Pipe 80cm with Overflow For Kubix, Alive, Fonte, Vignette Prime, Fusion, & Laguna
Also available

JWA-CHR-DRNPIPE100

Drain Pipe 100cm With Overflow for Fonte R, Kubix Prime & D $\mathop{\rm Arc}\nolimits$

Available in: Chrome

Disclaimer: Pictures shown are for illustration purposes only

BATHTUB ACCESSORIES I

Headrest Sophi

Headrest Comfort



JWA-BLK-HRSP120GAC06

Headrest Sophi For (Vignette/Darc) Jaquar Whirlpool Available in: Black



JWA-BLK-HRCP750GAC06

Headrest Comfort For Jaquar Whirlpool Kubix/Fonte/ Alive/Fusion Available in: Black

Base EuropaKit for Bathtubs



IWA-CHR-ACC00510X Base Europa Installation Kit

Disclaimer: Pictures shown are for illustration purposes only



Spas are a wonderful way to relax and restore equilibrium. Jaquar's spa models are technological marvels whose 'well-being circuits' comprise of various seats and a common footrest in the centre. Each seat is strategically fitted with different types of massage jets in various positions, oriented to massage different parts of the body. By moving from one seat to the other, one can enjoy a complete and satisfying massage that stimulates and relaxes all parts of the body. Cushioned headrests, ergonomic seats and a host of high performance features make this the ultimate home spa experience.

Features:

Touch Control Panel

- Next generation of touchscreen panel made by BALBOA in trapezoid shape
- Modern technology combined with high quality, impact resistant materials
- Responsive, colour touch screen
- · Looks and feels like a glass display
- Impervious to water splashes or contamination.
- Simpler, more intuitive navigation

The Aquapure Clean Water System

This system makes safe, clean and clear water easy and affordable. With the Aquapure ozone generator for advanced water clarification and the Aquapure UV steriliser for removing water borne microbes.

Cabinet

- High density polystyrene cabinet
- Looks like wood, eco friendly
- Water Proof
- Weather Proof

Bio-Lok® Microbe Shield

In addition to Aristech Acrylics® excellent gloss and colour retention, our Bio-Lok® surfaces are naturally impervious to microbes, without the need for added chemicals.

Aristech Acrylic

Isn't it nice to know that your Jaquar Spa is made out of the best acrylic available. Rest easy knowing your spa's acrylic is manufactured to handle weather extremes.

The Shell. Matters Most.

Jaquar Spas use Aristech Acrylic shell with High Density PU Insulation foam, a process not found in most other spas. This process includes the curing of the shell in a temperature and humidity-controlled oven.

TOP LAYER: ARISTIC ACRYLIC SECOND: GLASS FIBRE WITH RESIN

THIRD: HIGH DENSITY PU INSULATION FOAM

Hydro Flow Bearing-less Jets

Jaquar Spas made in ABS with Chrome finish, come with a 5 year jet warranty. Our Hydro flow jets are designed to provide the ultimate water massage experience. The options are extremely reliable even under heavy use thanks to Jaquar's premium quality.

Spa-bottom Drain & Valve

Built-in spa drain and release valve offers ultimate comfort and ease of operation for the user and during maintenance.

Jet Pressure Control

Conveniently located to be adjusted while you are in the spa, our jet pressure controllers allow you to 'dial up' your desired jet intensity so you can maximise relaxation and hydrotherapy.

HYDROZONE 5900 x 2300 x 1300 (5 Seater)



WSP-WHT-SPA5S590VX

Hydrozone Swim Spa 5900x2300x1300mm (5 Seater)

JETS:

5" Directional Jets 2 5" Single Hole Spinning Jets 5 3" Directional Jets 6 3" Spinning Jets 9 2" Directional Jets 14 2" Spinning Jets 12 Air Jets 16 2 Water Cascade Jets 4 Swim Jets Laminar Jets 6 Total 76

5930

Key features



Thermodad cabinet





Thermobond 4 layer shell construction



Duraflex plumbing



Uv sterilising system



Set & forget control system



Programmable multi-colour spa light



Hydrotherapy recliners



Adjustab**l**e aromatherapy



Illuminated topside controls



Ozone filtration



Reinforced foot wall



Micro filteration



Dual controls



Moulded





Dry weight 1382kg Fi**ll**ed weight 9942kg



Water capacity spa 1530 litres swim 7030 litres



Spa controller sv4+sv2



Programmable circulation pump 250w x 2



Jet pump(s) 2.5hp x 5



Variable speed air b**l**ower 700w



Variab**l**e output heater 6kw/3kW



AQUAGYM MAX EXTREME 4490 x 2310 x 1300 (4 Seater) I




WSP-SLV-SPA4S449VX

Aquagym Max Swim Spa 4490x2310x1300mm With Panels Natural Wood, Thermic Cover, Stair, (4 Seater)

JETS:

5" Directional Jet	2
5" Single Hole Spinning Jet	3
3" Directional Jet	8
3" Spinning Jet	10
2" Directional Jet	24
2" Spinning Jet	16
Air Jet	14
Water Cascade Jet	1
Laminar Jet	4
Swim Jet	4
Total	86





Key features



Thermoc**l**ad



Perimeter insulation



Thermobond 4 layer shell construction



Uv sterilising system³



Set & forget control system



Programmable multi-colour spa light



Hydrotherapy rec**l**iners



Adjustab**l**e aromatherapy



Illuminated topside controls



Ozone filtration



Reinforced foot wall



Micro filteration



Moulded



Individual pressure control



Specifications



Dry weight 1052kg



Fi**ll**ed weight 9152kg Water capacity 8100 litres



Spa controller



Programmable circulation pump 250w



Jet pump(s) 2.5 hp x 4



air b**l**ower 700w

Variab**l**e output heater 6kW Variable speed



AQUA SWIM 4500 x 2300 x 1300



WSP-SLV-AQUASWIM13TP


Aqua Swim Top 4490x2300x1300mm With Swim Jets, Chromotherapy & UV Filtration System

WSP-SLV-AQUASWMHCVR Jaquar Aqua Swim Spa Hard Cover

JETS:

Swim Jets 2 2 Total





Key features







Thermobond 4 layer shell construction



Duraflex plumbing







Ozone filtration



Reinforced foot wall



Spa-hydroglow







Swim Hand Rai**l**







Dry weight 696kg



Fi**ll**ed weight 7496kg



Electrical requirements max 32 amps





Programmable circulation pump 250w







WSP-SLV-SPA8S3520VX

Palladium Spa 3520x2290x920 Mm With Panels Natural Wood ,Thermic Cover,Stair,(9 Seater)

JETS:

02.01	
5" Directional Jet	6
5" Single Hole Spinning Jet	14
3" Directional Jet	12
3" Spinning Jet	2
2" Directional Jet	24
2" Spinning Jet	8
Air Jet	22
Water Cascade Jet	1
Laminar Jet	4
Total	93





Key features







Perimeter insulation



Thermobond 4 layer shell construction



Uv sterilising system







Hydrotherapy recliners















Micro filteration



Foot jets

Programmable multi-colour Spa light



Moulded headrests



Individual seat pressure control



Neck therapy co**ll**ar











Programmable circulation pump 250w



Variab**l**e speed air b**l**ower 700w Variab**l**e output heater 6kW





XENON 2300 x 2300 x 920 (6 Seater)




WSP-SLV-SPA7S2340VX

Xenon Spa 2340x2340x900 Mm With Panels Natural Wood, Thermic Cover, Stair, (6 Seater)

JETS:

5" Double Hole Spinning Jets	2
5" Single Hole Spinning Jets	4
3" Directional Jets	4
2" Directional Jets	4
2" Spinning Jets	8
Air Jets	20
Water Cascade Jets	1
Laminar Jets	2
Total	45







Key features



Thermoclad



Perimeter insulation



Thermobond 4 layer shell construction



Duraflex plumbing



Purezone uv sterilising system*



Set & forget control system



Programmable multi-colour spa light



Adjustable aromatherapy



Illuminated topside controls



filtratio



Reinforced



Micro filteration



Moulded headrests



Foot jets



Wine coo**l**er



Child seat



Individual seat pressure control









Vater capacity 1200 litres



Spa controller sv2



Programmable circulation pump 250w



Jet pump(s) 2.5x1 hp



Variable speed air blower 700w SkW






JSP-WHT-SPAPOLARIS6S

Polaris Spa 2200x2200x900nm, Shell Color-Pearl Blend With Panelscolor-Coffee, Thermic Cover Color - Coffee, Stair, (6 Seater)

Structure Frame drawing of POLARIS



Jets drawing of POLARIS



- 5" direct jets: 2pcs
- 3.5" direct jets: 2 pcs
- 3.5" single rotation jets: 5pcs 2" direct jets: 31 pcs
- 2" single rotating jets: 8pcs
- O Air jets: 12pcs 1" circulation jets: 4pcs
- 2" fountain jets: 3pcs

Seat Layout



Specifications:











Heat-releasing grills: 2pcs

Filled Weight 1920 Kg

Outdoor / Indoor installation







High-density PU insulation foam on shell 25mm







Operating System Balboa



Maximum current: 38A or 24A (with interlock system)



Skirt drain valve : 1pc





Energy-saving Circulation pump 1x0.35 hp



Spa Touch Control Panel





Spa bottom

High density lockable spa cover



Hydrotherapy recliners 1

Ozone and UV Clean up Cycle







Individual seat



Variable

Insulated Panel/Cabinet











NIRWANA 2150 x 2150 x 920 (5 Seater)




WSP-SLV-SPANIRWANA

Nirvana Spa 2150 X 920mm, (5 Seater)

JETS:

3" Directional Jet	7
3" Spinning Jet	8
Air jet	10
Total Jets	25







Key features







Thermobond 4 layer shell construction







Set & forget control system









Dry weight 320kg



Filled weight 1320kg





Spa contro**ll**er sv2





Variable speed air blower 700w



Electrical requirements max 15 amps



Programmable circulation pump 250w




Variab**l**e output heater 3kW



JSP-WHT-SPABREVA5S

Breva Spa 2000x2000x900mm, Shell Color-Pearl Blend With Panel Color-Coffee, Thermic Cover Color- Coffee, Stair, (5 Seater) Structure Frame drawing of BREVA



Jets drawing of BREVA



- 3" single rotating jets: 3pcs 2.5" direct jets: 4 pcs 2" direct jets: 25pcs
- 1" direct jets: 4 pcs
- O Air jets: 12pcs 1" circulation jets: 4pcs • 2" fountain jets: 3pcs

Seat Layout



Specifications:















Outdoor / Indoor installation







Maximum current: 38A or 24A (with interlock system)

Air valve: 2pcs



Panels



Operating System Balboa



Massage water pump: 1x3HP

Fountain switch: 1pc

Bluetooth

music system













Skirt drain valve : 1pc





Energy-saving Circulation pump 1x0.35 hp





Hydrotherapy recliners 2

T.F

Spa bottom drain: 1pc









Individual seat pressure control



Ozone and UV Clean up Cycle









High density lockable spa cover



Fountain jets: 3

≋[]

Heater 3kw

MERCURY 2000 x 2000 x 920 (5 Seater)




WSP-SLV-SPA5S1990VX

Mercury Spa 2000x2000x930mm With Panels Natural Wood, Thermic Cover, Stair, (5 Seater)

JETS:

5" Single Hole Spinning Jets	4
3" Directional Jets	8
2" Spinning Jets	4
2" Directional Jets	14
Air Jets	16
Water Cascade Jet	1
Laminar Jets	2
Total	49







Key features



Thermodad



Perimeter insulation



Thermobond 4 layer shell construction



Duraflex plumbing



Uv steri**l**ising system*



Set & forget control system



825

Multi-colour



Hydrotherapy Rediners



Iluminated topside controls



Ozone fi**l**tration





Micro filteration



Foot jets



Neck therapy co**l**ar



Mou**l**ded headrests



Individual seat pressure control



Specifications







Water capacity 1000 litres



Spa contro**ll**er sv2

Programmable circulation pump

250w





Electrical requirements max 15 amps



Variab**l**e output heater 3kW





WSP-SLV-SPA3S2060VX

Neon Spa 2060x1690x820mm With Panels, Natural Wood, ,Thermic Cover, Stair, (3 Seater)


JETS:

5" Single Hole Spinning Jet	2
3" Spinning Jet	4
2" Directional Jet	10
2" Spinning Jet	18
Volcano Jet	1
Air Jet	16
Water Cascade Jet	1
Laminar Jet	2
Total	54









Key features



Thermodad cabinet



Perimeter insulation



Thermobond 4 layer shell construction



Duraflex Plumbing



Uv ster**l**ising system



Set & forget control system



Multi-colour spa light



















Steps







Spa controller sv2









Variable speed air blower 700w


NUOVO SPA 1950X1400X75 (2 Seater)




JSP-WHT-SPANUOVO2S

Nuovo Spa 1950x1400x750mm, Shell Color-Silver White Marble With Panels-Black, Thermic Cover Color- Solid Black, Stair (2 Seater)

Structure Frame drawing of NUOVO



Jets drawing of NUOVO



- 3.5" single rotating jets: 4pcs
- 2" direct jets: 30 pcs
- 1" direct jets: 4pcs
- 1" circulation jets: 3pcs O Air jets: 8pcs





Specifications:



Dry Weight 215 Kg









Ozone and UV









Micro filteration



Water Capacity 520 Litres



Maximum current: 38A or 24A (with interlock system)





Aromatherapy



Operating System Balboa



Control system: USA BALBOA (BP6013G1 + TP400)





Water diverter valve: 1pc



Clean up Cycle



Energy-saving Circulation pump 1x0.35 hp



Chromotherapy LEDlights: 17pcs





High-density PU

insulation foam on shell 25mm







Jet Pump 3 hp

00

Spa touch

panel









Hydrotherapy recliners 2



≋[]

Variable heater 3kw













High density lockable spa cover



Steps-2

AVANTE TOP 1870 x 1280 x 740 (2 Seater)




WSP-SLV-SPAAVANTE


Avante Spa Top Version 1870x1280x740mm, (2 seater)

JETS:

3" Directional Jets 8 2" Directional Jets 8 16 Total









Key features



Thermodad cabinet



Perimeter insulation



Thermobond 4 layer shell construction



Duraflex plumbing



Uv ster**l**ising system



Set & forget control system





Ozone fi**l**tration





Moulded headrests



Dual controls



Individual seat pressure control



Wifi enab**l**ed



Bluetooth music system













Electrical requirements max 15 amps

GEMINI 2100 x 1100 x 740 (2 Seater)




WSP-SLV-SPANF2001X

Gemini Spa 2100x1100x740mm, (2 Seater)

JETS:

5" Directional Jet 3" Directional Jet 4 4 3" Spinning Jet Water Cascade Jet 1 Total Jets 10







95 ... 645



Key features



Thermoclad cabinet



Perimeter insulation



Thermobond 4 layer shell construction



Duraflex plumbing



Underwater Led light



Backlit drink Holders



Chromo cascade grab bar



Uv steri**l**ising system*



Set & forget control system



Multi-colour Spa light



Hydrotherapy Recliners



Aromatherapy



Iluminated topside controls



Ozone fi**l**tration



Reinforced foot wall



Skimmer



Individual seat pressure control







Water capacity 300 litres







Variable output heater 1.3kW



Electrical requirements max 15 amps




WSP-SLV-SPAFISHER


Fisher 2 Spa 1650 X 1650 X 740 Mm (2 Seater)

JETS:

3" Directional Jet82" Directional Jet8Total Jets16







Key features







Perimeter

Steps



Thermobond 4 layer shell construction



Duraflex plumbing



Uv sterlising system



Set & forget control system



Multi-colour spa light



Ozone Itration

Specifications

Moulded headrests







Water capacity



ontro**l**ler Jet p



Jet pump(s) 2.5x1 hp



Variable output heater 3 kw



			.laqua	r Snas nr	nduct feat	ures sheet								
			Jaqua	ii opas pit	Juuct leat	ures sileet		Agua						
Product Name	Hydrozone	Gemini	Neon	Xenon	Mercury	Palladium	Aquagym Max Extreme	Aqua swim1300 top version	Fisher 2	Nirvana	Spa Avante	Spa Polaris	Spa Breva	Spa Nuovo
Size	590x230 x130 cm	210x110 x74 cm	206x169 x82 cm	230x230 x92 cm	200x200 x92 cm	352x229 x92 cm	449x231 x130 cm	450x230 x130 cm	165x165 x74 cm	215 x92 cm	187x128 x74 cm	2200x2200 x950	2000x2000 x900	195x140 x75 cm
Dry Weight Filled Weight	1382kg 9902kg	167kg 467kg	254kg 854kg	334kg 1534kg	292kg 1292kg	490kg 4090kg	1052kg 9152kg	696kg 7494kg	220kg 620kg	320kg 1320kg	179kg 779kg	420kg 1920kg	350kg 1380kg	215kg 735kg
Water Capacity	Spa 1530 Itr, Swim 7030ltr	300 litres	600 litres	1200 litres	1000 litres	3600litres	8100 litres	6800 litres	400 litres	1000 litres	600litres	1500litres	1030litres	520litres
Spa Controller	SV4 + SV2	Gecko	SV2	SV2	SV2	SV3	SV4	SV M2	SV2	SV2	SV2	Balboa	Balboa	Balboa
Programmable Circulation	250 WX2	X	250 W	250W	X	250W	X	0.35HP	0.35HP	0.35HP				
Pump Variable Speed Air Blower	700W	X	700W	700W	700W	700W	700W	X	X	700W	X	700W	700W	400W
Jet Pump(s)	2.5 hp x 4, 2.5hp x 1 or (2.5 hp x 5)	2.5 hp x 1	2.5 hp x 1	2.5x1 hp	2.5x1 hp	2.5 hp x 2	2.5 hp x 4	2.5 hp x 2	2.5 hp 2speed x 1	2.5 hp x 1	2 hp 2speed x 1	2X3hp	3hp	3hp
Variable Output Heater	6 KW max / 3 KW max	1.3 KW	3 KW	3KW	3KW	6KW	6KW	3KW	3KW max	3KW	3KW	3kw	3kw	3kw
Electrical Requirements	Max 60 amps	15 amps	15 amps	Max 15 amps	Max 15 amps	Max 40 amps	Max 45 amps	Max 32 amps	15 amps	15 amps	15 amps	38amps	15-29 amps	27A or 13amp
5" Directional Jet	2	1	Х	Х	Х	6	2	X	Х	Х	Х	2	×	×
5" Double hole spinning Jet	1	Х	Х	2	Х	Х	0	Х	Х	Х	Х	х	Х	х
5" Single Hole Spinning Jet	5	X	2	4	4	14	3	X	X	X	X	х	Х	Х
3" Directional Jet	6	4	Х	4	8	12	8	X	8	7	8	Х	Х	X
3" Spinning Jet	9	4	4	X	X	2	10	X	X	8	X	X	3	X
2" Directional Jet	14	X	10	4	14	24	24	X	8	X	8	31	25	30
2" Spinning Jet	12	X	18	8	4	8	16	X	X	X	X	X	4	4
Air Jet	16	X	16	20	16	22	14	X	X	10	X	12	12	8
Water Cascade Jet	4	1	1	1	1	1	1	X	X	X	X	X	X	X
Swim Jet		X	X 1	X	X	X	4	2	X	X	X	X	X	X
Volcano Jet Laminar Jet	X 6	X	2	X 2	2	X 4	X 4	X	X	X	X	X	X	X
Set & Forget Control System	√	√ √	√	√		J 4	√	√ √	1	√ 	√ ×	• X	• X	• X
Thermo bond 4 layer shell construction	1	1	1	1	1	J	J	1	J	1	J			
High-density PU insulation foam on shell:25mm	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	J	√	1
Reinforced Foot Wall	√	√	1	√	√	J	J	√	Х	Х	Х	•	•	•
Child Seats & Wine Cooler	X	Х	Х	√	Х	X	Х	Х	Х	X	Х	Х	Х	Х
Programmable Circulation Pump	√	1	1	√	√	1	J	√	J	1	J	√	√	√
Twin Accu-Pressure Seats	Х	X	J	Х	Х	J	Х	Х	Х	X	Х	1	2	2
Hydrotherapy Recliners	1	J	X	J	,	X	1	X	X	X	X	X	X	X
Water Spout	X	X	Х	1	X	Х	X	Х	Х	Х	Х	Х	X	Х
Dual Controllers	1	Х	Х	X	Х	Х	Х	Х	Х	Х	Х	17	28	18
Programmable Multi-Colour Spa Light	1	1	J.	J	1	J	J	J	J	J	J	•	•	•
Moulded Headrests	1	1	1	J	J	V	J	Х	J	Х	J	Х	Х	Х
Water Cascade	√	√	1	√	√	V	J	X	Х	X	Х	•	•	•
Adjustable Aromatherapy Lockable Hard Cover	1	1	J	1	J	J	J	×	×	×	X J	•	•	•
(Thermic Cover) Illuminated Topside	1	1	1	1	J	J	J	X	X	X	X	X	X	X
Controls Cup holder illumination	1	1	J	1	2	1	J	X	X	1	X	•	•	•
Individual Seat Pressure	1	X	J	1	1	1	J	X	X	X	X		•	
Controls					٧,									
Neck therapy collar	1	X J	X	X	1	√	J	X	X	X	X	•	•	•
Intelligent thermal tuning Perimeter Insulation	1	J	J	1	J	J	J	1	1	1	J	•	•	•
Duraflex plumbing	1	J	.1	1	J	1	J	1	1 1	1	1	X	X	X
Frame	√ Steel Frame	plastic	plastic	plastic	plastic	Steel	Steel	Steel	√ Timeber support	√ Timeber support	√ Timeber support	Stainless	Stainless	Stainless
Thermoclad cabinet	J	frame	frame	frame √	frame	Frame	Frame	Frame X	Frame	Frame	Frame	Steel Frame Insulated	Frame Insulated	Steel Frame Insulated
Base	FRP Base	ABS	√ ABS Base	√ ABS Base	√ ABS Base	FRP Base	FRP Base	X	ABS	ABS	√ ABS Base	skirt/panel FRP Base	skirt/panel FRP Base	skirt/panel
		Base							Base	Base				
Water fall	X	√ X	X	X	X	X	X	X	X	X	X	X	×	X
Foot jet Micro Filtration	1	Skimmer	J	1	1	1	J	X	X	X	X	•	•	
Ozone	1	J	J	1	1	1	1	1	\ \ \ \		\ \ \ \ \ \	•	•	•
UV	J	J	J	J	J	1	1	1	J	1	1	•	•	•
Clean up cycle	J	1	J	J	J	1	1	1	J	J	1	•	•	•
2.24.140 09010	V	V		V	. V	. 4	. V	V	. 4	. V	. V			
Shell Warranty	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years
Structural Warranty	10 Years	10 Years	10 Years	10 Years	10 Years	10 Years	10 Years	10 Years	10 Years	10 Years	10 Years	10 Years	10 Years	10 Years
Electrical Warranty	2 Years	2 Years	2 Years	2 Years	2 Years	2 Years	2 Years	2 Years	2 Years	2 Years	2 years	2 Years	2 Years	2 Year
Jets Warranty	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	5 years	5 Years ular feature is	5 Years	5 Years

SAUNAS

A Sauna is a bathhouse or room, usually made of wood, which uses dry heat to induce perspiration, with steam being produced by pouring water on heated stones. Perspiration or sweating is one of the main ways our bodies get rid of the traces of hundreds of toxins that accumulate inside us from pesticides, drugs and manmade chemicals. 15 minutes in a Jaquar sauna can help us sweat as much as we might otherwise do over an entire day or more. And the benefits of this aid in many medical conditions.



JSA-NAW-T16120

Jaquar Kubix Sauna 1750x1200x2100mm (2-3 Seater), Stove Heater, Wood-Hemlock, Led Light, Bluetooth, Mp3 Player (2-3 Seater)

Specifications



hemlock







Stove heater 4.5 kw with frame



2 pcs. s shape backrest




Thermometer Hygrometer






Sandglass timer









JSA-NAW-DLX9011

Solo One Infrared Sauna 900x1050x1900mm, Carbon Heater- 1750 Watt, Wood-Hemlock, Led Light, Digital Touch Panel (Single Seater)



Wood finish hemlock



Comfortable backrest



Touch control system



Combination of spectrum & black mica carbon heater1.75kw



Built-in temperature sensor





Music centre-radio usb, aux, bluetooth



Chromotherapy







SERENE 1750 x 1200 x 2100 mm (3-4 Persons)



JSA-NAW-S004175

Serene Sauna 1750x1200x2100mm (2-3 Seatrs), Stove Heater, Wood-Hemloc, Inside And Outside TouchControl, White Light With Cover, Chromo Light, Radio, Bluetooth (2-3 Seater)



Wood finish hemlock



Stove heater 4.5 kW with frame



On heater control panel



White light



Chromotherapy



Bluetooth & two Speakers




Thermometer



Hygrometer



Sandglass timer





JSA-NAW-MD3150IH

Jaquar Kaya Sauna 1500x1100x2100mm (With Infrared Heater)







On heater Chromotherapy control panel



2 pcs. s shape backrest



Mp3 player



Thermometer



Sandglass timer



783 600 783 1500

STEAM SOLUTIONS

For those seeking wellness in the comfort of their homes, Jaquar steam solutions are a great way to enjoy the benefits of humidifying water vapour from a high-quality steam generator.

MID SERIES



Steam Generators

JSG-WHT-NMID40 Steam Generator Without Digital Control Panel- 4 kW JSG-WHT-NMID60 Steam Generator Without Digital Control Panel- 6 kW JSG-WHT-NMID90 Steam Generator Without Digital Control Panel- 9 kW JSG-WHT-NMID120 Steam Generator Without Digital Control Panel- 12 kW JSG-WHT-NMID150 Steam Generator Without Digital Control Panel- 15 kW JSG-WHT-NMID180 Steam Generator Without Digital Control Panel- 18 kw JSG-WHT-NMID225 Steam Generator Without Digital Control Panel- 22.5 kw JSG-WHT-NMID240 Steam Generator Without Digital Control Panel- 24 kw



Features



Touch button display



IP67 rating for display



Temperature setting



Auto water inlet









Heating Element








Over heat protection



safety value

Note: Steam generator & control plate are sold separately.

CONTROL PLATE



JSG-WHT-CPSQUARE

Control Panel Square in white for Jaquar Steam Generator

JSG-BLK-CPSQUARE

Control Panel Square in Black for Jaquar Steam Generator

JSG-WHT-CPROUND

Control Panel Round in white for Jaquar Steam Generator

JSG-BLK-CPROUND

Control Panel Round in Black for Jaquar Steam Generator

Note: Steam generator & control plate are sold separately.


SMART VAPOUR 600 x 330 x 420 mm



JSG-BLK-PIUVAP5000ST

Smart Vapour Steam Stool, Capacity- 4.5 Kw,Black Matt With Chromotherapy Light





Features



4.5 kW Single phase connection



Press button Start



Vapour Sealed Chromotherapy



Aroma therapy



Built in seating area



Quadrilateral Design



Inspired by straight lines



Auto Drain – 20 min.



Overheat protection



SHOWER PANELS

Jaquar's Shower Panels make showering much more convenient, since they can offer all the capability of a shower stall, even in a small bathroom. Body shower jets, hand showers, a convenient shelf for your shampoo and shower gel, and of course an overhead rain shower. Easy to install, Jaquar Shower Panels are a great way to increase the functionality of your existing shower area, as they can fit neatly on to the wall via their wall bars.

CURVE NEO 1500 x 230 mm



JPL-WHT-TMCURVENEO

Curve Neo Shower Panel 1500x230 mm In White Almunium Finish

Specifications



Dual tone aluminium





Inbuilt ABS top shower with 60 nozzles



2 Moveable ABS body



Hand shower with flexible hose



Thermostatic mixer with diverter





40cm stainless steel braided hose



≋II water pressure required 2 bar









JPL-SSF-ST88158B

Selfy Shower Panel 1600x200 mm With Anti Finger Print In Stainless Steel Finish

Specifications



Anti Finger Print with stanless steel finish



40cm stainless steel



Inbuilt ABS top shower with



steel double locked flexible hoses





Chrome plated Brass Faucets body ABS hand shower with thermostat








Minimum water pressure required 2 bar



Moveable ABS body massage jets







Shower Panel Jaq Brushed Stainless



JPL-SSF-ST8896

Shinny Shower Panel 1600x200mm With Chrome Plated In Stainless Steel Finish

Specifications



Body material



chrome plated stainless steel







1.5cm stainless steel double locked flexible hoses



Movable ABS top shower

 \approx II

Minimum water pressure required 2 bar



Moveable ABS body massage jets



Brass Faucets body Multifunction water with thermostat diverter for top shower mixer waterfall, hand shower, body jets, spout



stainless steel braided hose




Chrome plated ABS hand shower




40cm











JPL-WHT-ST86113

Glassy White Shower Panel 1400x250mm With Thermostat Mixer, White Tempered Glass With Special Surface

Specifications



Body material



Tempered glass with glass special surface





Movable ABS top shower



Moveable ABS body massage jets



Brass Spout

Chrome plated ABS hand shower



Embedded shelf



40cm stainless steel braided hose



Brass faucets body Multifunction water diverter for top shower waterfall, hand shower, with thermostat mixer



1.5cm stainless steel double locked flexible hoses





body jets, spout



Minimum water pressure required 2 bar








1400

GLASSY - BLACK 1400 x 250 mm



JPL-BLK-ST86112

Glassy- Black 1400x250mm Shower Panel With Thermostat Mixer, Black Tempered Glass With Special Surface



Black Tempered Glass With Special Surface



Brass faucets body with thermostat



flexible hoses



Movable ABS



Moveable ABS body massage jets



Chrome plated



Multifunction water diverter for top shower waterfall, hand shower, body jets, spout





Brass Spout



40cm stainless steel braided hose













JPL-BLK-JA011

Black 1500X200mm Shower Panel with Thermostat mixer in black finish

Specifications



Stainless steel



Connecting Hose



3 adjustable vertical jets (Square)



Thermostat mixer with diverter









Integrated shower head (8" Square)




Flexible hoses






Minimum water pressure required 2 bar





INFINITY WHITE 1500 x 200 mm



JPL-WHT-G0843JAX

Infinity1500x200mm Shower Panel Without Thermostat Mixer in White Glass Finish



2 Jets



Hand Shower



Minimum water pressure 2 bar






Shampoo shelf



Head Shower







JPL-BLK-G0842JAX

Infinity 1500X200mm Shower Panel without Thermostat mixer in Black glass finish







Hand Shower



Minimum water pressure 2 bar






Shampoo shelf

Head Shower







JPL-SSF-ST8858B3

Project Shower Panel 1400x200 mm with Anti Finger Print In Stainless Steel Finish



Shower Panel



Anti Finger Print with stanless Minimum water pressure 2 bar steel finish















50 nozzles



Moveable ABS body massage



Chrome plate Brass Faucets body
ABS Hand Shower with thermostat mixer



40cm stainless steel braided hose







steel double locked flexible hoses



Minimum water pressure required 2 bar









JPL-SSF-SPMYHOMEP

My Home Shower Panel Project 1450x175mm Without Thermostat Mixer With Stainless Steel Mirror Finish

JPL-SSF-SPMYHOMEGB

My Home with Flow Restrictor 8.0 LPM At 3 Bar Pressure, Wall Mounted

Specifications



Material Stainless steel Grade: 304



Single Lever Diverter



Hand Shower









Mirror finish SS body

Movable overhead Shower







											-
Flow Rates	0.5Bar	1.0Bar	1.5Bar	2.0Bar	2.5Bar	3.0Bar	3.5Bar	4.0Bar	4.5Bar	5.0Bar	5.5Bar
My Home Shower Panel (Spout Flow Rate in Ltr/Min)	9.35	13.04	16.05	18.57	20.74	22.79	24.65	26.34	28.04	29.61	31.05
My Home Shower Panel (Shower Flow Rate in Ltr/Min)	5.42	8.03	10.03	11.68	13.16	14.44	15.68	16.81	17.83	18.87	19.77

WATER HEATERS

Gas | Electric | Instant



Why Jaquar Water Heaters

Water heaters that gives you more.

To ensure that they are worthy of the trust that is placed by customers in every Jaquar product, a whole range of safety, longevity and energy efficient features have been built in to these water heaters:

1) MORE SAFETY

- Double Safety Thermostat dual overheating control mechanism cuts off power automatically even if primary cut off fails
- Multi-function Safety Valve discharges water and acts as a non-return valve if pressure or temperature exceed preset limits







Multi Function Safety Valve

Double Safety Thermostat

/ Earth Leakage Circuit Breaker

2) MORE LIFE

- Superior Quality Glass-lined Inner Tank prevents rust, corrosion and prolongs the life of the inner tank
- Single/Dual Glass-coated Incoloy Heating Elements made of high quality steel for quicker heating and to prevent scale formation



High Quality
Glass Lined Heating Element

3) MORE SAVINGS

- High Density Insulation CFC-free PUF insulation, with added thickness to minimise heat loss and maximise energy savings
- Cathodic Protection a sacrificial Magnesium Anode protects and saves the tank from electrochemical reactions during water heating





Energy Saving High Density PUF Insulation

Cathodic Protection

4) ATTRACTIVE DIGITAL FEATURES

- Cordless Remote: Wireless remote control for operational ease
- Full Digital Display
- On/Off Timer
- Clock Temperature Setting





Remote

Digital Controls and Display

*Available in Erica (Digital) 15/25L,

5) TRUST OF JAQUAR

 Quality sets Jaquar apart. The high standards of our products have cemented our reputation as the most valued premium brand in the bathing industry

6) UNMATCHED CUSTOMER SERVICE

Jaquar Water Heaters come with a warranty along with service back-up. Jaquar also
offers a Preventive Maintenance Service for hassle-free bathrooms

How to select your water heater on the basis of capacity

INSTANT GAS

Capacity (in litres)	
Model	6
Insta Gas (LPG)	\checkmark

ELECTRIC

Capacity (in litres)																	
Model	1	3	6	10	15	20	25	30	40	50	60	80	100	200	300	400	500
Insta	$\sqrt{}$	$\sqrt{}$	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Elena (Manual)	-	-	\checkmark	\checkmark	\checkmark	-	$\sqrt{}$	-	-	-	-	-	-	-	-	-	-
Erica (Manual)	-	-	\checkmark	$\sqrt{}$	\checkmark	-	$\sqrt{}$	-	-	-	-	-	-	-	-	-	-
Erica (Digital)	-	-	-	-	\checkmark	-	$\sqrt{}$	-	-	-	-	-	-	-	-	-	-
Elena Prime	-	-	\checkmark	\checkmark	\checkmark	-	$\sqrt{}$	-	-	-	-	-	-	-	-	-	-
Meta (Manual)	-	-	$\sqrt{}$	$\sqrt{}$	$\sqrt{}$	-	$\sqrt{}$	-	-	-	-	-	-	-	-	-	-
Elena Horizontal	-	-	-	-	\checkmark	-	$\sqrt{}$	-	-	-	-	-	-	-	-	-	-
Verna (Floor Mounted)	-	-	-	-	-	-	-	-	-	-	-	-	-	$\sqrt{}$	$\sqrt{}$	$\sqrt{}$	$\sqrt{}$
Versa Vertical (VME)	-	-	-	-	-	-	-	$\sqrt{}$	-	$\sqrt{}$	-	$\sqrt{}$	$\sqrt{}$	-	-	-	-
Versa Horizontal (VME)	-	-	-	-	-	-	-	$\sqrt{}$	-	$\sqrt{}$	-	\checkmark	$\sqrt{}$	-	-	-	-

Choose the right water heater for your needs:

INSTA GAS	INSTA ELECTRIC	ELENA(Vertical /Horizontal) ELENA PRIME/ ERICA, META	ERICA DIGITAL		del)	VERNA FLOOR MOUNTING		
6	1 & 3	6,10,15 & 25	15 & 25	40	60	80	100	200, 300 400 & 500
WALL	WALL MOUNTED	WALL MOUNTED	WALL	WALL	WALL	WALL	WALL	FLOOR MOUNTED
BUCKET BATH/ KITCHEN	BUCKET BATH/ KITCHEN	BUCKET BATH/ KITCHEN	SHOWER	SHOWER	SHOWER PANELS	BATHTUB	WHIRLPOOL	WHIRLPOOL/ SPA
SMALL FAMILY	SMALL FAMILY	SMALL FAMILY	SMALL FAMILY	LARGE FAMILY	LARGE FAMILY	LARGE FAMILY	LARGE FAMILY	LARGE FAMILY/ MULTIPLE BATHROOMS
NO REMOTE	NO REMOTE	NO REMOTE	CORDLESS	NO REMOTE	NO REMOTE	NO REMOTE	NO REMOTE	NO REMOTE

INSTANT ELECTRIC I

Available in 1/3 litres

Instant Electric Water Heater With 3 kW/4.5 kW Heating Element, 1/3 Litre Capacity Vertical Installation

Product Specifications

Details		Instant					
Volume (L)		1/3					
Rated Wattage		3/4.5 kW	/				
Voltage / Frequency (V/Hz)		230V/50Hz					
Temperature Range		25°C to 75°C					
Working Pressure (Mpa)		6.5 Bar					
Inlet / Outlet Connection (Inch)			1/2				
Inner Container Material		Stainless	Steel				
Warranty		5 Years	on Tank				
		2 Years	on Heat	ing Element			
		2 Years	on Othe	r Parts			
Product Dimensions (in mm)	Code		W	Н	D		
	INS-WHT-3KW01	1 Litre	200	330	150		
	INS-WHT-3KW03	3 Litres	230	370	200		
	INS-WHT-4.5KW01	1 Litre	200	330	150		
	INS-WHT-4.5KW03	3 Litres	230	370	200		



(With Euro Plug)


Available in 1/3 litres


Instant Electric Water Heater With 3 kW/4.5 kW Heating Element, Euro Plug 1/3 Litre Capacity Vertical Installation

Product Specifications

Details		Instant				
Volume (L)		1/3				
Rated Wattage		3/4.5 kW	/			
Voltage / Frequency (V/Hz)		230V/50Hz				
Temperature Range		25°C to 75°C				
Working Pressure (Mpa)		6.5 Bar				
Inlet / Outlet Connection (Inch)	1/2					
Inner Container Material		Stainless	Steel			
Warranty		5 Years	on Tank			
		2 Years	on Heati	ng Element		
		2 Years	on Other	r Parts		
Product Dimensions (in mm)	Code		W	Н	D	
	INS-WHT-E3KW01	1 Litre	200	330	150	
	INS-WHT-E3KW03	3 Litres	230	370	200	
	INS-WHT-E4.5KW01	1 Litre	200	330	150	
	INS-WHT-E4.5KW03	3 Litres	230	370	200	







Recommended for: Kitchen / Bucket Baths

INSTANT GAS

Available in 6 litres


Instant Gas Water Heater With 1.2 Kg Heat Exchanger 6 Litre Capacity Vertical Installation

Product Specifications

Details		Instant G	as			
Volume (L)		06				
Rated Gas Supply Pressure (Pa)		LPG - 28	00			
Working Pressure (Mpa)		0.01-1				
Thermal Load (Heat Input-kW)		12kW				
Warranty		2 Year on Burner 1 Year on other cemponents				
Product Dimensions (in mm)	Code		W	Н	D	
	ING-WHT-LPG006	06 Litres	300	440	120	

Recommended for Kitchen & Bucket Bath





ELENA VERTICAL

(Manual)


Available in 6/10/15/25 litres

Elena Manual Storage Water Heater 6/10/15/25 Litre Capacity Vertical Installation

Product Specifications

Details		Elena Vertical (Manual)					
Volume (L)		6/10/15/2	25				
Rated Wattage		2kW					
Voltage / Frequency (V/Hz)		230V/50H	Hz				
Temperature Range	25°C to 7	75°C					
Working Pressure (Mpa)	0.8						
Inlet / Outlet Connection (Inch)	1/2						
Warranty		7 Years o	n Tank				
		4 Years o	n Heati	ng Elem	nent		
		2 Years o	n Othe	r Parts			
Product Dimensions (in mm)	Code		W	Н	D		
	ELM-WHT-V006 ELM-WHT-V010 ELM-WHT-V025	15 Litres	385	288 328 385 448	260 295 305 345		





ELENA PRIME (Manual)


Available in 6/10/15/25 litres


Elena Prime Storage Water Heater 6/10/15/25 Litre Capacity Vertical Installation

Product Specifications

-						
Details		Elena Pri	me (Ma	anual)		
Volume (L)		6/10/15/2	25			
Rated Wattage		2 kW				
Voltage / Frequency (V/Hz)		230V/50H	łz			
Temperature Range		25°C to 75°C				
Working Pressure (Mpa)		0.8				
Inlet / Outlet Connection (Inch)	1/2					
Warranty		7 Years on Tank				
		4 Years or	n Heatin	ig Elemer	nt	
		2 Years or	n Other	Parts		
		2 Years or	n Other	Parts		Ļ
Product Dimensions (in mm)	Code		W	Н	D	ľ
	EPM-WHT-V006	6 Litre	316	316	273	
	EPM-WHT-V010	10 Litres	366	366	285	
	EPM-WHT-V015	15 Litres	402	402	312	
	EPM-WHT-V025	25 Litres	452	452	369	







Recommended for: Kitchen / Bucket Baths / Overhead Showers


Available in 6/10/15/25 litres
Erica Manual Storage Water Heater 6/10/15/25 Litre Capacity Vertical Installation


Product Specifications

Details		Erica Ve	rtical (I	Manual)		
Volume (L)		6/10/15/2	25				
Rated Wattage		2 kW					
Voltage / Frequency (V/Hz)		230V/50Hz					
Temperature Range	25°C to 75°C						
Working Pressure (Mpa)	0.8						
Inlet / Outlet Connection (Inch)	1/2						
Warranty	7 Years o	n Tank					
				ng Elen	nent		
		2 Years o	n Other	Parts			
		2 Years o	n Other	Parts			
Product Dimensions (in mm)	Code		W	Н	D		
	ERM-WHT-V006	6 Litre	300	300	285		
	ERM-WHT-V010	10 Litres	340	340	328		
	ERM-WHT-V015	15 Litres	410	410	336		
	ERM-WHT-V025	25 Litres	470	470	375		

ERICA VERTICAL (Manual)







Recommended for: Kitchen / Bucket Baths / Overhead Showers

ELENA MANUAL - HORIZONTAL

Available in 15/25 litres


Elena Manual Storage Water Heater 15/25 Litre Capacity Horizontal Installation

also available in with intlet and outlet on left hand side

Product Specifications

1 Todact Opcomeat	10110					
Details		Elena Pri	me (Ma	nual)		
Volume (L)		15/25				
Rated Wattage		2 kW				
Voltage / Frequency (V/Hz)		230V/50Hz				
Temperature Range	25°C to 7	25°C to 75°C				
Working Pressure (Mpa)	0.8					
Inlet / Outlet Connection (In	1/2					
Warranty		7 Years on Tank				
		4 Years on Heating Element				
		2 Years on Other Parts				
Product Dimensions (in mr Outlet right hand side	n) Code		W	Н		
	ELM-WHT-H015	15 Litre	510	320		
	ELM-WHT-H025	25 Litres	715	320		
Product Dimensions (in mr Outlet left hand side	n) Code		W	Н		
	ELM-WHT-LHS015	15 Litre	510	320		
	ELM-WHT-LHS025	25 Litres	715	320		





Recommended for: Kitchen / Bucket Baths / Overhead Showers Available with inlet/outlet on left hand side (LHS) and right hand side (RHS), ideal for installation above false ceilings.

ERICA VERTICAL (Digital)


Available in 15/25 litres


Erica Digital Storage Water Heater 15/25 Litre Capacity Vertical Installation

Product Specifications

Details		Erica Vertical (Digital)								
Volume (L)		15/25								
Rated Wattage		1/2/3 kW								
Voltage / Frequency (V/Hz)	230V/50Hz									
Temperature Range	emperature Range 25°C to									
Working Pressure (Mpa)	king Pressure (Mpa)				0.8					
Inlet / Outlet Connection (Inch)	1/2									
Warranty		7 Years o	n Tank							
		4 Years o	n Heati	ng Elem	nent					
		2 Years o	n Othe	r Parts						
Product Dimensions (in mm)	Code		W	Н	D					
	ERD-WHT-V015 ERD-WHT-V025				334 371					







VERSA MANUAL - HORIZONTAL (VME)


Available in 30/50/80/100 litres

Versa Manual Storage Water Heater With G Type Plug & Euro Plug 30/50/80/100 Litre Capacity Horizontal Installation

Product Specifications

Details			Versa Manua Horizotal	al - E	
Volume (L)			30/50/80/100)	
Rated Wattage			1.5 kW		
Voltage / Frequency	(V/Hz)		230V/50Hz		
Temperature Range			30°C to 75°C		
Working Pressure (M	Ира)		0.8		
Inlet / Outlet Conne	ction (Inch)		1/2		
Warranty			7 Years on Ta	nk	
			4 Years on He	eating E	lement
			2 Years on Ot	her Par	ts
Product Dimensions	s (in mm)	Code		Н	W
	VME-WHT-H03	BO / VME-WHT-EHOG	30 Litres	350	625
	VME-WHT-H05	50 / VME-WHT-EH05	50 50 Litres	390	773
		BO / VME-WHT-EHOS		460	846
	VIVIE-VVH I-H1(00 / VME-WHT-EH10	00 100 Litres	460	996





Recommended for: Overhead Shower / Shower Panels / Bathtubs

VERSA MANUAL - VERTICAL (VME)

Available in 30/50/80/100 litres

Versa Manual Storage Water Heater With G Type Plug & Euro Plug 30/50/80/100 Litre Capacity Vertical Installation

Product Specifications

Details	Versa Manual - E Vertical
Volume (L)	30/50/80/100
Rated Wattage	1.5 kW
Voltage / Frequency (V/Hz)	230V/50Hz
Temperature Range	30°C to 75°C
Working Pressure (Mpa)	0.8
Inlet / Outlet Connection (Inch)	1/2
Warranty	7 Years on Tank
	4 Years on Heating Element
	2 Years on Other Parts
Product Dimensions (in mm) Code	W H
VME-WHT-V030 / VME-WHT-	-EV030 30 Litres 350 575
VME-WHT-V050 / VME-WHT-	-EV050 50 Litres 390 721
VME-WHT-V080 / VME-WHT-	-EV080 80 Litres 460 749
VME-WHT-V100 / VME-WHT-	-EV100 100 Litres 460 889



META STORAGE WATER HEATER VERTICAL (Manual)

Available in 6/10/15/25 litres

Meta Manual Storage Water Heater 6/10/15/25 Litre Capacity Vertical Installation

Product Specifications

Details		Verna Floor Mounted (Manual)				
Volume (L)		6/10/15/25				
Rated Wattage		2Kw				
		500L - 3	.00 k\	N x 2		
Voltage / Frequency (V/Hz)		230V/50	Hz			
Temperature Range		25°C to 75°C				
Working Pressure (Mpa)		0.8				
Inlet / Outlet Connection (Inc	h)	1/2" 12.7mm				
Warranty		7 Years o	on Tar	nk		
		4 Years o	on He	ating E	Element	
		2 Years o	on Oth	ner Pa	rts	
Product Dimensions (in mm)	Code		L	W	Н	
	MET-WHT-PV006	6 Litres	400	270	290	
	MET-WHT-PV010	10 Litres	495	270	290	
	MET-WHT-PV015	15 Litres	495	320	340	
	MET-WHT-PV025	25 Litres	560	370	390	



Recommended as the Centralised Heating Solution for Multiple Bathrooms


VERNA FLOOR MOUNTING (Manual)

Available in 200/300/400/500 litres

Verna Manual Storage Water Heater 200/300/400/500 Litre Capacity Floor Mounted Installation

Product Specifications

Details		Verna Floo (Manual)	or Mour	nted
Volume (L)		200/300/40	00/500	
Rated Wattage		200/300/40	00L - 2.	5 kW x 2
		500L - 3.00) kW x 2	2
Voltage / Frequency (V/Hz)		230V/50Hz		
Temperature Range		35°C to 75°	°C	
Working Pressure (Mpa)		1.0		
Inlet / Outlet Connection (Inch)		3/4		
Warranty		3 Years on	Tank	
		3 Years on	Heating	Element
		3 Years on	Other P	arts
Product Dimensions (in mm)	Code		W	Н
	VRN-GRY-200	200 Litres	540	1575
	VRN-GRY-300	300 Litres	650	1600
	VRN-GRY-400	400 Litres	710	1650
	VRN-GRY-500	500 Litres	710	1999



Recommended as the Centralised Heating Solution for Multiple Bathrooms



WASHROOM ACCESSORIES





WASHROOM ACCESSORIES

Jaquar's high-performance washroom accessories are specially designed for use in premium public facilities.

- Created in technical collaboration with the world-renowned Mediclinics, Spain
- The range includes state-of-the-art Hand Dryers, Soap Dispensers and Paper Towel Dispensers, among others

Quick Guide







Medium traffic



High



Electrical protection



Low electricity consumption eco-efficient hand dryer



Value for money



Vandal-proof



Lock with key



Nuts and bolts included



Biocote



ADA standard



UNE standard




Units per box

WASHROOM ACCESSORIES I

Hand Dryer






HDR-SLV-AK2030

Nuovo dualflow touch-free infrared hand dryer with intelligent LED display, 1850W rated power, DC brushless motor & double HEPA filter





HDR-SSF-AK2803D

Bolt touch-free infrared hand dryer with 1150W rated power & carbon brush motor

Soap Dispenser - Push Button














HDR-SSF-AK2807


Flash touch-free infrared hand dryer with 1150W rated power & carbon brush motor

SDR-WHT-DJ0010F

Soap Dispenser - Push Button, Capacity: 0.8L, Material: ABS, Finish: White / Smoked

Soap Dispenser - Automatic





SDR-BLC-DJ0160AS


Soap Dispenser - Automatic,

Capacity: 0.8L, Material: Aluminium / ABS, Finish: Chrome / Black

Paper Towel Dispenser - Towels with c/z Folds - Wall Mounted








PTD-SAP-DT0106CS

Paper Towel Dispensers Towels With C /Z Folds - Wall Mounted, Capacity: 400-600 C / Z towels, Material: AISI 304 Stainless Steel,

Finish: Satin


ACCESSORIES (FOR DISABLED-FRIENDLY BATHROOMS)

Stainless Steel



WAC-SAP-BR0600CS


Grab Bar 692mm Long, Satin



WAC-SAP-BG0800CS


Grab Bar Vertical Swing, Satin

White Epoxy




WAC-WHT-BR0600

Grab Bar 692mm Long




Black Matt



WAC-BLM-BR0600

Grab Bar 692mm Long



WAC-BLM-BG0800

Grab Bar Vertical Swing

Grab Bar Vertical Swing

Jaquar has an ongoing policy of design, development and improvement and thus reserves the right to modify specification and prices without any prior notice.





Glossary

Adjustable Exposed Shower Pipe: An attachment to the exposed shower mixer which allows the showerhead to be adjusted to different heights.

Aerator: A device located in the faucet spout that mixes air with water. It is made by using a restrictor that limits the flow of water while increasing water pressure.

Angle Stop: The shut-off valve between the water pipes and the faucet. The inlet connects to the water supply pipe in the wall and it angles up 90 degrees to the faucet.

Anti-Scald: A valve which monitors the temperature of water coming out to minimise the risk of scalding.

Basin Mixer: A basin tap that will mix hot and cold water and deliver it through a single spout.

Bath Filler: Like a basin mixer, a bath filler will mix hot and cold water and deliver it through a single spout.

Bath Shower Mixer: A bath tap fixture which incorporates a shower attachment.

Bath Tub Spout: An output device through which water flows to fill a tub. A valve controls the flow.

 $\mbox{\sc Bib}$ Tap: A tap with a nozzle that is bent downward and supplied with water through a horizontal inlet.

Bidet: A low height washbasin, specially designed for washing certain parts of the body for personal hygiene.

Body Shower: A mini-shower head that delivers water from a vertical position in the shower. It often targets specific areas of the body and offers a precise therapeutic and invigorating massage.

Cartridge: A part of the valve that controls the On/Off function and allows water to flow.

Central Hole Basin Mixer: A one-piece fitting with two handles. Hot and cold water are mixed and delivered through a single spout.

Ceramic Disc: Two pieces of ceramic within the valve that open and close to allow control over flow volume.

Chromotherapy: A system of directing light sequences on or around the body to promote relaxation.

Cistern: The ceramic or plastic vessel that stores the water necessary for flushing a toilet.

Click-Clack Waste: A fitted alternative to a plug that you touch and click to drain the water

In-wall Cistern: A cistern that is hidden from view behind a false wall.

In-wall Shower Mixer: A shower control hidden within a finished wall, with only the operating lever and wall flange visible.

Couple Closet: A style of toilet where the cistern attaches directly to the pan.

Deck/Table Mounted Tap: A tap that sits on the rim of a washbasin or bath (as opposed to being wall mounted).

Diverter Valve: A valve designed to direct, or redirect, mixed water to a specific location.

Diverter: A shower control that will 'divert' the water flow to an additional hand shower or to an over head shower from a bath and shower mixer/diverter.

3-Inlet Diverter: Used where a customer has 3 pipelines installed in the bathroom: Hot (Geyser), Cold (Overhead Tank) and Fresh (direct from Municipal Corporation/Submersible).

Dual-Flush: A cistern that offers two flushing strengths - a full-volume flush or a half-volume flush to save water.

Electronic Flush: A hands-free, hygienic and water saving flush that's perfect for both public and private installations. It uses a beam of infrared light to switch on and switch off the water flow.

Face/Spray Plate: A plate with holes or slots through which water passes to form a spray with separate, definable jets or water droplets.

Fixed Head Shower: A shower head that is fixed to the wall with in-wall pipe work.

Fixture: Anything that accepts or discharges water or wastewater: faucets, sinks, toilets, tubs.

Flange: Non-threaded piece that goes over the pipe coming out of the wall and covers the hole in the wall.

Flow Rate: Measurement of water flow through a plumbing system in gallons per minutes (GPM) or gallons per hour (GPH).

Flush Valve: The valve located at the bottom of a gravity operated toilet flush tank that opens when the trip lever is actuated and closes when the tank has drained to the desired level. It usually contains an overflow tube as well.

Gasket: A flat piece of fibre or rubber used to provide a watertight seal between metal joints.

Grav Water: Wastewater from fixtures other than toilets.

Hand Shower: A detachable shower head with an integral handle and a flexible hose that allows the water spray to be directed onto any part of the body by hand.

Handle: The trim piece on the faucet that turns the stem on the cartridge. Hi-flow Diverter: It delivers a high-flow rate to quickly fill your bath. Ideal for use on the top floor of buildings where there's less water pressure.

Hard Water: Natural water containing impurities in various proportions. Traditional hardness is a measure of calcium, minerals or dissolved solids in a solution, measured in parts per million. Hard water generally ranges from 100 to 250 ppm.

Mono Block: A toilet in which the tank and bowl are manufactured as a single vitreous china fixture. Typically, Mono Block toilets have a lower profile than Couple Closet toilets.

O-Ring: A rubber washer that is round instead of flat. Used in valve stems to create a watertight seal.

Overhead Shower: Shower outlets which direct water onto the user from above the head

Pillar Tap: A tap which does not allow for temperature regulation by the user. Pillar taps are supplied with water through a vertical inlet.

Pop-up Waste: An alternative to traditional plugs, a pop-up waste comprises of a stopper connected by levers to a control knob on the tap. When the knob is pushed down the stopper is lifted to allow water to drain away. When the knob is pulled up the stopper seals the plug hole.

PVC: Acronym for Polyvinyl-Chloride. Usually refers to a rigid white plastic pipe made of this material, used for bathroom drain, waste and vent pipes.

Quarter Turn Taps: Taps which can be turned fully on or off by turning the handle through just 90 degrees. Ceramic discs inside the tap allow extreme controllability of water flow rate, provide a smooth, quiet action and great resistance to wear.

Reducer: A fitting that allows pipes of different sizes to be joined together. Relief Valve: A valve that opens to relieve excess temperature and/or pressure in the system.

Scale: A thin coating or layer, usually of calcium, on the bottom of a tank or interior parts that may prevent heat transfer.

Sediment: The substance that settles at the bottom of a water tank.

Shower Arm: A component which supports a shower head and connects it to the water supply.

Shower Hose: A flexible pipe that connects the shower head and the shower control.

Shower Mixer: A shower that mixes hot and cold water and supplies it together to achieve the required temperature.

Shower Outlet: A fixture which allows water to be emitted in the form of iets or water droplets.

Single Lever: Taps which incorporate the opening, closing and mixing of hot and cold water with one lever. Move the lever up to open the tap and down to close. To alter the water temperature, the lever is moved from left to right or vice versa.

Slide Rail: A vertical rail to allow height adjustment of a shower head. Soft Water: Water that has been treated so that it has low mineral content. Stop Cock: A simple, hand operated tap that turns the water flow off

Tap: Tap is synonymous with faucet. Tap also refers to the divergence of water from one fitting to another.

Tall Boy: A single lever basin mixer with a higher spout. Used for countertop basins where the faucet is not installed directly on the ceramics, but on the vanity (or a separate shelf). The shaft must be longer for the water to flow into the basin at a comfortable distance, and it is significantly higher than the rim of the basin.

Thermostatic: Mixer taps that automatically maintain a constant temperature irrespective of the variations in the water pressure and the temperature of the hot and cold water supply. They have a cartridge or thermostatic element, a control for selecting the temperature and feature a safety stop that prevents scalding.

Thermostatic Bath & Shower Mixer: Gives precise and regulated control of the water temperature as well as flow. Sudden temperature changes are prevented, making the bath and shower experience consistent and enjoyable at all times.

Three Hole Mixer Tap: A faucet fixture with separate hot and cold water handles to blend water through a third central spout.

Three-Handle: Three-handle faucets also use separate handles for hot and cold water, but have an additional handle to divert the water from bath spout to shower head.

Trap: A curved section of drain that traps a small portion of water to prevent sewer gases from escaping into the bathroom. "P" traps and "S" traps are the types of traps most co mmonly found in bathrooms.

Two-Handle: Two-handle faucets feature separate handles to control hot and cold water temperature.

Urinal: A plumbing fixture only for receiving liquid body waste (urine) which is then conveyed through a trap seal into a gravity drainage system.

Vacuum Breaker: A device that prevents the backward flow of contaminated water into clean water supply.

Valve: A device that regulates the flow, water temperature and/or volume of water.

Wall Bracket/Handset Holder: A device for holding a shower handset at a fixed height position such that the hands of the user are free. It also allows angular movement which enables the water spray trajectory to be adjusted.

Wall Hung: The toilet cistern is in-wall, behind a wall or inside bathroom furniture and the pan protrudes from the wall, above the floor. Basins and bidets can also be wall hung. The height can be fixed to suit the comfort of users.

Wall Mount Tap: Used with washbasins or baths which have no tap holes. The handle and spout protrude from the wall above the basin or bath and the pipework is hidden behind the wall.

Wall Mixture: Exposed wall mounted mixer that can divert water to either the spout or the shower head.

Wall Mixture Non-Telephonic: Exposed wall mounted mixer that can deliver water through spout only.

Wall Mixture 3-in-1: Exposed wall mounted mixer that can divert water to three different outputs- spout, overhead shower and hand shower.

Water Closet: A plumbing fixture that has a receptacle with water to receive liquid and solid body waste. Upon actuation (flushing), it discharges the waste through a trapway into a gravity drainage system.

Warranty Information



Warranty Description	Product Category	Name of the Jaquar Products or Parts				Warranty - In	Years
The products are warranted against any manufacturing defect specified under the warranty period subject to terms and conditions specified in this warranty certification.	Faucets	Faucet, Accessory (Only Metal Parts) & Braided Hose Sensor Faucet Electronic/Electrical assembly for Sensor Faucet Showertronic Faucets with color finish only			10 5 5 5 5		
	Flushing Systems	Flush Valve Concealed Cistern - Body & Working Mechanism Wall Hung Cistern Sensor based Flushing System - Body, Electronic / Electrical Assembly				10 7 2	
	Sanitary Ware	Ceramic Body Mechanical Parts UF Seat Cover PP Seat Cover				10 2 5 2	
	Wellness Electrical & electronic parts in all products Free standing tub, bath tub, Whirlpool, SPA, Steam Cabin, Sauna, Shower Panel: parts other than electrical & electronics parts SPA - shell Steam generator Fitter & other consumables		am	2 5 10 2 Niil			
	Washroom Accessories	Hand Dryer, Soap Dispenser, Paper Towel Dispenser		enser	2		
	Product Category	Brand & Product		Warrar	anty - In Years		
			Tank	Heat Elem		Other spare part	Compressor & sealed system
	Hot Water Solution	Jaquar - Instant	5	2	2	2	NA
		Jaquar - Storage upto 100L	7	4	ļ.	2	NA
		Jaquar - Storage above 100L	3	3	3	3	NA
		Jaquar - Tank Less	NA	3	3	1	NA
		Jaquar - Heat pump	4	2	2	1	2
		Jaquar - Gas geyser	1	N	A	1	NA
		Essco - Instant & storage upto 100L	5	2	2	2	NA

Our warranty does not cover certain product consumables like batteries or fragile items like glass

MAINTENANCE GUIDELINES FOR JAQUAR PRODUCT

Kindly follow the guidelines mentioned below to give you the best results and to maintain the finishes and longevity of the product.

- Clean the product with water-soaked soft towel or bathing soap solution once in a day or two to keep the plated surface clean and free from any deposits.
- Don't use any type of cleaning/detergent agents which contain acids or chemicals such as flush cleaner, tile cleaner etc.
- Don't use salt or vinegar-based cleaning agents to remove scale or scale-related stains. They may damage the surface or finish of products.
- Special color combination products should not be rubbed by Emery paper/cleaning powder. This can cause abrasion.

You need to protect your product from:

- 1. **Water Scaling:** Due to presence of minerals and salt in water, scaling is formed on the product if it is not cleaned regularly. The products should be cleaned gently at regular intervals. Also, take extra care to clean the edges and corners of the products because these areas are more vulnerable for scale settling. Clean the aerators from time to time for a perfect foam flow of water from the fittings. The property of water being used is very important for your plumbing installations (Pipes etc.), as well as for your own hygiene. The hardness of water should not exceed 300 400ppm.
- 2. Acid Fumes: When we clean the tiles or floors in the bathroom with cleaning agents which contain acids or chemicals, acid fumes are formed. Because the basic material used in the products is brass, brass being an alloy of copper reacts with these acid fumes. With this reaction, a green colour layer is formed on the products resulting in damage to the outer finish or coating.
- 3. Scratching while cleaning: Scratching or scrubbing occurs due to hard nature of cloth or coarse cleaning powder being used for cleaning. Use a gentle fluffy soft cloth for cleaning the surface.
- 4. **Atmospheric conditions:** This condition applies mostly to salt content in the air in coastal areas, sometime the air reacts with brass and black spots emerge on the surface of product. Therefore, the product is required to be cleaned regularly. At the time of installation of these products, cover the products with the cloth covers provided in packaging or with polythene till the time you actually start using them.

CARE AND CLEANING GUIDELINES FOR SANITARYWARE PRODUCTS

Vitreous china sanitaryware products are fragile in nature and need to be handled with care (to avoid personal injury) at all times during its storage, handling, installation and

use thereafter

- > The wash basin and water closet are heavy and it is recommended that two persons hold it while it is being fixed.
- > Carefully inspect the new product for damage before installation.
- > Risk of product damage. Over tightening may cause breakage or chipping of vitreous china.
- > Risk of external leakage. Do not lift or rock the bowl after placement.
- · Always test product cleaning solution on an inconspicuous area on the product before applying it to the entire surface.
- Do not allow cleaners to sit or soak on the product.
- Use a soft, dampened sponge or cloth to clean. Never use abrasive material like a bristle brush or scouring pad.
- Wipe surfaces clean and rinse completely with water immediately after applying cleaners.

WARRANTY TERMS & CONDITIONS:

- 1. Warranty is offered by Jaquar & Company Pvt. Ltd (hereinafter referred as company) as warranty on all its products as per warranty period ONSITE. The warranty period varies from product to product. Kindly refer Warranty Certificate for details.
- The foregoing warranty constitutes Jaquar's sole warranty and Jaquar gives no warranty, express or implied, including warranties of fitness for a particular purpose
 and warranties of merchantability and there are no warranties which extend to use of the company's Products for the purposes beyond description and further
 company neither assumes nor makes nor authorizes any person to make representation that the product is of any particular quality or standard or is suitable for
 any particular purpose.
- 3. This warranty shall be governed by the laws of the land wherein the sale of the product is affected. The Courts within whose territorial jurisdiction such sale is affected shall have the exclusive jurisdiction to entertain any dispute regarding or arising out of this warranty and/ or the sale of this product. Any claim of defect or replacement or any other complaint under this Limited Warranty Certificate shall be made to such Official Distributor/ Dealer Provider of the Company in the Country where the sale is finalised. The warranty for this product shall be valid only if the product has been purchased through an Official Distributor/ Dealer.
- 4. This original certificate must be preserved by the customer and produced whenever required.
- 5. During the warranty period and under normal use, if the product / component / part is found to be of faulty due to manufacturing defect, the same will be repaired or replaced upon production of this warranty certificate, without charges either for part or labor or both, the decision of company official will be final for fault qualifies for warranty.
- 6. Warranty remains applicable only if the products have at all times been used strictly in accordance with the terms of this warranty and has not been improperly or negligently handled and is not maintained in accordance to maintenance guidelines given.
- 7. In the event of non-availability of components or parts due to any reason whatsoever Company or its Authorized Service provider or the Dealer will not be responsible or liable for any delay that may be caused to service/repair of the Products; no claims financial or otherwise will be entertained.
- 8. Warranty on Wellness Products against defects in material or workmanship as follows: Company will repair at no charge for parts only or, at its option, replace any product or part which proves defective because of improper workmanship and/ or material, under normal installation, use, service and maintenance.
- 9. Company and customer agree that company will not be liable for any damages whatsoever arising out of use or inability to use its Company's Products. Jaquar bears no responsibility for incidental or consequential damages arising out of use or inability to use Company Product.
- 10. Company and customer agree that Company shall have no liability for any cargo loss, loss of use or any incidental or consequential damages arising out of this order which are alleged to have been caused by any of the goods delivered hereunder.
- 11. By purchasing this product, customer agrees to Company's aforesaid warranty on the product.
- 12. Company neither assumes nor authorizes any person to assume for us any other obligation or liability in connection with sale of this product.
- 13. Under no circumstances shall Jaquar be responsible for any incidental or consequential or any other damage or cost or expense, including but not limited to loss of profit or removal, transportation, handling or re-fixing costs and expenses.
- 14. Customer and Company agree that customer's sole remedy for any defects in goods hereunder shall be limited to the repair or replacement at the Company's option within warranty period after delivery of such goods to the first purchaser, of any defective goods, of which notice of defects is given by the Customer to the Company in accordance with terms of this warranty certificate. The part/product against replaced part/product will be property of Company.
- 15. Company Shall not be liable to Customer claiming the warranty under the terms of condition of this Limited Warranty Certificate, due to defects caused by rodents/pets or in the events of force majeure. The Force Majeure means any disaster, act of God or the public enemy, any accident, explosion, fire, storm, earthquake, electric storms, tornado, flood, casualty, lockout, strike, labour conditions, unavoidable accident, nuclear explosion, national calamity, or any other circumstance or event or by any enactment of law, or by order of any legally constituted authority, or by any other similar cause of the Company or beyond the reasonable control of the party relying upon such circumstance or event.
- 16. Company and customer agree that Jaquar bears no responsibility for incidental and / or consequential damage arising out of use and for inability to use a product. Company liability will be limited and restricted to the product replacement/value of the product sold. Company under all circumstances shall not be liable to uninstall the defective product or installed replacement product. In case replacement is the only option then the customer has to hand over the defective product to the seller from whom it was purchased and take the replacement product from there.
- 17. In order to claim warranty, this Limited Warranty Certificate, duly filled, stamped and signed by the Dealer must be submitted along with product on which warranty claim is made to attending authorized service personnel.

NOTWITHSTANDING THE ABOVE, THE FOREGOING WARRANTY SHALL NOT APPLY TO THE FOLLOWING:

- 1. Any defect or damage caused to the product due to natural wear and tear;
- 2. Any defect or damage arising from reasons attributable to the purchaser/ third party, including without limitation willful actions, negligence, mishandling, improper storage, improper fitting, misuse or improper repair, faulty installation, negligence, accidents and repairs by unauthorized person or maintenance practices and/ or used in any manner contrary to any written instructions provided by Jaquar; however the certificate entitles the customer to seek training for his plumber from nearest Jaquar office.
- 3. Any other defect or damage occurring or being notified after the expiry of Warranty Period, including but not limited to any latent defect.
- 4. The problems arising from inadequate water pressure, water impurities or improper care and cleaning and Voltage fluctuations
- 5. In line water filters, should be used with Faucets so that any damage to ceramic cartridges without the use of in line filters will void warranty
- Intentional and Accidental use of cleaners containing abrasive cleansers, ammonia, bleach, hair dye, acids, waxes, alcohol, solvents, bath oil, bath salts or other
 products not recommended for Color and Coating and due to Improper cleaning or cleaning with coarse cloth also for fading of any material due to sun or
 chemical exposure
- 7. Any goods which after delivery hereunder have been repaired or modified or altered by anyone other than that has been authorized and approved by the Jaquar.
- 8. This warranty does not cover installation or any other labour charges associated with the job work or re-installation of Jaquar products.
- 9. When the product is not operated in accordance with the instructions concerning use and operating.
- 10. Damage to any products based on or resulting from installation or repair, misuse or abuse or alteration or adjustment, whether performance by a contractor, service company or yourself.
- 11. Damage resulting from failing to reasonably clean, care for or maintain a product.
- 12. This warranty does not cover the damages as a result of disaster such as fire or acts of God, including flooding, earthquake, or electric storms and other Force Measure

Notwithstanding the above, the foregoing warranty shall not apply to the below mentioned conditions Related to Geysers:

- 1. Element bust and component failure due to calcium deposition.
- 2. Claim related to Shock coming from Faucets due to improper earth line.
- 3. Any damage to the unit, if safety valve & Proper rating of MCB was not installed.
- 4. Poor Installation resulting from not following and implementing the standard instruction and guidelines issued with product.
- 5. Leakage due to Poor quality of Braided hose, angle valve, in out knob if not from Jaquar Brand.
- 6. In extreme cold condition drain out water from water heater through safety valve after use. Don't allow water to freeze in the tank.
- 7. If anode rod, the consumable, is not replaced with new anode rod

Notwithstanding the above, the foregoing warranty shall not apply to the below mentioned conditions Related to Concealed Cisterns, Bathtubs, Whirlpool, and Steam Enclosures & Glass Shower Enclosures for the following:

- 1. Damage to the finish of fittings or accessories caused by the use of cleaning solvents/chemicals or improper cleaning methods.
- 2. Damage resulting from the use of chloramines, excessive concentration of chlorine in water.
- 3. Damage in shipping, handling or transportation. Please inspect the unit prior to installation to ensure the unit is free of any defect or damage.
- 4. The warranty does not cover glass breakage or the coating on the glass. By its nature, all glass has the potential to shatter; therefore, Jaquar use only toughened safety glass.

Notes	

Notes	

Notes	





